

COMMUNICATING

USING ROCK

Welcome

In today's hectic world people expect their communications to be personal and professional. One channel isn't enough; organizations must meet people where they are. Sometimes that means pushing a message through email or text, other times it needs to be pulled from the web or social media. Rock gives you the tools you need to personalize your message through all these mediums and more. Let's jump in and see how Rock can be that communications assistant you've always dreamed of.

Sending a Communication

Communications are ways of pushing out messages to your attendees. Today this can be in the form of emails or SMS text messages, but in the future communications could offer many more options.

Rock has two tools for sending communications: our Communication Wizard, which will make you feel like an email rock star, and the Simple Email Editor, which is best suited for sending simple emails, such as from a group toolbox. If you're anxious to get started sending messages with the wizard, jump to the Communication Wizard chapter. If you'd like to learn about how communications work in Rock, read on.

But Wait, I Just Want to Send a Letter!

"These are great and all, but I need a good old-fashioned low-tech letter. Although I would like to use a fancy merge document and maybe a little Lava..." If this is you, you need to head over to the [Rock Admin Hero Guide](#) for more info on Lava and merge docs.

Under the Hood of Communications

Rock's Communication Engine

Like a car engine, Rock's communication tool has a number of different parts or components. Most of them can be found in the *Communications* screen ([Admin Tools > Communications](#)). We'll be talking about many of them in depth throughout this guide, but you can read an overview of all of the parts in the Communications chapter of the [Admin Hero Guide](#) .

Mediums and Transports

Like everything in Rock, the communications features are designed to be extensible for the future. That means the messages of tomorrow won't be limited by the messages of today. The communications engine is based on two types of components: mediums and transports. Let's look at how that works.

Mediums

Think of mediums as methods of communicating. Today Rock provides an email medium, an SMS medium and a push notification medium. Other mediums could easily be added in the future. These mediums can be written by either the core developers of Rock or by third-party developers. If you don't like it, change it! Mediums can be configured under: [Admin Tools > Communications > Communication Mediums](#) .

Transports

Transports, on the other hand, can be thought of as the worker bees of the mediums. They do the actual work of getting the messages to their recipients. This is typically where you reach out to a third-party service like Mailgun (for email) or Twilio (for SMS messaging). Settings for the different transports are configured under [Admin Tools > Communications > Communication Transports](#) .

Some transports let you control how many recipients will be processed at the same time by adjusting the *Concurrent Send Workers* value. This lets you throttle your communications. High volumes of emails sent in a short period can be a red flag for spam activity. Also, large email bursts can potentially overload servers, possibly impacting Rock's performance.

A medium can only use one transport at a time. So, you can't have your email medium set up to use both Mailgun and SendGrid. Because the transport gets attached to the medium, you usually set up transports first.

Communications Send Job

Usually when you send a communication, it will be sent immediately to a communication queue that gets processed in almost real-time. There is, however, a Rock Job that runs every 30 minutes to look for communications with a pending status.

You can view this under: [Admin Tools > System Settings > Jobs Administration > Send Communications](#).

You don't need to worry about this job, but we wanted to point it out, so you know more about how communications are sent.

Unsubscribing From Emails

It's very important that recipients of your emails have a way to unsubscribe from future emails, and that requests to unsubscribe are processed in a timely manner. Failure to do so can have legal implications, including fines of up to \$51,744 for each individual email sent. Not to mention, your email reputation (a metric used by ISPs to help determine if your organization's email is spam) will suffer, resulting in a loss of deliverability.

To learn more about unsubscribing and what you can do to ensure you remain in compliance and stay off of spam lists, check the Unsubscribing section in the [Configuring Email](#) chapter below.

Bounced Mail

We know you have much to share, so let's make sure you have the opportunity to do that. You have to process bounced mail to keep your email addresses accurate and improve your email reputation.

Bounced messages are emails that are returned back to you after you send them because an email address is incorrect or no longer valid. Rock can automate this process if you use an email integration (i.e., Communication Transport) that supports the notification of these messages. Currently, the only core integration that supports bounced mail processing is Mailgun. You can read more on this integration in the [Integrations](#) chapter of this manual. Third-party provided solutions may be available for other services.

SMS Pipeline

In this chapter we'll look at how Rock handles incoming SMS messages using Rock's SMS Pipeline feature.

Rock's SMS Pipeline is the entry point for all incoming SMS messages. Think of it as a switchboard operator that's directing each message to its intended action.

The Fundamentals

Below is an overview of how the SMS Pipeline feature works. If some of these concepts are foreign to you right now, don't worry. We'll go over all the details in the next section.

1. An incoming SMS message is received into the pipeline.
2. The message flows down the pipeline, through a series of *Actions*. Actions are activities that the system performs, like launching a workflow.
3. Each action has filters. The pipeline uses filters to analyze the message and its contents against criteria you provide. If the message meets your criteria, then the action is performed. If not, the message moves to the next action. This process repeats until an action is performed.
4. When an action is performed, the pipeline looks at the action's *Continue* setting. This determines if the message should continue down the pipeline to the next action, or if the matched action is all that's needed.
5. If a message continues down the pipeline after an action has already been performed, it works the same way as described in #3 above. Satisfying the filter criteria for one action does not mean the message automatically satisfies the filters on the remaining actions.

These general steps are repeated for each new message you receive. That means you can use a single pipeline to perform different actions for a variety of scenarios.

Anatomy of Actions

Actions automate many of the tasks you would want to perform in Rock after receiving a text message. For instance, you might want to send the person an automated reply message. Or you might want to launch a workflow if the person's message contains certain keywords.

Each action you add has its own settings and filters, giving you full control over what should happen and when.

There are four SMS Pipeline actions:

- Give

- Launch Workflow
- Reply
- SMS Conversations

We'll use the Reply example pictured below to describe the properties of actions in general. Then in the following sections we'll dive into each type of action individually. The below page can be accessed from `Admin Tools > Communications > SMS Pipeline`.

SMS Pipeline Actions

SMS Pipeline Detail
 Home > Communications > SMS Pipeline > SMS Pipeline Detail

SMS Pipeline Detail

Name: Default
 Webhook URL: https://www.rocksolidchurchdemo.com/Webhooks/TwilioSms.aspx?SmsPipelineId=1

Description:

[Edit](#) [Delete](#)

SMS Pipeline Actions

Incoming SMS Message

- 1 Group Response
- 2 Reply
- 3 Launch Workflow
- 4 SMS Conversations

Reply

2 Name: Group Response

3 Active: 4 Continue:

5 Expire Date:

6 Log Interaction When Action Runs:

7 Filters

Phone Numbers

+16235551234	Contains	X
+16235554321	Contains	X
+16235551122	Contains	X

Message

group Contains X

8 Response

Response

Yes, let's get you connected to a group!
 Click here to find a group near you:
<https://my.rocksolidchurchdemo.com/gro>

[Save](#) [Cancel](#) [Delete](#)

Crafted by Spark Development Network / License

1 Actions

These are the actions you can add to the pipeline. Click and drag the desired action into the center of the page to add it.

2 Name

This is the name of the action, which displays within the pipeline in the center of the page. The default name will be the type of action it is. If you have the same type of action in your pipeline more than once, you'll want to change their names so you can easily tell them apart.

3 Active

The action will only be performed if it is active. You might want to disable actions that only apply during certain times of the year, so you don't need to delete them when they're no longer needed.

4 Continue

After an action is performed the process will check the *Continue* setting for that action. If *Continue* is enabled, the message will continue down the pipeline to the next action. When *Continue* is disabled, the process ends with that action and any remaining actions in the pipeline are ignored.

5 Expire Date

If you open the Advanced Settings, you'll see an *Expire Date*. The Rock Cleanup job will delete the action from the pipeline automatically after this date passes. If you have actions that are only temporary or only apply to a particular time period, this means you don't have to remember to update your pipeline when the action is no longer needed.

6 Log Interaction When Action Runs

Also located within the Advanced Settings, you can choose to have an interaction written when the person sends a text. This is a great way to find out when and how often each keyword is getting used. See the info icon for additional details.

7 Filters

Filters decide whether an action will be performed. If a message meets the action's filter criteria, then the action is performed. If not, the process moves to the next action to evaluate that set of filters. If no filters are applied to an action, every message that reaches the action will cause the action to be performed.

8 Action-Specific Properties

This area will appear for actions where additional setup is needed. It will change depending on the type of action. We'll cover these properties in the next section.

SMS Pipeline Webhooks

You might have noticed the *Webhook URL* at the top of the *SMS Pipeline Detail* page. This identifies the pipeline you're viewing. You'll use this URL to link your phone numbers to a specific pipeline. See below for details.


SMS Pipeline Actions

As noted in the prior section, all actions share some common properties. However, each type of action has unique features and properties that we'll describe in detail below.

SMS Conversations

This action will send the message over to the *SMS Conversations* page, at which point you're messaging with the person directly. There is only one filter for this action, and no additional unique properties.

Remember, the phone number filter references the number to which the person sent the message, not the person's phone number. If this is left blank, then every message that reaches this action will go to the *SMS Conversations* page.



As pictured above, the *SMS Conversations* action is typically at the bottom of the pipeline. If the person's message doesn't meet the criteria for any of the other actions, this is how you can ensure it doesn't fall through the cracks.

Reply

The *Reply* action is an easy way to automate responding to an incoming text. You can customize the content of your response and personalize it for the recipient using Lava.

The reply action can in some cases eliminate the need for a workflow if a specific message is always to be returned.

SMS Pipeline Detail
Home > Communications > SMS Pipeline > SMS Pipeline Detail

SMS Pipeline Detail

Name: Default
Webhook URL: http://www.organization.com/Webhooks/TwilioSms.ashx?SmsPipelineId=1

Description

[Edit](#) [Delete](#)

SMS Pipeline Actions

Give, Launch Workflow, Reply, SMS Conversations

Incoming SMS Message

- Group Response
- Connect Response**
- Launch Workflow
- SMS Conversations

Reply

Name: Connect Response

Active Continue [Advanced Settings](#)

Filters

Phone Numbers

+16235551234	Contains	X
+16235554321	Contains	X
+16235551122	Contains	X

Message

Any All

serve	Contains	X
volunteer	Contains	X

Response

Response

Hi, {{ Message.FromPerson.NickName }}!
Let's get you connected! Check out the serving page and let us know how you

[Save](#) [Cancel](#) [Delete](#)

Crafted by Spark Development Network / License

1 Message Filter

You can check the content of the incoming text message against key words you provide. You can add as many of these conditions as needed. You can also select whether the message requires "any" or "all" of those criteria to match.

2 Response

This is the content of your organization's response, which will be sent if the incoming message meets the filter requirements. You can personalize the response using Lava.

The example pictured above will only perform the Connect Response action if the words "serve" or "volunteer" are somewhere in the message's text. If the incoming text says "I would like to serve" then the contents of the *Response* field will be sent to the person as a text message. In this particular example a workflow might also be launched for this message, because the *Continue* option is enabled.

Launch Workflow

As the name implies, this action will launch a workflow. You'll want to configure your workflow to receive information from the pipeline, using the same workflow attribute merge fields we cover in the SMS Pipeline Workflows chapter of the [Blasting Off with Workflows](#) guide.

Launch Workflow Action

The screenshot displays the 'SMS Pipeline Detail' page. At the top, there's a navigation bar with a home icon, search, and user profile. Below it, the breadcrumb trail reads 'Home > Communications > SMS Pipeline > SMS Pipeline Detail'. The main content area is titled 'SMS Pipeline Detail' and shows the pipeline's name as 'Default' and its Webhook URL as 'http://www.organization.com/Webhooks/TwilioSms.ashx?SmsPipelineId=1'. There are 'Edit' and 'Delete' buttons below this information.

The 'SMS Pipeline Actions' section shows a sequence of actions: 'Incoming SMS Message', 'Group Response', 'Connect Response', 'Launch Workflow' (highlighted with an orange box), and 'SMS Conversations'. The 'Launch Workflow' action is expanded to show its configuration:

- Name:** Launch Workflow
- Active:**
- Continue:**
- Advanced Settings:** (link)
- Filters:**
 - Phone Numbers:**
 - +16235551234 Contains X
 - +16235554321 Contains X
 - +16235551122 Contains X
 - Message:**
 - volunteer Contains X
 - serve Contains X
- Workflow:**
 - Workflow Type:** External Inquiry
 - Pass Nameless Person:**
 - Workflow Name Template:** Connection Request
 - Workflow Attributes:**
 - Attribute Key: X
 - Merge Template:

At the bottom of the interface, there are 'Save', 'Cancel', and 'Delete' buttons. A footer note reads 'Crafted by Spark Development Network / License'.

- 1 Workflow Type**
 You'll use the drop down to choose your preconfigured workflow.
- 2 Pass Nameless Person**
 You can control whether Nameless person records (see Nameless People) should be passed to your Workflow.
- 3 Workflow Name Template**
 This Lava-enabled field is where you can create a string to use as the

workflow name.

4 **Workflow Attributes**

This lets you pass information, like the person or their phone number, to the workflow you want to launch. See the *SMS Pipeline Workflows* chapter of the [Blasting Off with Workflows](#) guide for details on setting this up.

Give

This action enables *Text Giving* functionality, allowing a person to send a text to donate using their phone.

The *Give* action isn't ready to use out of the box. An administrator will need to configure the settings for the *Utility Payment Entry* block in addition to SMS Pipeline setup. For details on *Text Giving* and the required configuration, head over to the [Rock Solid Finances](#) manual.

SMS Pipeline Detail

Home > Communications > SMS Pipeline > SMS Pipeline Detail

SMS Pipeline Detail

Name	Default	Webhook URL	http://www.organization.com/Webhooks/TwilioSms.ashx?SmsPipelineId=1
Description			

[Edit](#) [Delete](#)

SMS Pipeline Actions

Give | **Launch Workflow**

Reply | **SMS Conversations**

Incoming SMS Message

- Group Response
- Connect Response
- Launch Workflow
- Give**
- SMS Conversations

Give

Name: Give

Active: Continue:

[Advanced Settings](#)

Filters

Phone Numbers: Contains

Giving

Give Keyword: GIVE,TITHE,GIVING,GIFT

Setup Keyword: SETUP

Maximum Gift Amount: \$ 0.00

Financial Account: General Fund

Setup Page: Text To Give Setup (...)

Refund

Refund Keyword: REFUND

Processing Delay Minutes: 30

Response

Help Response

1 To give, text GIVE & amount. Example: GIVE \$250. More help at XXXXXXXXXXXX. Msg & data rates may apply. Reply STOP to cancel.

Max Amount Response

1 Thank you for your generosity but our mobile giving solution cannot process a gift this large. Please give using our website.

SMS Pipeline In Action

Let's look at a completed pipeline to see how this all comes together. This pipeline has four actions and was designed to handle inquiries about small groups and connecting. Below each screenshot we'll highlight the key points.

The screenshot displays the 'SMS Pipeline Detail' page. The pipeline is titled 'Incoming SMS Message' and contains four actions:

1. Group Response (highlighted with an orange box)
2. Connect Response
3. Launch Workflow
4. SMS Conversations

The 'Group Response' action configuration is shown on the right:

- Name: Group Response
- Active:
- Continue:
- Filters:
 - Phone Numbers:
 - +16235551234 Contains
 - +16235554321 Contains
 - +16235551122 Contains
 - Message:
 - group Contains
- Response:
 - Response: Yes, let's get you connected to a group! Click here to find a group near you: <https://my.rocksolidchurchdemo.com/gr>

As pictured above, when an incoming text contains the word 'group', an auto-response will be sent to the person with more information about joining a group. In this case the processing stops, because the *Continue* option is not enabled.

If the SMS message doesn't contain the word 'group' then the "Connect Response" action will be evaluated because it's the next in line. If the message contains the word

'volunteer' or 'serve' an auto response gets sent with more information about getting connected to a serving team. The arrow on the action indicates that the continue functionality is enabled, and the next action will run if the message meets the requirements.

The screenshot displays the 'SMS Pipeline Detail' page for a pipeline named 'Default'. The 'SMS Pipeline Actions' section shows a sequence of four actions: 1. Group Response, 2. Connect Response, 3. Launch Workflow (highlighted with an orange border), and 4. SMS Conversations. The 'Launch Workflow' action is configured with the following settings:

- Name:** Launch Workflow
- Active:**
- Continue:**
- Filters:**
 - Phone Numbers:**
 - +16235551234 Contains X
 - +16235554321 Contains X
 - +16235551122 Contains X
 - Message:**
 - volunteer Contains X
 - serve Contains X
- Workflow:**
 - Workflow Type:** External Inquiry
 - Pass Nameless Person:**
 - Workflow Name Template:** Connection Request
 - Workflow Attributes:** (empty)

Buttons for 'Save', 'Cancel', and 'Delete' are visible at the bottom of the configuration panel.

You'll note in the screenshot above that the workflow action has the same filters as the "Connect Response" action. That means any message which activates the "Connect

Response" action will also launch this workflow.

Lastly, the pipeline continues down to the "SMS Conversations" action so that a staff member can directly connect with this person.


In this case, the "SMS Conversations" action has no filters applied. Knowing this, and looking at the pipeline as whole, all incoming SMS messages will end up in the *SMS Conversations* page except messages that contain the word 'group'.

If we enabled *Continue* in the "Group Response" action, then every incoming SMS message would go to the *SMS Conversations* page. In that case, a message containing the word 'group' would not satisfy the "Connect Response" and "Launch Workflow" filter criteria, so those actions won't be performed.

In this example pipeline, if an SMS message is received that says "I'd like to learn more about your services" it would pass through the pipeline straight to the "SMS Conversations" action. No automated replies would be sent, and no workflows would be launched for that message because it does not meet the criteria for those actions.

SMS Pipeline Lava

You can use Lava to customize and personalize your pipeline's actions. There are different merge fields depending on whether you're working with the Reply or Launch Workflow action.



Launch Workflow Action Lava

Below is a list of Lava merge fields you can include in your pipeline when you're working with the Launch Workflow action. These are the same workflow attribute merge fields we cover in the SMS Pipeline Workflows chapter of the [Blasting Off With Workflows](#) guide.

SMS Pipeline Workflow Lava Merge Fields

Merge Field	Description	Field Type
{{ FromPerson.PrimaryAlias.Guid }}	The pipeline uses the	Person

SMS Pipeline Workflow Lava Merge Fields

Merge Field	Description	Field Type
	person's phone number to look up the first person with that phone number. If it finds a match, it assigns that individual's record to FromPerson. If the phone number is used in more than one profile, the pipeline defaults to the first record of an adult with children.	
{{ FromPhone }}	The person's phone number, pulled from the inbound message, from the SMS gateway. This will automatically get added to the workflow as FromPhone and will include the country code (i.e., the raw phone number 18645555555).	Phone Number
{{ ToPhone }}	The SMS gateway number where the message was sent.	Phone Number
{{ ReceivedDate }}	The date the message was received.	Date
{{ ReceivedTime }}	The time the message was received.	Time
{{ ReceivedDateTime }}	The date and time the message was received.	Date Time
{{ MessageBody }}	The content of the SMS message that was received.	Text or Memo
{{ MatchedGroups }}	If the RegEx expression provided contains matched groups, they are loaded into an array here. This is an advanced feature, so if you're not sure what this means, don't worry. You probably don't need it.	Typically, you fill in a text field with a merge expression of a single result from the MatchedGroups array.

Reply Action Lava

Below is a list of Lava merge fields you can use when you're working with the *Reply* action. Note that each uses a prefix of `Message`.

SMS Pipeline Reply Lava Merge Fields


Merge Field	Description
{{ Message.FromNumber }}	The person's phone number from the inbound message
{{ Message.ToNumber }}	The SMS number where the message was sent
{{ Message.FromPerson }}	The pipeline uses the person's phone number to look up the first person with that phone number. If it finds a match, it assigns the value to FromPerson. If the phone number is used in more than one profile, the pipeline defaults to the first record of an adult with children. This is the full Person object, so, for instance, you'll need <code>{{ Message.FromPerson.FullName }}</code> to get the person's full name.
{{ Message.Message }}	The content of the SMS message that was received

Adding New Pipelines

Technically a single pipeline is all you need in Rock. After a while though, you might find that your single pipeline becomes complex, especially if you have multiple numbers that you are supporting. In this case you can create additional pipelines. Please note though that a single SMS phone number can only work with a single pipeline, but a pipeline can service multiple SMS numbers.


To start, navigate to `Admin Tools > Communications > SMS Pipeline`. From here you can add, delete or edit your list of pipelines.

The screenshot displays the 'SMS Pipeline List' interface. At the top, there is a navigation bar with a search icon and a user profile icon. Below this, a sidebar contains navigation icons for home, user, search, settings, and a list icon. The main content area shows the 'SMS Pipeline List' with a table containing one entry: 'Default'. The table has columns for 'Name', 'Description', and 'Active'. The 'Default' pipeline is marked as active with a checkmark. Below the table, there are pagination controls showing '50', '500', '5,000', and '1 Sms Pipeline'. At the bottom of the interface, it says 'Crafted by Spark Development Network / License'.

Click the  button to add a new pipeline or click an existing pipeline to access its details. You can edit the 'Default' pipeline that ships with Rock, or you can create your

own. In this example we'll add a new pipeline from scratch so you can see the process.

The first thing you'll need to do is provide a name and description for the pipeline. If you have multiple pipelines, be sure to make the name and description clear.



The screenshot shows a web application interface for adding a new pipeline. The page title is "Add New Pipeline". The main content area is titled "SMS Pipeline Detail" and contains a form with the following fields:

- Name:** A text input field with a red asterisk indicating it is required.
- Description:** A larger text area for providing details about the pipeline.
- Active:** A checkbox that is currently checked, indicating the pipeline is active.

At the bottom of the form, there are two buttons: "Save" (in orange) and "Cancel". The page also features a dark sidebar on the left with navigation icons and an orange header at the top with a search bar and user profile information.

Click the `save` button, and that's all you need to start configuring your new pipeline using the instructions in the above sections. Remember, each pipeline can be associated with its own webhook (see below) for added flexibility.

From One to Many

If you started using SMS Pipeline before Rock v11, you don't need to change anything. The webhook you have in place will continue to work. However, don't forget that a webhook will stop working if the associated pipeline is deleted.

SMS in Detail

Before you can start using the SMS features Rock has to offer, you need to set up a phone number. This chapter provides the information you'll need to get started.

Boosting Engagement with SMS

In the modern era, SMS messaging has become the predominant means of communication, surpassing phone calls and emails in popularity. SMS messages are typically read promptly and are more likely to elicit swift responses. However, it is not permissible for any organization to send an SMS message to an individual unless the recipient has explicitly given their consent by opting in. As a result, Rock has incorporated an SMS Opt-in Checkbox in most areas where mobile phone numbers can be entered.

Furthermore, we recognize that every organization is unique and may have distinct legal requirements. Therefore, the verbiage for the SMS Opt-in checkbox can be completely customized to meet your specific needs. You can customize the SMS Opt-in message at [Admin Tools > System Settings > System Configuration](#) under the UI Settings Tab.

Add SMS Phone Number

You need to have a phone number before you can start sending and receiving texts. We recommend Twilio, and have a whole section for setting up Twilio in a later chapter. Even if you don't have a phone number set up yet, it's important to be familiar with the *System Phone Number* settings because they are referenced later in this chapter.

These settings can be accessed and maintained from [Admin Tools > Communications > System Phone Numbers](#).

System Phone Number

1 Basic Settings

Here you can give the number a name, make it active or inactive, and you can choose a description. A good description can be very helpful if you have multiple phone numbers. Only Active phone numbers can receive responses. You might use a phone number for a large event and then inactivate it until the next event

2 Phone Number

Be sure that the phone number is in the Phone Number field and that it is in the format of "+15555555555" (or similar for international numbers).

3 Assigned to Person

The person you select here will receive the incoming messages sent to the SMS Phone Number you're viewing. This only happens if *SMS Forwarding* is enabled. Be sure the individual you select has a valid SMS phone number on their record.

4 SMS Enabled

This simply indicates whether the number can be used in SMS contexts within Rock.

5 SMS Forwarding

If enabled, then incoming messages to this SMS Phone Number will be sent to the *Assigned to Person* and to the SMS Pipeline. If this is not enabled, then the conversation will still go to the SMS Pipeline or SMS Conversations, but it will not be sent to the *Assigned to Person*.

6 SMS Received Workflow


You have the option of automatically launching a workflow when a response is received. Use this field to indicate which workflow should launch. Don't forget, you can use the same phone number to launch different types of workflows using the SMS Pipeline.

7 SMS Notification Group

The members of this group will be notified when a message is received to this number. This option only works with a Rock Mobile app, via push notifications.

8 Mobile Application

Using this requires that you have Mobile configured correctly. This determines which mobile application to use when sending notifications.

In addition to the Assigned to Person settings described above, you can apply security to each System Phone Number individually. Simply click the  icon when viewing the Phone Number to apply security for that number. Please note that the security does not transfer over to *SMS Conversations*, *Communication Wizard* and *Simple Communication* blocks.

You may also want to review the block settings for *SMS Conversations* to further refine how your numbers are used and who can see them.

SMS Number Strategies

Now that you've seen how SMS replies are handled in Rock, let's touch briefly on strategies to implement this effectively in your organization.

SMS services like Twilio make it very inexpensive to rent phone numbers for SMS. (A number from Twilio runs only \$1 per month.) Don't limit your organization to a single number if you need more than one. Think about getting a number for each department and/or heavy SMS user. It's also very easy to turn an SMS number on and off. You might grab a number for a large event and remove it after the event is over. You can also reuse a number internally by changing the *Response Recipient* as described above.

MMS Considerations

Standard MMS (aka, Multimedia Messaging Service) messages allow you to send images, slideshows, videos and audio clips as attachments. While this means you can do some creative things with your communications, there are some limitations to keep in mind.

The biggest limitation is that the recipient's phone may not support all multimedia files. So, while you may be able to send a short video, not all of your recipients may be able to view it.

Another thing to keep in mind is that some mobile carriers limit the file size of attachments being sent over their network. For example, Twilio limits messages that combine text and images to 5MB. If you try to send, say, an MMS message combining text and video, and the total size is greater than 5MB, Twilio will prevent the message from sending. Before sending out a large number of messages, it's a good idea to test your communications on various handsets using different file formats and sizes. See what works and what doesn't.

Twilio, Short Codes and MMS Messages

If you're using a Twilio short code, keep in mind that it doesn't automatically support

MMS messages. You can add MMS capabilities for a one-time fee of \$500. This is different than regular "long codes" (phone numbers) where MMS is usually automatically supported.

If you're not sure whether your account supports MMS messaging, check your Twilio Console. If you only see "Capabilities: SMS" and MMS is not listed, then it's likely you haven't purchased MMS for your short code.

See the [setting up Twilio](#) section for more information on configuring Twilio as your SMS provider.

Long Code Throttling

It's still a bit like the Wild West out there when it comes to SMS and MMS. Each carrier has its own rules and practices. For many carriers, sending or receiving too many messages too quickly will set off spam warnings, which results in messages either not being sent or not being received. This can be a real problem when you need to send information to a lot of people at once.

Fear not. We've got you covered. Out of the box, Rock comes configured with Long Code Throttling. This slows the delivery of non-short code numbers. By default, it is set to 500 milliseconds, or half of a second, which is the rate we've found works best for both speed and reliable delivery. You can modify the rate, though, by changing your Twilio transport settings ([Admin Tools > Communications > Communication Transports](#)). You can also disable Long Code Throttling altogether. Keep in mind, though, that this may result in your messages not being delivered.

Configuring Twilio for SMS Pipeline

In the past, each SMS feature included its own webhook. The SMS Pipeline condenses those features into one place, so you only have to use one webhook. That means you can use a single phone number for a variety of different purposes.

To set your number up for the SMS pipeline in Twilio, set the *A Message Comes In* URL to:

```
https://YourServer/Webhooks/TwilioSMS.ashx?SmsPipelineId=YourPipelineId
```


If you need multiple SMS Pipelines, you can link each one to your phone numbers by specifying the pipeline's ID in the URL.

See the [Integrations](#) chapter for more information on setting up Twilio in general.

SMS Conversations

In the prior chapter we explain why many of your incoming SMS messages will end up getting passed from the *SMS Pipeline* into *SMS Conversations*. Now, let's take a step back and see how to manage those messages, or messages that are sent to *SMS Conversations* directly. Navigate to [People > Communications > SMS Conversations](#) to start.

[SMS Conversations Page](#)



1 New Conversation

This will open up a new conversation window to start a conversation with a selected individual. You can send the SMS message directly from Rock, and even include an image.

2 Recipient Filter

Use this filter to search for specific recipients. This is a fast alternative to scrolling through a lengthy list of people to find the conversation you're looking for.

3 Available SMS numbers

You can change between currently active SMS numbers by clicking the drop-down here. Changing the number will show you conversations associated with that number. If only one number is available, then the dropdown is replaced with a label.

4 Show/Hide

You can choose to show or hide messages that have already been read.

5 All Responses

This panel displays all the responses to the selected SMS number. Clicking on any of the listed responses will show you the conversation with that person.

6 Message


All you need to do is type your message here and hit to keep the conversation going. Your outgoing messages and responses will be shown in the screen above.

7 Add Note

The conversation you're having with the person can hold important

information. By adding a note directly from SMS Conversations, you can track details about the conversation in a more visible and accessible way. The block's settings let you limit the Note Types that can be used.

8 Send Image

Click the  icon to upload and send an image to the person.

We realize that every organization is different, so we add in settings to allow you to customize each feature for your needs. Suppose you have the Students Director and First Impressions Director using communications for scheduling different events with their volunteers. This could be done with the out of the box *SMS Conversations* page, or you can customize this so the two can only see their own SMS number on different pages.

Create Multiple SMS Pages


You can create multiple pages with the SMS Conversations block on them. Then on each page you can specify who has access and which number(s) can be used. Each ministry could have their own SMS Conversations page, for example. To learn more about creating pages and adding blocks check out the *Designing and Building Websites using Rock* guide.

Nameless People

Sooner or later, you'll start receiving SMS messages from people and phone numbers you don't recognize. If you're worried that this will cause a snag in your processes, don't be.

Rock will try to match the phone number of a new incoming SMS message to a person in the system. If it can't find anyone with that number, Rock will create a *Nameless Person* record instead. This allows your processes to continue as normal, without knowing their name or other contact information. In most cases this will result in the message being passed from the SMS Pipeline to the *SMS Conversations* page. Other possible actions are limited because we don't know who the person is.

Nameless People in SMS Conversations




- 1 Phone Number**
Typically, a name is shown here. Since Rock doesn't know the person's name, you'll see the phone number instead.
- 2 Unknown Person**
This indicates the conversation is with an unknown (i.e., nameless) person.
- 3 Link To Person**
Click this button to link the phone number to a new or existing person record. We'll cover that in detail below.

As new texts come in, you might lose track of your nameless people in the *SMS Conversations* page. Luckily, you can go to [Admin Tools > Communications > Nameless People](#) to see and manage your list of nameless records.

1 Phone Number

All of the phone numbers Rock can't link to a person record are listed here.

2 Link To Person

Click the  button to link the phone number to a new or existing person record (see below).

Where Did My Nameless Person Go?

Each night, the *RockCleanup* job will go through the Nameless record types to look for a matching person record. If it finds a match it will merge them for you and the Nameless record will be removed.

Linking to an Existing Person

Once you know for sure who you're talking to, you'll want to link the phone number (and the conversation) to an actual person in Rock. You'll do this from the *Link Phone Number to Person* page. You can get there from the *SMS Conversations* page or from the *Nameless People* page as described above.

Link Phone Number to Person

Link Phone Numbers (623) 555-8629 To Person

To prevent data loss and to ensure the highest level of security, a merge request will be created upon pressing Save.

1 Add New Person **2** Link Existing Person

Title	Connection Status *	Birthdate
<input type="text"/>	<input type="text"/>	<input type="text"/> / <input type="text"/> / <input type="text"/>
First Name *	Role *	Grade
<input type="text"/>	<input checked="" type="radio"/> Adult <input type="radio"/> Child	<input type="text"/>
Last Name *	Gender	Marital Status
<input type="text"/>	<input type="radio"/> Male <input type="radio"/> Female	<input type="text"/>
Suffix		
<input type="text"/>		

Save **Cancel**

1 Add New Person

As pictured above, this page lets you quickly and easily create a new person record to be linked with the phone number.

2 Link Existing Person

Clicking this button will give you a person picker screen so you can look up the existing record to be linked with the phone number.


Respond from a Device

When you send an SMS message (see the *Communication Wizard* chapter) you'll select an SMS number to send from. When *Response Recipient Forwarding* is enabled as described earlier, responses will be forwarded to the response recipient's mobile phone with the sender's name and a response code.

The response code consists of the @ symbol followed by a three-digit number (e.g., @347). If further follow-up is required, the response recipient can use this code to reply back.

If your mind is swimming a bit, that's OK. Let's look at an example. In our example Jenny has just sent out a bulk SMS message to several attendees reminding them of the car show that afternoon. Let's walk through a conversation she has with Alisha.

SMS Example



1 Bulk Message

The original bulk SMS message. Notice Jenny has cleverly used merge fields to personalize the text message with each recipient's name.

2 First Response

Alisha then responds to the message.

3 Response Code

The response goes back to Rock's SMS phone number. Rock then looks up that number's response recipient and relays the message to Jenny's phone. Because the message is no longer directly from Alisha, Rock adds Alisha's name to the message and also the response code @671.

4 Sent to Alisha

Jenny decides she would like to continue the conversation, so she writes a quick message back including the response code. Rock will use this code to match the conversation back to Alisha.

5 Shows Message

Alisha receives Jenny's response. Note how Rock has removed the response code. To Alisha it appears that she is texting Jenny directly.


Notice that both sides of the conversation are texting to Rock's SMS number (555) 351-5392. Little does Alisha know that Jenny's real number is 867-5309.

Configuring Email

When it comes to email configuration, much of the heavy lifting will be done outside of Rock. We have information in the Integrations chapter to help you with some of those processes. In this chapter, we'll cover the basic Rock settings you'll need to get email up and running. There are two main configuration areas, called Communication Transports and Communication Mediums.

Communication Transports

Communication Transports ([Admin Tools > Communications > Communication Transports](#)) are where you provide the necessary details for Rock to connect with your email service provider. These details are typically provided by your service. Check out the Integrations chapter for assistance with this setup.



Communication Transports

Home > Communications > Communication Transports

Component List

Filter Options

Name	Description	Active
Mailgun HTTP	Sends a communication through Mailgun's HTTP API	<input type="checkbox"/>
SendGrid HTTP	Sends a communication through SendGrid's HTTP API	<input type="checkbox"/>
SMS Test	Sends a communication to a custom API endpoint for testing.	<input type="checkbox"/>
Rock Mobile Push	Rock Mobile Push Transport that uses Firebase as the backend, but enables advanced push capabilities in Rock.	<input checked="" type="checkbox"/>
Firebase	Sends a communication through Firebase API	<input type="checkbox"/>
SMTP	Sends a communication through SMTP protocol. **This transport should only be used for development and testing.**	<input checked="" type="checkbox"/>
Twilio	Sends a communication through Twilio API	<input checked="" type="checkbox"/>

50 500 5,000 7 Transport Components

Crafted by [Spark Development Network](#) / License

SMTP Relaying May Bite You

For development and testing you might decide to use SMTP as your transport. If you do, be sure that the server/service you use is configured to allow the Rock server to relay. If you're using Google Apps, see the tips in the Integrations section below.

Communication Mediums

Communication Mediums ([Admin Tools > Communications > Communication Mediums](#)) represent the available communication methods in Rock, including email.

Communication Medium Email Settings

Email Properties

- Active**
Yes
- Transport Container**
Mailgun
- Unsubscribe HTML**

```
<small style="float: right;">
  <small><a href="{{ 'Global' | Attribute:'PublicApplicationRoot' }}"Unsubscribe/{{ Person | PersonActionIdentifier:'Unsubscribe' }}"?CommunicationId={{
    Communication.Id }}">Unsubscribe</a></small>
</small>
```
- Non-HTML Content**

```
1 Unfortunately, you cannot view the contents of this email as it contains formatting that is not supported
2 by your email client.
3
4 You can view an online version of this email here:
5 {{ 'Global' | Attribute:'PublicApplicationRoot' }}getCommunication.ashx?c={{ Communication.Guid }}&{{ Person | PersonActionIdentifier:'Unsubscribe' }}
6
```
- CSS Inlining Enabled**
Yes
- Bulk Email Threshold**
25
- Request Unsubscribe Email**
✉ unsubscribe@rocksolidchurchdemo.com
- Enable One-Click Unsubscribe**
Yes
- Unsubscribe URL**
{{ 'Global' | Attribute:'PublicApplicationRoot' }}Unsubscribe/{{ Person | PersonActionIdentifier:'Unsubscribe' }}?CommunicationId={{ Communication.Id }}

Save Cancel

- 1 Active**
Ensure this option is selected to enable email communication from Rock.
- 2 Transport Container**
Choose the email service provider you've configured in Communication Transports. This setting helps Rock know which service to use for sending emails.
- 3 Unsubscribe HTML**
Customize the appearance and destination of the unsubscribe link in Rock

emails. This link, at the bottom-right of the email by default, allows recipients to opt out of future communications.

If you're using Mailgun, be sure to check that your Tracking Settings in Mailgun are turned off, to avoid having two Unsubscribe options at the bottom of your emails.

4 Non-HTML Content

Provide an alternate message for recipients who are unable to view HTML emails. The recipient will see a generic message with a link to view the rich text email on your website. This ensures that all recipients can access the email content, regardless of their email client's capabilities.

5 CSS Inlining Enabled

Keep this option set to "Yes" for better email styling compatibility. Inline CSS styles enhance the visual presentation of emails across different email clients.

6 Bulk Email Threshold

Set a threshold to automatically designate emails as bulk when sent to more recipients than the threshold allows. The option to choose if an email is bulk or not will be removed when creating the communication. This helps manage email reputation and compliance with anti-spam regulations.

7 Request Unsubscribe Email

Specify the email address for unsubscribe requests. If left blank, the Organization Email in Global Attributes will be used. Because Rock always includes an API for processing unsubscribe requests (with Enable One-Click Unsubscribe enabled) the email option will probably never be used. However, it is required by email clients like Gmail. In the future, some email clients may choose to use this.

8 Enable One-Click Unsubscribe

Offer a convenient one-click unsubscribe option with a link at the top of the email. This enhances email credibility and complies with anti-spam regulations. It defaults to "Yes" which is the recommended setting.

9 Unsubscribe URL

Alternatively, provide a URL for unsubscribing. Clicking the unsubscribe link will redirect recipients to this page. This URL is only used if the Enable One-Click Unsubscribe option is turned off (which we don't recommend).

For more information on the "unsubscribe" settings, see the [Unsubscribing](#) section below.

Safe Sender Domains

Many email service providers have implemented new restrictive policies on emails that are sent from a person's account (e.g., Yahoo.com) but did not originate from their email server. Because Rock sends email on behalf of others these emails can bounce in these situations. To prevent this, if an email communication is created with a From Address that is not in the Safe Sender Domains defined type, the Organization Email

global attribute value will be used instead for the From Address and the original value will be used as the Reply To address.

You'll want to add all of your organization's email domains to the Safe Sender Domains defined type under:

Admin Tools > Communications > Safe Sender Domains


Adding Domains

Be sure that only your organization's domains are added to the Safe Sender Domains list. Adding gmail.com, yahoo.com, or any other domain you don't control or have SPF records for will result in your email being dropped because you'd be forging 'From' addresses.

Broken Images

If you're finding that some of your images aren't appearing in your email, be sure your Public Application Root setting is configured with the proper URL. This can be modified under:

Admin Tools > General Settings > Global Attributes > Public Application Root



1 Broken Image
An email containing an image that can't be found due to a misconfigured Public Application Root may look like this.

Your Public Application Root will be formatted like <https://www.organization.com/> or <https://rock.organization.com/> or similar, depending on your web address. Note that the forward-slash at the end is required.

Unsubscribing

Configuring email in Rock involves more than just sending messages; it's about safeguarding your communication channels and maintaining a positive sender reputation. Why? Because when your emails get marked as spam, it can harm your reputation and impact whether your messages reach their intended recipients. Not to mention the possible legal consequences.

Consider this: even if someone signed up for your emails, they might still report them as spam if they can't easily find the unsubscribe option. Or worse, they might start to unsubscribe but then resort to marking your emails as spam if the process isn't straightforward. That's why it's crucial to make unsubscribing as effortless as possible.

This is especially true for Gmail accounts. Gmail specifies that everyone must *"make it easy for recipients to unsubscribe"* and *"if you send more than 5,000 messages per day,*

your marketing and subscribed messages must support one-click unsubscribe." Gmail also indicates that if your unsubscribe method involves sending an email, the request to unsubscribe must be processed within two days. Why all the focus on Gmail? Well, with over 1.5 billion active accounts, it's probably used by many in your target audience, so we want to ensure we're sticking to their guidelines.

Learn More

To read more about Gmail's spam requirements, with links to additional resources, check out our [blog post](#) on the topic.

We also look to Gmail's rules because they will help cover you from a legal perspective. Gmail policies are more stringent than the US CAN-SPAM Act, which also has requirements related to unsubscribing. Adherence to the CAN-SPAM Act is crucial. Otherwise you expose your organization to potential legal action and hefty fines from the FTC.

Now, let's talk about how Rock can help you comply with these requirements. We've designed features to streamline the unsubscribing process. For more details on these settings, see the [Communication Mediums](#) section above.

Email Unsubscribe Settings

The screenshot shows the 'Email Unsubscribe Settings' configuration page. It features five settings, each with a numbered callout (1-4) on the left side of the form:

- 1 CSS Inlining Enabled:** A dropdown menu set to 'Yes'.
- 2 Bulk Email Threshold:** A text input field containing the number '25'.
- 3 Request Unsubscribe Email:** A text input field containing the email address 'unsubscribe@rocksolidchurchdemo.com'.
- 4 Enable One-Click Unsubscribe:** A dropdown menu set to 'Yes'.
- Unsubscribe URL:** A text input field containing the URL template: `{{ 'Global' | Attribute:'PublicApplicationRoot' }}Unsubscribe/{{ Person | PersonActionIdentifier:'Unsubscribe' }}?CommunicationId={{ Communication.Id }}`.

At the bottom right of the form, there are two buttons: 'Save' (in orange) and 'Cancel' (in blue).

1 Bulk Email Threshold

Automatically categorizes emails as bulk if the recipient list exceeds this threshold, ensuring unsubscribe links. This hides the bulk option for new communications.

2 Request Unsubscribe Email

Generates an email for unsubscribing, which must be processed within two days. If Enable One-Click Unsubscribe is set to “Yes” (which we recommend) this email address should never be used.

3 Enable One-Click Unsubscribe

Our recommended default setting of “Yes” is in line with Gmail's requirements.

4 Unsubscribe URL


Provides an alternative to one-click unsubscribing, directing recipients to a specified URL.

Not Gmail-Compliant

If Enable One-Click Unsubscribe is set to “No” and if the Unsubscribe URL is blank, nothing will be added to the header of the email.

With the above configuration in place, your emails will generally have two “Unsubscribe” options as pictured below.

Unsubscribe Links in Email



1 Header Unsubscribe

Supports one-click unsubscribe functionality, though it's not universally supported by all email clients.

2 Footer Unsubscribe

The older method of directing recipients to the Rock Unsubscribe page on the external site.

When someone is taken to the Unsubscribe page on the external site, they'll see the page pictured below. Upon arriving at the page, they can proceed to set their email preference.

Rock Solid Church New Here? Resources Connect Give Blog Calendar Watch Hello Alisha ▾

Email Preference

[Home](#) / [Email Preference](#)

Which option best describes how you would like us to update your email preference?

Unsubscribe Successful

You have been successfully unsubscribed from all mass communications sent by Rock Solid Church.

Other Actions

- 1 I am still involved with Rock Solid Church, but do not wish to receive mass emails (personal emails are fine).
- 2 I am still involved with Rock Solid Church, and wish to receive all emails.
- 3 Update my email address.
- 4 I am still involved with Rock Solid Church, but do not want to receive emails of ANY kind.
- 5 I am no longer involved with Rock Solid Church.

Powered by: Rock RMS 3120 W Cholla St Phoenix, AZ 85029-4113

- 1 No Mass Emails**
This will mark the individual's "Email Preference" to "No Mass Emails" on their profile.
- 2 Receive All Emails**
The person's profile will be updated to have an "Email Preference" of "Email Allowed."
- 3 Update Email Address**
The person will be presented with a field for entering their new email address, and their "Email Preference" will be set to "Email Allowed."
- 4 No Emails**
The person's "Email Preference" will be set to "Do Not Email."
- 5 No Longer Involved**
The person's "Record Status" on their profile will be set to "Inactive." This ensures that they will not receive future emails.

If the person didn't unsubscribe from a communication list, their Person Profile email settings in Rock will be updated to "No Mass Emails." If it's already set to "No Mass Emails" then it will be updated to "Do Not Email."

Changes to a person's Email Preferences are logged in the Person History area under the History tab in the *Person Profile*.

Communication Lists


The Communication Wizard utilizes communication lists to send messages.

Communication lists are kind of like the contact lists or groups you can set up in your own email and messaging apps. Rock's communication lists are simply groups of a specific type. For example, you could create a communication list of all small group members, or everyone registered for summer camp, or anyone serving as an usher. If you can create a group of it, you can create a communication list from it. Using groups as the basis for lists allows you to quickly identify and select recipients from the different areas of your organization.

Communication lists can be found in the *Communication Lists* screen, located at:

`Admin Tools > Communications > Communication Lists`.

Click the name of a list to view its members or modify its settings.



The screenshot displays the 'Communication Lists' interface. At the top, there is a navigation bar with a home icon, a search icon, and a user profile icon. Below the navigation bar, the title 'Communication Lists' is shown, followed by a breadcrumb trail: 'Home > Communications > Communication Lists'. The main content area features a table with the following columns: 'Name', 'Description', 'Members', and 'Active'. The table lists four communication lists: 'Members and Attendees' (34 members, active), 'Parents of Children' (0 members, active), 'Parents of Youth' (0 members, active), and 'Sports Ministry' (0 members, active). Each row includes icons for editing, locking, and deleting. Below the table, there are filter options and a pagination bar showing '4 Groups'.


Name	Description	Members	Active
Members and Attendees		34	✓
Parents of Children		0	✓
Parents of Youth		0	✓
Sports Ministry		0	✓

Rock ships with the following four lists:

- Members and Attendees
- Parents of Children

- Parents of Youth
- Sports Ministry

These lists are just samples to get your juices flowing and so you can see how lists should be configured. You can use them for your organization if you want, but you'll need to wire them up to sync with your data views. Because these lists are groups, you can add people to them manually...or you can use Rock's group sync features to keep them automatically updated. To learn more, see the [Group Sync](#) chapter in the [Your Groups](#) guide.

You can also create your own communication lists. In the *Communication Lists* screen, click the  button to create a new list.

The screenshot shows the 'Communication List Detail' form. At the top, there's a navigation bar with a home icon, a search icon, and a user profile 'Name' dropdown with a 'Rock' user. Below the navigation bar is a sidebar with icons for home, user, settings, and a plus icon. The main content area is titled 'Communication List Detail' and includes a breadcrumb trail: 'Home > Communications > Communication Lists > New Group'. The form is divided into several sections:

- Add Group:** Contains a 'Name' input field, 'Active' and 'Public' checkboxes (both checked), and a 'Description' text area.
- General:** Contains 'Group Type' (dropdown: 'Communication List'), 'Security Role' (checkbox: 'Yes'), 'Campus' (dropdown), 'Parent Group' (dropdown with a group icon), and 'Require Signed Document' (dropdown).
- Group Attribute Values:** Contains 'Communication Segments' (text input), 'Category' (dropdown with a folder icon), and 'Public Name' (text input).
- Group Sync Settings:** Contains a table with columns 'Role Name', 'Data View Name', 'Sync Interval', and 'Last Sync'. Below the table, it says 'No Group Sync for Roles Found' and has a plus icon to add more.

At the bottom of the form are 'Save' and 'Cancel' buttons. The footer of the page reads 'Crafted by Spark Development Network / License'.


As you can see, the *Communication List Detail* screen offers a lot of options and flexibility for creating your communication list. To make your new list available to members viewing the *Communication List Subscribe* block on your external site, be sure to click the *Public* checkbox. (To learn more about that block, see the *Communication Preferences* section below.)

Next let's look at how to associate the list with categories and data views.

Communication List Categories

You can create categories to further identify and filter your communication lists. The *Communication List Categories* page is located at [Admin Tools > Communications >](#)

[Communication List Categories](#) .



Rock ships with one category, called "Public", but you can create as many categories as you want. For example, you could create a category called "Staff Only" to use when creating communication subscription blocks you want only to be available to staff members. Categories can have child categories as well. You can use communication list categories in a number of ways: for paring down the recipients in your communication lists, in creating subscribe/unsubscribe blocks in your organization's website, for creating data views to use when filtering communication lists... The more you use them, the more you're going to see how extensive they are. We'll be talking about communication list categories a little later in the *Communication Preferences* chapter.

Keep in mind that the category's security will be used to decide if the individual can see the communication lists associated with that category. This means an administrator can set up a new category (e.g., Staff) and then add security to that category such that

people with access to view that category will be able to see any communication lists that are tied to that category. Don't forget, the admin would have to configure the *Communication List Subscribe* block's settings with the new category.

Segments

Segments provide a way to select and filter your lists based on any field in the system. You can use data views to further pare down, or segment, who you're communicating with in a particular list. They can be global to all lists or unique to a specific list. When using the Communication Wizard, after selecting a communication list, you can add any segments you want to use to filter that list. For example, if you only want the communication to be sent to members who are age 35 or older, you'd select the segments "Members" and "35 and older". (More on that in the next section.)

It's important that you think through your list strategy. A smart use of segments can cut down on the number of lists you will need.

Data views can be created, modified and deleted in the *Communications Segments* category of the *Data Views* screen, located at [Tools > Data Views](#). For more information about data views, see the [Filtering Using Data Views](#) section of the [Taking Off with Reporting manual](#).


OK, now for the fun part. Let's look at how to actually use the Communication Wizard.

Communication Wizard

Rock's Communication Wizard works like other wizard models, with buttons that move you forward and backward through a series of screens. Let's walk through how to use the wizard to send a communication.

Sending a Communication Using the Communication Wizard

To begin a new communication, go to `People > New Communication`. The first screen you'll see, pictured below, is where you'll pick who you want to send the communication to. This can be done by using a Communication List or by adding individuals manually. There are other ways too, like if you arrived at this screen from a grid.



1 Use Simple Editor
Click this button to launch the Simple Editor.

2 Full Screen Toggle
This button will change the view of the page into a full screen. The same button is used to return the screen back to its original state.

3 Manual List

If you want to select individual recipients manually, you can do that here. This lets you create a list of people without using a configured Communication List. If there are more than 1,000 recipients you'll only see a summary of those who may not receive the communication because, for instance, they don't have an email address or SMS phone number.

4 Communication List

After a Communication List has been created, you can select it here. Depending on the other settings you choose on this page, this will be the list of people who receive the communication.

5 Segments

The *Segments* feature lets you filter people in the *Communication List* according to your selections. For instance, you could apply the '35 and older' segment to only communicate with people from the 'Members and Attendees' list who are 35 and older.

6 Recipients Must Meet

If you've chosen more than one *Segment* then this lets you decide if the people who receive the communication should meet all of the segment requirements, or any one of them.

7 Prevent Duplicates

This setting is only visible if enabled in the block's settings. People within a family will often share an email address or SMS phone number. Selecting this option will cause only one communication to be sent per email address or phone number. For instance, if spouses share an email address, then only one of them will receive the communication, personalized to that person.

Click [Next](#) to advance to the *Communication Details* screen.

Wait! I want to go back!

If at any point you want to return to a previous screen, click the [Previous](#) button.

The screenshot shows a web interface for creating a communication. At the top, there's a navigation bar with a home icon, notification bell, bookmark, search, and user profile. Below is a sidebar with icons for home, user, and communication. The main content area is titled 'Communication Details' and contains the following fields:

- 1 Communication Name:** A text input field containing 'Check This Out!'.
- 2 Bulk:** A toggle switch that is currently turned on.
- 3 Communication Medium:** Radio buttons for 'Email' (selected), 'SMS', 'Push', and 'Recipient Preference'.
- 4 Send: Immediately:** A button with a clock icon.

At the bottom of the form, there are 'Previous' and 'Next' buttons.

1 Communication Name

This is the name of the communication you're sending. This is for internal use only, to help you identify which communications were sent as you look through your history of communications. The name you provide here will not be included in the communication you send.

2 Bulk

Here you choose if it's a bulk (group) communication. When you enable this option, Rock includes a link for the recipient to unsubscribe. You can change the default for this option in the block settings, but we recommend leaving it on. Note, this will be hidden and automatically enabled if the recipient count exceeds the threshold set on the *Communication Mediums* page. See the *Configuring Email* chapter for more information.

3 Communication Medium


The options you see here may vary depending on your Rock configuration/data. In this case we can choose to send an email, an SMS text message or a push notification. Or we can send it using different mediums based on each recipient's communication preference.

4 Schedule Send

By default, the communication will be sent immediately after it has been created (and approved, if applicable). However, you can click here to specify a date and time on which the communication should be sent.

Click [Next](#) to advance to the *Communication Template* screen. This is where you'll

select the email template you want to use to create your communication. You can imagine how, after you've created a number of templates, having a Template Image Preview (i.e., thumbnail) will help you easily locate the template you want.



1 Category Filter

You can also use the *Category Filter* dropdown to help you locate your template. If you don't see a template listed, you may not have permission to use it, or it might not be set up for use with the wizard. You can learn more about template security and support in the [Email Template Survival Guide](#).

2 Template Selection

Rock ships with these three templates out of the box, but this list will expand as you create your own. Remember, the template is a starting point for how your email will look, but you'll be able to customize many aspects of it in the following screens. Keep this in mind before creating new templates.

After selecting your template, click [Next](#) to advance to the *Email Summary* screen. The *Email Summary* screen is where you specify the sender, the subject and any files you want to attach to the message.

Email Summary

The screenshot shows a web interface for creating an email. At the top, there's a navigation bar with a home icon, a bell, a bookmark, a search icon, and a user profile. Below this is a sidebar with icons for home, user, email, settings, and attachments. The main content area is titled "Email Summary" and contains the following fields:

- From Name:** A text input field containing "Alisha Marble".
- From Address:** A text input field containing "alisha@rocksolidchurchdemo.com".
- Show Additional Fields:** A link to the right of the From Address field.
- Email Subject:** A text input field containing "Check This Out!".
- Email Preview:** A large text area for providing a summary of the email.
- Attachments:** A section with an "Upload" button and a file icon.

At the bottom of the form, there are "Previous" and "Next" buttons.

- 1 From Name**

This will be the name that appears as the person, ministry, etc. who sent the email.
- 2 From Address**

The email address you provide here will be seen by the recipient as the email address from which the email was sent.
- 3 Show Additional Fields**

Click this link to specify a separate 'Reply to' email address, and to add email addresses to 'CC' and 'BCC' lists. These fields are optional and can be left blank.
- 4 Email Subject**

The subject line of your email is added here. You can use Lava to personalize the email subject.
- 5 Email Preview**


You can provide a concise summary that appears alongside your subject line in recipients' inboxes. This quick peek can entice them to open and read your message.
- 6 Attachments**

You can use this to upload files that will be sent with the email as an attachment.

CC, BCC and Personalization

If you use the CC or BCC fields, be aware that each communication is personalized for each recipient, so each email is unique. That means your CC/BCC recipients will receive many messages.

Click **Next** to advance to the *Email Editor*. If your communication will be sent by SMS or Push only, then the wizard will skip this screen.



Here's where things get really fun. The *Email Editor* is a drag-and-drop visual email composer. This is where you configure the layout, images, text, buttons, etc., of your communication.

To add an element, simply drag it from the buttons bar to where you want it to be in your message. Notice that when you drag an element over a section, a transparent image of the element helps to show where you're placing it.

After placing an element, you can edit it by clicking on the section it's in. The options associated with that element are displayed on the right side of the screen. Notice that the section you're editing is highlighted with a green border, and you can view your changes in real time. When you're done editing the section, click **Complete**. If you decide you don't want that element after all, click **Delete**.

At any point while working in the Email Editor, you can send a test email to yourself by clicking the **Send Test** button. Click **Preview** to see both desktop and mobile previews

of your design. Click `Save` to save a draft of your email.


We should pause a moment here to note the RSVP button, indicated by the `📧` icon. This element is used to send RSVP requests to groups, and it requires some setup in advance. For full details check out the Group RSVP section of the `Rock Your Groups` guide.

Adding Videos to Email

Because of how different email clients work, we can't reliably embed a video within an email. Using the `📺` Video feature will let you provide a link to a video, with an associated image, but the video can't play from inside the email itself. As of this update, Rock will automatically apply a thumbnail image if the video is from YouTube or Vimeo.

Emailing a Login Link

As you're crafting your communication you may find it necessary to include a link that will automatically log the person in to your website. This is easy to do using the `PersonTokenCreate` Lava filter. Simply add `?rckpid={{ Person | PersonTokenCreate }}` to the URL of the page you want the person to visit. The example pictured below will log the person in and take them to the external site's homepage using a URL of `https://yoursite.org/page/1?rckpid={{ Person | PersonTokenCreate }}`.




A link like the one pictured above can be added to your email by using the button near

the top of the editor. Unlike the example above, you'll want to provide friendly text for the link (e.g., "Click Here") instead of the URL itself. Using the URL as pictured above would result in a very long and ugly looking link in the recipient's email.

You can optionally add parameters to your *PersonTokenCreate* filter, to control how long the token is valid, how many times it can be used or which page it should be used for. Check out our *PersonTokenCreate* Lava documentation for full details.

Depending on your *Security Settings* a tokenized link may not be able to be generated for all of your recipients. Out of the box, a person token can't be created for people with an Extreme level *Account Protection Profile*.

When everything is set up and looks the way you want, click to go to the *Mobile Text Editor* screen. If your communication will be sent by email only, the wizard will skip this screen. The *Mobile Text Editor* is similar to the *Email Editor*. This is where you design how your SMS message will appear.



- 1 From**
Select the SMS phone number from which the text message will be sent. Unless specified in the block's settings, this list will contain all active SMS phone numbers you have configured.
- 2 Add Merge Field**
Personalization has never been easier. Use the list here to populate your message with the Lava you'll need to truly customize and personalize content for each recipient.
- 3 Message Body**
This area is where you'll compose the actual content of your message, including any Lava you might be using for personalization.
- 4 Attachment**
You can use this to upload files that will be sent with the message as an attachment.
- 5 Send Test / Save**
You can also send a test text to yourself by clicking the `Send Test` button. Click the `Save` button to save a draft of your text.
- 6 Live Preview**
As you make changes to your *Message Body* you can see in real time how the message will appear when it's received.

If you're sending the communication via a Push Notification, then you'll see the *Push Notification Editor* screen instead of the Email and SMS screens described above.

Push Notification

Check This Out!

Push Notification Editor

1 Title
Check This Out!

Message 2
959 Add Merge Field

3 Hey, {{ Person.FullName }}! We think you'll love our new podcast!

4 Open Action
 Link to Mobile Page Show Details

Mobile Page
Homepage

Mobile Page Query String

Previous Next

- 1 Title**

This will be the title of the push notification and will be seen by the person receiving it.
- 2 Add Merge Field**

Just like the *Mobile Text Editor* page, you can easily personalize the content of the notification by adding Lava merge fields from this drop-down.
- 3 Notification Content**

This is the main content that the person will see. Merge fields will appear here when added, to customize and personalize the content.
- 4 Open Action**

When *Link to Mobile Page* is selected then you can set which page the person will be taken to, including any query string parameters you might add. If *Show Details* is selected, you'll be prompted to select a Mobile Application and add additional details in the editor provided. If your app has a push notification detail page defined in it, that page will be opened with the details for the communication. These two features require Rock Mobile and require that Rock Mobile is configured correctly to receive these details.

With the last of the communication methods configured, click **Next** to go to the *Confirmation* screen. This is the last stage in the process before we actually send the communication.

Confirmation

Check This Out!

Confirmation

Your communication is ready to be sent. Please review these final details before sending.

- 1** Recipient Count
35
- 2** Email SMS
- 3** Communication Name
Check This Out!
From
Main Campus (+6235554321)
- 4** Schedule
Immediately
- 5** Recipient List
Members and Attendees

Template
Default

Communication Medium
Recipient Preference

Previous Save as Draft Send

1 Communication Details

The information along the left applies to the communication in general. This lets you ensure you've selected the correct options in the prior screens.

2 Communication Method Previews

In the example pictured above, the communication may be sent in two different ways. You can click each button to see a preview of the communication in each of the formats we talked about above.

3 Communication Preview

This area will show you what the communication recipient will see. In the example pictured above we also see the number from which the SMS message will be sent, because that is specific to the SMS version of the communication.


4 Save as Draft

Not quite ready yet? That's okay, you can save this as a draft and come back later. Your communication drafts can be found in the Communication History screen.

5 Send

This is the Moment of Truth. Are you ready to send the communication? If so, click Send.

After clicking Send, the communication is sent to the communication queue.



To immediately view the communication's analytics, click the *View Communication* link. See the *Viewing Analytics* section to learn more.


To turn around and send the same communication to a different list, click the *Copy Communication* button from the *Communication History* page. This will take you back to the beginning of the *Communication Wizard*, keeping the settings and design options of the original communication.

Pretty cool, right? With the *Communication Wizard*, you're going to be rocking email and SMS messages in no time.


Simple Email Editor

Rock's previous, non-wizard communication system (aka, Simple Editor) is still available. You may find it useful if volunteers need to send individual or simple communications. Here's what you should know about using the Simple Editor.

Sending a Communication Using the Simple Editor

There are a lot of ways to start a new communication. The most popular one is to click the  button at the top or bottom of any grid of people. This will take you to the *New Communications* page and add all of the individuals from the grid to the communication as recipients. This is really powerful when used with Data Views and groups pages. If you prefer you can also start a new communication from `People > New Communication` and enter your recipients by hand.

Whichever method you use, the Simple Editor can be accessed by clicking the `Use Simple Editor` button near the top right of the screen.



Tip: Hide the New Communications Button

If a person does not have view access to the *New Communications* page the button at the bottom of the grid will be hidden.

Once on the *Simple Editor* page, you're ready to start crafting your message. We'll walk through each section of this page highlighting some of the features you have at your disposal.

New Communication

1 Selector

Email is the default communication medium, but this can be updated from the communication selector at the top of the page.

2 Recipients

The recipient list will be filled with all of the people you previously selected as recipients. You can also add and/or remove names from the list at this

point. Don't forget that if you started with a blank communication, you'll need to enter all of the names manually. You may notice that some names are in red. These names either do not have an email address or have been marked as not wanting emails or bulk emails.

3 Bulk Option

Determine if this message should be treated as a bulk email. Bulk emails will have an `unsubscribe` link added to them and will exclude people who have asked that they not receive bulk emails from your organization. If you can't see this option then the email is being treated as bulk.

4 Template

If you would like to use a previously created email template, you can select it here. For more information on creating templates see the `Email Template Survival Guide`. This page can be set with a default template. Out-of-the-box this will show your organization's header and footer with the sender's signature.

5 From

Fill in the email address that you would like the email to be sent from. By default, your contact information will be input, but you can change this as needed.

6 Reply to Email

You might want replies to go to a different address than the one you're sending from. For example, when you send emails from the organization's leader, you may want the replies to go to an administrative assistant.

7 Attachments

You can add any number of attachments you want to the email. Why limit a good thing?

8 Subject

Next, enter the subject of your email. A well-written subject can greatly increase the response rate of the email. Here are a few tips: provide context for the content of the message and a hint about the organization sending it. Remember to focus on catching the eye of the reader. You can use Lava merge fields in your subject line so by all means, be creative.

9 The Message

Now the fun part: your message. While you can enter any generic message in this box, consider personalizing your message using merge fields. The message editor has a button `{}` for selecting a merge field to add. Personalization is one of Rock's main strengths so be sure to use it to its fullest.

10 Delay Send

If you'd like you can delay the sending of your message to a date and time in the future. What a timesaver!

11 Test

Before sending the email it's wise to send a test. Using the `Test` button will send the contents of the email to the currently logged in user. The first recipient will be used to process any merge fields in the email.

12 Draft

Finally, you can send the communication or save it as a draft to be

completed later. This draft will be available to complete from [People >](#)
[Communication History](#). Take the time to get it right!

Resolving Relative Links

By default, Rock will convert relative URLs in links and images to absolute URLs using the *Public Application Root* global attribute.

Mass Push Notifications

The *Mass Push Notification* page lets you send a push notification to every active mobile device in your system. By default, a device is considered active if it's had an interaction recorded within the past year. That's a lot of notifications, so this isn't something you'll use every day, but you'll find it's perfect for certain communications.

Sending Mass Push Notifications

You'll find the *Mass Push Notification* page under `People > Communications > Mass Push Notification`. If you've used tools like the Communication Wizard to send push notifications, then this page will look familiar to you.

Mass Push Notification

Home > Mass Push Notification

Mass Push Notifications

1 Title

Message 1

1024 Add Merge Field 2

3

4 Open Action 1

Link to Mobile Page Show Details

Mobile Page

Mobile Page Query String

Send Test Send

Crafted by Spark Development Network / License

- 1 Title**

This will be the title of the push notification and will be seen by the person receiving it.
- 2 Add Merge Field**

You can easily personalize the content of the notification by adding Lava merge fields from this drop-down.
- 3 Notification Content**

This is the main content that the person will see. Merge fields will appear here when added, to customize and personalize the content.
- 4 Open Action**

When *Link to Mobile Page* is selected then you can set which page the person will be taken to, including any query string parameters you might add. If *Show Details* is selected, you'll be prompted to select a Mobile Application and add additional details in the editor provided.

By default, this block will send a notification to every device that has had an interaction recorded in your system within the past year. Administrators can edit the block settings to change the number of days that the device must have had an interaction for it to be considered active.

Approvals

As your organization grows, you'll find an increasing number of people sending large emails. Chances are good that not all of them understand the intricacies of your communications strategies. Rock has just the thing to help you maintain quality in growth – approval settings for emails that are sent to a large number of people.

Approving Emails

By default, emails that are sent to 300 or more recipients will require approval. This number can be changed by configuring the block settings of the *Communication Entry* block (for the simple editor) or the *Communication Entry Wizard* block (for the wizard).

When an email requires approval, its status will be set to *Pending Approval* and members of the *RSR - Communication Approvers* group will receive an email. Note that this is the only group that will receive the approval emails.

A communication will not be sent until it's approved by a person with approval access. By default, these are the *RSR - Communication Administration* and *RSR - Communication Approvers* roles. Before a communication is approved these roles have the ability to edit the communication to ensure it meets the standards of your organization.

Any individual with approval access can view a complete list of communications waiting for approval from the *Communication History* page. The filters on the *Communications List* block allow approvers to view communications from anyone in Rock, with additional filters for status.

Additional security roles can be added to approve communications by adjusting the block security of the *Communication Entry Wizard* and *Communication Entry* blocks. Simply add the new role to the *Approve* permission of these blocks.


Approver Notification Emails

By default, the System Communication for approval emails is *Communication Approval Email*. Just like other communications, you can customize the content of your approval notifications to suit your needs.

Email Only

The approval notification communication currently only works with emails and cannot be used with the *SMS* or *Push* features.

If you need to take it a step further, you can use an entirely different System Communication for these approvals. Simply go to `Admin Tools > Communications > Communication Settings` and select the System Communication you want to use instead.




Communication Preferences

Rock's communication tools provide powerful functionality not only to senders but also those receiving communications. Recipients can control not only which communications they receive but also how they receive them. Let's look at how Rock handles communication preferences.

Communication List Subscribe Block


Rock ships with the *Communication List Subscribe* block ready for you to use on your external website under [Connect > Subscribe](#). This block will display the communication lists a person is subscribed to or can be subscribed to. Pictured below is an example of this block on the external website.



In this example, the block shows the three communication lists that ship with Rock under the *Public* category: Parents of Children, Parents of Youth and Sports Ministry. Additional lists unique to your organization would be displayed here as well if the person is subscribed or is able to subscribe to them.

You can further configure the *Communication List Subscribe* block in the block settings.

This is one area where Communication List Categories come into play. You can specify a category in the block settings if you want the *Communication List Subscribe* block to target only a particular segment of the communication lists. By default, this is set to display lists in the *Public* category.



- 1 Communication List Categories**

Whichever categories you select here will affect the functionality of the *Communication List Subscribe* block. For example, you could select Staff Only to display lists only available to staff members. If you don't select a category, Rock will display all of the lists the person is authorized to view.
- 2 Show Medium Preference**

For instance, the person could choose SMS or Email as their preferred medium.
- 3 Filter Groups By Campus Context**

Communication lists associated with a campus can be filtered using campus `context`.
- 4 Always Include Subscribed Lists**

If the campus context would normally filter out a list the person is subscribed to, this setting keeps it in place.

Remember, the "Public" category ships with Rock, but you can create as many categories as you want. Whichever categories you select here will affect the functionality of the *Communication List Subscribe* block. For example, you could select Staff Only to display lists only available to staff members. If you don't select a category, Rock will display all of the lists the person is authorized to view.

Now let's look at how a person interacts with the *Communication List Subscribe* block to set their communication preferences.

Setting Subscription Preferences

There are two ways a person can access and set their communication preferences: by logging in and navigating to a subscribe page, or by clicking the unsubscribe link that takes them to an email preferences page. Let's look at the subscribe page option first.


Setting Preferences in a Subscribe Page

When a person logs in, the *Communication List Subscribe* block is made available for them to set their communication preferences. If that block is placed on a Subscribe page, as shown in the earlier screenshot, they can select which lists they want to subscribe to, and choose which format they want the messages they receive to be in. To subscribe to a list, simply check the box beside the list's name. To unsubscribe, uncheck the box. To set a delivery preference, simply click which you want to receive: email or SMS. Super easy, right?

Communication Wizard and Delivery Preference


The Communication Wizard uses the preferences set using the *Communication List Subscribe* block. So, when sending a communication using the wizard, if you choose the *Recipient Preference* option in the *Communication Delivery* screen, the wizard will check which preferences a person has set and send the communication accordingly.

The *Communication List Subscribe* block works the same way for the internal pages of your organization's site as well. You can create subscribe pages available only to staff members or others where they can set their communication preferences. For example, you can set up an employee resources page with an email preferences zone containing the *Communication List Subscribe* block.



Setting Preferences from an Unsubscribe Link

The other way a person can access and set their communication preferences is by clicking on an unsubscribe link in an email or SMS message.



The *Email Preference Entry* block on this page allows you to customize the wording for each of the options on the page. If you want to add more reasons for the "I am no longer involved" option, you can do that under

[Admin Tools](#) > [General Settings](#) > [Defined Types](#) > [Inactive Record Reason](#).

The block also allows you to suppress any reasons that might be awkward in this context (e.g., *Deceased, No Activity*).

See the [Unsubscribing](#) section above, in the [Configuring Email](#) chapter for more information on this page and the unsubscribe process.

A Note About the Email Preference Page

If a person is logged in when they view the *Email Preference* page, any communication lists they're subscribed to will be displayed beneath the "Only unsubscribe me from the following lists" item, allowing the person to select which list(s) to unsubscribe from.

Communication History and Analytics

A communication from Rock continues to provide value even long after it's sent. Using the tools described in this chapter, you can measure the success of past communications to inform your future communications. You can even drill down to an individual's communication history to see which communications they engage with.

Person Communication History

A history of communications that have been sent to an individual can be viewed on the *Person Profile* page, under the History tab. This is where you'll come to find out which communications a person has received, and to view the details of those communications.

Person Profile Communication History

The screenshot displays the 'Person Profile Communication History' for Ted Decker. The interface includes a navigation bar with tabs for Profile, Extended Attributes, Steps, Groups, Documents, Contributions, Benevolence, and More. Below the navigation bar is a profile card for Ted Decker, a Member at Main Campus, with a calendar and a bar chart. The main content area is titled 'Ted Decker's Communication History' and contains a list of communication items. The first item is 'Following Suggestions' with a status of 'Interacted' and a count of 1. The second item is 'Prayer Vigil Tonight: Join Us!' with a status of 'Delivered' and a count of 558. The third item is 'Sunday Service Livestream Starts Now!' with a status of 'Interacted' and a count of 1. The fourth item is 'You're Invited!' with a status of 'Interacted' and a count of 447. The interface also includes a filter options dropdown, a pagination control showing 4 Communication List Items, and an Attendance History section below.

- 1 Communication Medium**

From this block you can view push notifications, emails or SMS messages the person has been sent.
- 2 Message Summary**

Here you can see the subject (for emails) and title (for SMS/push) of the communication. You can also see who sent the communication. Clicking *More* will provide further details about each communication.
- 3 Recipients**

This column shows a count of how many recipients received the communication.
- 4 Date and Status**

The date the communication was sent is shown for reference. You can also see the *Status* of each communication:

 - Cancelled
 - Delivered
 - Failed
 - Interacted
 - Pending
 - Sending

Phone Number Security in Communication History

You can set a security which allows specific people to view the SMS messages when setting up the SMS communication. But please note that the personalized communication history block does not respect SMS view access. This means that people will be able to see the SMS communication even if they do not have the security permission to do so.

Communication History

You can view a history of the communications you've sent under `People > Communication History`. The list of communications can be filtered based on a variety of data elements, like type, status, content, etc.

The screenshot displays the 'Communication History' interface. At the top, there's a navigation bar with a home icon, a search icon, and a user profile. Below this, the main heading 'Communication History' is followed by a breadcrumb 'Home > Communication History'. A sidebar on the left contains navigation icons for home, user, search, settings, and a briefcase. The main content area is titled 'Communication List' and features a 'Filter Options' section with several filters: Subject, Communication Type, Status, Created By, Created Date Range, Sent Date Range, Content, and Recipient Count. An 'Apply Filter' button is located below the filters. Below the filters is a table with columns: Subject, Status, Details, Sent, Recipients, and Copy. The table lists three communication items. The first item is titled '"Discover Your Spiritual Gifts" Workshop Next Week', has a status of 'Approved', and was sent on 4/13/2024 at 6:02 AM. It shows 872 recipients and was created on 4/7/2024 by Ted Decker, reviewed on 4/12/2024 by Alisha Marble. The second item is 'Marriage Enrichment Seminar: Strengthening Bonds Together', also 'Approved', sent on 4/7/2024 at 6:00 AM, with 36 recipients, created on 4/5/2024 by Ted Decker, and reviewed on 4/5/2024 by Ted Decker. The third item is 'Calling All Volunteers: Join Our Service Team!', with a status of 'Draft', sent on 4/5/2024 by Ted Decker, and 264 recipients. At the bottom of the table, there's a pagination control showing '50' items per page and '3 Communication Items' total. The footer of the interface includes the text 'Crafted by the Spark Development Network / License' and the version 'v1.17.0.15'.

Subject	Status	Details	Sent	Recipients	Copy
"Discover Your Spiritual Gifts" Workshop Next Week	Approved	Created on 4/7/2024 by Ted Decker Reviewed on 4/12/2024 by Alisha Marble	4/13/2024 6:02 AM	872 1707 118	
Marriage Enrichment Seminar: Strengthening Bonds Together	Approved	Created on 4/5/2024 by Ted Decker Reviewed on 4/5/2024 by Ted Decker	4/7/2024 6:00 AM	36 81 2	
Calling All Volunteers: Join Our Service Team!	Draft	Created on 4/5/2024 by Ted Decker		264	

See the Bigger Picture


Those with Approve permissions on this block will be able to see every communication in the system and can filter by a specific person.

Viewing Analytics

When you click a communication from the *Communication History* list, Rock displays a page showing the status of the message along with any analytics that are available. This is where using one of the email service integrations like Mailgun can provide a ton of value.

With services like Mailgun you can see how many people have opened your message and even which links they've clicked. This gives you a much broader understanding of how well your message was received and what calls to action were engaged. To learn more about Mailgun, see the *Integrations* chapter below.

Communication Analytics



1 Status States

Analytics are shown for each state that a message could be in. The number and types of states is dependent on the transport that you used. The states pictured above include:

- **Pending** - The communication has been saved or queued but hasn't been sent yet.
- **Delivered** - The communication has been sent to the appropriate destination server. For email communications this does not mean that it necessarily reached the person's inbox, just that it made it to the recipient's email server.
- **Failed** - The communication did not reach the recipient. This could be from a bad email address or a hard bounce.
- **Cancelled** - This state is used when a communication has been

cancelled by the sender.

2 Analytic Graph

This graph shows the number of opens, clicks and unopened messages over time. As emails are opened you should expect the number of unopened messages to go down while the number of clicks (hopefully!) goes up.

3 Actions

The *Actions* section gives you lots of information at a glance, making it easy to monitor overall activity.

4 Clients

Services like Mailgun can identify which email clients are being used by recipients to view your email.

5 Popular Links

In addition to knowing the number of clicks, progress bars at the bottom of the page let you know which links are being clicked and how frequently.

Email Analytics


If you want a wider view of these types of analytics for emails, go to [People >](#)

[Communications > Email Analytics](#). There you can view analytics for all emails within a specified time period.

Viewing Message Details

This page shows you details related to the communication itself. Reviewing things like the subject of an email or the phone number used to send a text message can be helpful both for sent messages and for future communications that are pending.

Communication History - Message Details



- 1 Created By**
The name of the person who created the communication, and when it was created, will be displayed here.
- 2 Approved By**
After a communication has been approved you can see who approved it and when the approval took place.
- 3 Change Communication View**
Right now we're looking at the Email version of the message, but you can toggle over to SMS to see the SMS version of the communication. This will only appear if the communication was crafted to send both Emails and SMS text messages.
- 4 Communication Details**
Here you'll see the "From" value that's being used, as well as the subject of the email.
- 5 Message Content**
If the communication originated from a list block, such as those associated with data views or small groups, clicking this link will take you to that page.
- 6 Copy Communication**
Using the *Copy Communication* link will create a new communication with the exact settings used for this communication. The recipient list will be the same. If the initial communication was sent from a dynamic list of people (like a Data View) it will not re-run the list.

If the communication was launched from a grid, you may also see *Originated from this Page* which will take you to the page containing the grid of people from which the communication was initiated. If the

communication is a draft (i.e., not yet sent) you'll also see the option to *Cancel Send*.

Viewing Activity

This area lists activities for the communication. Depending on the transport used, you can see every time the message was opened by a recipient and every link inside the communication that was clicked.

The screenshot shows the 'Communication History - Activity' page for a message titled "Discover Your Spiritual Gifts* Workshop Next Week". The page has a navigation bar with 'Analytics', 'Message Details', 'Activity' (selected), and 'Recipient Details'. Below the navigation bar is a table of activity records. The table has four columns: 'Date', 'Person', 'Activity', and 'Details'. The first row is highlighted, and the columns are numbered 1 through 4. The table contains 10 rows of activity records, all dated 4/13/2024 6:00 AM.

Date	Person	Activity	Details
4/13/2024 6:00 AM	Philip Coffee	Click	Clicked the address https://rocksolidchurchdemo.org from 101.45.212.233 using Windows desktop Chrome browser
4/13/2024 6:00 AM	Alexis Decker	Opened	Opened from 63.249.83.163 using Windows desktop GmailImageProxy unknown
4/13/2024 6:00 AM	Cynthia Decker	Opened	Opened from 63.243.88.135 using Windows desktop GmailImageProxy unknown
4/13/2024 6:00 AM	Noah Decker	Opened	Opened from 63.103.8.32 using Windows desktop GmailImageProxy unknown
4/13/2024 6:00 AM	Theodore Decker	Opened	Opened from 63.243.33.83 using Windows desktop GmailImageProxy unknown
4/13/2024 6:00 AM	Francis Dexter	Opened	Opened from 38.153.23.123 using OS X desktop Apple Mail email client
4/13/2024 6:00 AM	Helen Evans	Opened	Opened from 34.123.213.33 using Windows desktop Edge browser
4/13/2024 6:00 AM	Adelle Foster	Opened	Opened from 73.123.213.33 using Windows desktop Edge browser
4/13/2024 6:00 AM	Peter Foster	Opened	Opened from 36.103.3.37 using Windows desktop GmailImageProxy unknown
4/13/2024 6:00 AM	Brian Gilbert	Opened	Opened from 63.243.84.163 using Windows desktop GmailImageProxy unknown

- 1 Date**
The date and time on which the activity occurred are displayed for reference.
- 2 Person**
The person who took the action is provided as a link that takes you to their *Person Profile* page.
- 3 Activity**
The specific action (e.g., Opened, Click) that the person performed is shown here. You can sort the list by activity to group actions together.
- 4 Details**
Details related to the activity are displayed here. If the person clicked a link, the link's URL will also be displayed.

Viewing Recipient Details

Details about the individuals who received the email can be viewed here. This is great for accessing and analyzing easily customizable sets of information about communication recipients.

Communication History - Recipient Details

The screenshot shows a web application interface for viewing recipient details. The top navigation bar is orange and contains a home icon, a search icon, and a user profile icon. The main content area is titled "Communication History - Recipient Details" and features a sidebar on the left with icons for home, analytics, message details, activity, and recipient details. The recipient details section is highlighted with a blue circle and contains a list of person properties and attributes. The main area displays a table of recipients with columns for Name, Campus, Status, Medium, Note, Opened, Clicked, Age Classification, Connection Status, and Email. The table contains three rows of data: Benjamin Jones (Delivered, Email, Confirmed delivered by Mailgun at 4/13/2024 6:00:09 AM), Craig Lowe (Failed, Email, Communication Preference of 'No Bulk Communication'), and Tricia Lowe (Delivered, Email, Confirmed delivered by).

1 **Person Properties**
Select one or more person properties and click the `Update` button to have those properties displayed in the grid. You can then sort the communication recipients according to the selected properties.

2 **Person Attributes**
Like the person properties, you can select one or more attributes to display in the grid. From allergies to t-shirt sizes, you can add as many as you need.

3 **Filter Options**
Dive into the details and take control of recipient data! Here you can filter by delivery status, the communication medium, or whether the person opened it. Or, focus on individuals or families by filtering by name. Organizations with multiple campuses can also filter by campus.


4 **Recipient Detail Information**
This area will show the person's name and general information related to the communication itself. As described above, columns can be added according to any properties and/or attributes you've selected.

System Communications

System Communications (formerly known as "System Emails") are communication templates that are used by Rock to send very specific messages. Typically, these are automated communications, such as the message someone receives when they've forgotten their password and requested to reset it.

System Communications can be used with either emails or SMS messaging. While Rock sets these up to look professional from the start, you may want to modify them to match your organization's branding. You can edit these communications under [Admin](#)

[Tools](#) > [Communications](#) > [System Communications](#).



The screenshot shows the 'System Communications' management interface. It features a navigation sidebar on the left and a main content area with a table of communication templates. The table has columns for Title, Subject, Category, From Address, Mediums, and Active. Numbered callouts (1-9) point to specific elements: 1 points to the Title column, 2 to the Subject column, 3 to the Category column, 4 to the From Address column, 5 to the Mediums column, 6 to the search icon in the Mediums column, 7 to the checkmark icon in the Active column, 8 to the lock icon in the Active column, and 9 to the close icon in the Active column.

Title	Subject	Category	From Address	Mediums	Active
1 Communication Approval Email	2 Pending Communication Requires Approval	3 Communication	4	5 6	7 8 9
Registration Notification	{{ RegistrationInstance.Name }} Registration	Event Registration		6	7 8 9
Expiring Credit Card Notice	NOTICE: Your card is going to expire soon	Finance		6	7 8 9
Failed Payment	Unsuccessful Payment to {{ 'Global' Attribute:'OrganizationName' }}	Finance		6	7 8 9
Financial Transaction Alert Summary	Giving Alert for {{ 'Global' Attribute:'OrganizationName' }}	Finance		6	7 8 9
Giving Receipt	Giving Receipt from {{ 'Global' Attribute:'OrganizationName' }}	Finance		6	7 8 9

- 1 Title**
This is the name of the system communication. This is only used internally and would not appear in the communication itself.
- 2 Subject**
The subject line of the system communication is displayed here for reference. This can help you identify the system communication you're looking for.

3 **Category**

Every system communication must be associated with a category. If needed, you can add or remove categories from `Admin Tools > System Settings > Category Manager`. System communication categories use the *System Communication* entity type.


4 **From Address**

If you have a *From Address* configured in the system communication, it will be displayed here for reference.

5 **Mediums**

Here you'll see *SMS* or *Push* tags, indicating that the system communication is configured for those mediums.

6 **Preview**

Clicking the  icon will show you a preview of the communication, as it would look if sent to a particular person at a specific time. See below for details.

7 **Active**

This simply shows whether the system communication is currently active.


8 **Security**

You can apply security to each system communication individually. This will restrict who can see the communication on the *History* tab of the *Person Profile* page and on the *Communication Detail* block.

9 **Delete**

You can probably guess what this does. Only system communications that are not marked as *Is System* can be deleted.

System Communication Preview

As noted in the screenshot above, you can click the  icon to view a preview of the system communication. However, this is not the typical preview you might be used to seeing when editing the system communication. This is a special preview that's interactive, allowing you to choose a person and a date to populate merge fields. This helps you see what the communication will look like with certain merge fields filled in.

The screenshot shows a web interface for previewing a system communication. The title is "System Communication Preview" with a breadcrumb trail: Home > Communications > System Communications > System Communication Preview. The communication is titled "Expiring Credit Card Notice v2".

On the left, there are controls for the preview:

- 1 Message Date:** A dropdown menu set to "June 27, 2022".
- 2 Target Person:** A dropdown menu set to "Ted Decker".
- An **Update** button.

The main preview area shows the rendered email content:

- From:** Rock Solid Church Demo <info@rocksolidchurchdemo.com>
- Subject:** NOTICE: Your card is going to expire soon
- Date:** June 27, 2022
- View toggles for **3 Desktop** and **Mobile**.
- A **4 Send Test** button.
- The email body includes the "ROCK" logo, the date "Date: June 27, 2022", a salutation "Theodore,", a reminder about an expiring credit card, a link to update information (<http://www.rocksolidchurchdemo.com/Give>), and a "Contact Info" box with address, phone, email, and website.
- At the bottom, there is a placeholder for an unsubscribe option: `[[UnsubscribeOption]]`.

At the bottom of the interface, it says "Crafted by Spark Development Network / License".

1 Message Date

Here you can select a date, showing you what it would look like if the communication was sent on that date. In order for this to appear you need to have a merge field of `SendDateTime` somewhere in the communication template, and a *Send Day of the Week* must be selected in the block settings.

2 Target Person

This defaults to the current person but can be changed to any person. Changing this will populate any Person merge fields in the communication, showing you what it would look like if it were sent to that person.

3 Desktop/Mobile

Here you can toggle between the Desktop and Mobile views of the communication.

4 Send Test

You can click this to send a quick test to an email address that you provide.

CSS Inlining

CSS Inlining of Email Templates is only available if the email Communication Transport supports it. You can allow CSS Inlining for all emails by updating the Communication Medium settings.

Integrations

Email: Mailgun

We've already touched on just how great we think Mailgun is, but let's dig deeper into the benefits of their service.

Note:

We are not in a business partnership with Mailgun, nor do we receive any form of compensation from them. We are just passing along helpful tips about some quality products and services we've discovered along the way. While Rock ships with the Mailgun transport, other integrations and plug-ins may be available in the Rock Shop.

Mailgun is an email delivery service that provides several advanced features. Mailgun is operated by the popular web hosting company Rackspace and is used by numerous online businesses like Stripe, GitHub, Lyft, Slack and many many more. We think you'll find that using a service like Mailgun is more than worth the small cost. The main benefits of Mailgun are:

- Improved deliverability of your emails through advanced reputation features like SPF records, domain-keys and reputation monitoring. If all of this sounds Greek to you, don't worry, they handle all of the technical details. You just need to know that they know what they're doing so you don't have to. Whew!
- Email analytics that help you keep track of trends. Through Mailgun, Rock can show you how many of your emails made it to their destination and, even more importantly, how many were opened, and internal links clicked. All of this happens for you behind the scenes so you can just sit back and view the reports.
- Not all email addresses work. Mailgun can notify you about incorrect email addresses so you can follow up. These bounced emails will be reported, and the person's profile will be flagged to show the incorrect address.
- Mailgun also offers to inline your emails for you as you send.

Costs

As of this writing, Mailgun has a free starter package that generously gives you 5,000 emails a month for your first three months. After that you can pay by the number of emails you send or purchase a different plan. For full details and up-to-date pricing visit their website. In our experience, Mailgun's pricing has been very competitive, and their

features are among the best in their class.

While the starter package will save you money, keep in mind that you will be given a shared IP address with other organizations. In addition to sharing that IP address, you'll share their reputation, and in some cases, their blacklist. If you find that your emails are not always getting through, or if you want to be on the safe side, you might consider purchasing a plan with a dedicated IP address. And if you've already found yourself on a blacklist, Mailgun has provided [documentation about blacklists and how to follow up with their support](#).

Setting Up Mailgun


Mailgun has spent time making their service easy to configure. Follow the steps below to enable and configure a new Mailgun account for Rock.

Mailgun Updates

In late 2023, Mailgun changed its key structure, providing both *Mailgun API keys* and an additional *HTTP webhook signing key*. In Rock versions 14.4, 15.4, 16.1, and later, separate fields in the Communication Transport settings accommodate these keys. For new Mailgun accounts, you'll use either the standard account-wide *Mailgun API keys* or domain-specific *Sending API keys* as the *API Key* in Rock. Additionally, the *HTTP Webhook Signing Key* should be added to the corresponding field just below the *API Key*. Existing accounts only need action if you've changed your Mailgun API keys.

1. Sign up for a new account on the Mailgun website.
2. Once setup is complete, head to the main Dashboard page in your Mailgun account to start collecting what you'll need to get Mailgun set up with Rock.
 - a. In the box near the bottom-right of the Dashboard page, click on the "API Keys" link.
 - b. On the API Keys page, reveal the full *HTTP Webhook Signing Key* by clicking the eye-shaped icon. Keep track of this key, you will need it in Rock.
 - c. Below the webhook key you'll find a section called *Mailgun API Keys* that you'll use to create your API key by clicking the *Create API Key* button. You'll need to provide the key a short name and click *Create Key* to continue.
 - d. Be sure to immediately copy the API key that appears on the screen. Not only will you need it in Rock, but this is the only time you get to see it. It is not the same as the *Key ID* listed in Mailgun.
 - e. If you lose your key, you'll need to create a new one by clicking the *Add new key* button.
3. Set up your domain.
 - a. Head back to the Dashboard page and click the *Add a custom domain* link near the middle-right of the page.
 - b. Provide your domain name and choose an IP assignment option. You may need to upgrade your plan before you can use a dedicated IP, as noted in the prior section above.
 - c. On the following page, Mailgun will walk you through the DNS changes that

- need to be made to ensure the best delivery and spam protection.
4. Next, return to the Dashboard and scroll to the bottom to see your list of domains.
 - a. Click the gear icon to the right of your domain and go to Settings. On the new page click the *SMTP credentials* tab.
 - b. Under the *SMTP credentials* heading, note the login and password. You might need to reset the password.
 - c. On the same page, below the Login information, note the value under *SMTP settings* (it will probably be "smtp.mailgun.org").
 5. Take a breather! You're almost done. The last step in Mailgun is to configure the webhooks. To do this select *Webhooks* from the left-hand navigation. On the webhooks page, click the *Add webhook* button near the top-right of the page.
 - a. You'll need to add a webhook for each "Event type" in the list.
 - b. Put `https://[yourserver.com]/webhooks/Mailgun.ashx` as the URL for all events (see image below).
 - c. The Open and Click tracking options need to be turned on in the Domain Settings in the Mailgun site. It's located in the Tracking section under the Domain Settings tab. Once you turn these on, the data will be tracked.



Here's what your webhooks screen should look like once you've got it configured in Mailgun.

Long-time users of Rock and Mailgun may recall the "Legacy Webhooks" section. As of April 2023, Mailgun no longer supports the Legacy Webhooks configuration. If you only have Legacy Webhooks set up, you'll need to move the addresses to the "Webhooks" section as shown. It's likely that Mailgun has automatically done this for you, but you may want to check to be sure.

- Let's head back to your Rock server. First, let's enable the Mailgun Transport under

`Admin Tools > Communications > Communication Transports > Mailgun HTTP` .

Start by changing the *Active* setting to "Yes". Next, provide the *Mailgun API* key and the *HTTP Webhook Signing Key* from above. Finally, add the domain that you want your email to come from (this must match the domain that was configured in Mailgun).


- Last step and we're done. Now that the email transport is configured, we need to tell Rock to use it for the email medium under

`Admin Tools > Communications > Communication Mediums > Email` .

Select "Mailgun HTTP" under *Transport Container*.

On Behalf Of

Following the instructions on Mailgun's site may lead to a scenario where your emails are sent "on behalf of" your domain. In short, this happens when the domain of the Sender field and the domain used in the From field are different. For instance, the Sender field would be something like `mg.rocksolidchurchdemo.com` while the From field would be `rocksolidchurchdemo.com` .



In order to resolve this, the domains should match. The domain that you're sending emails from needs to be added to your Mailgun account and verified. In the above example, the domain `rocksolidchurchdemo.com` would need to be configured in Mailgun, and your DNS records (all except MX) would need to be updated accordingly. When you're finished, your domain overview in Mailgun will look similar to the example pictured below.

Mailgun Domain Settings

mailgun
Domain: rocksolidchurchdemo.com

Overview

Follow these steps to verify your domain

1. Go to your DNS provider

Go to the DNS provider that you use to manage rocksolidchurchdemo.com and add the following DNS records.

Need a step-by-step walk through? Click here

Prefer to watch a video? We got you covered.

Common providers include:

- GoDaddy
- NameCheap
- Network Solutions
- Rackspace Email & Apps
- Rackspace Cloud DNS
- Amazon Route 53
- Digital Ocean

2. Add DNS records for sending

Type	Hostname	Enter This Value	Current Value
TXT	rocksolidchurchdemo.com	v=spf1 include:mailgun.org ~all	v=spf1 include:mailgun.org ~all
TXT	mailo_domainkey.rocksolidchurchdemo.com	k=rsa; p=MIGfMA0GC... DCB10K5gQC4=am0xGPH... sJgB82828P4g11z3V... 4X25aXC5g8mGgO... +a487zW38Wbr+sX... q1105dbq6r12B+qV...	k=rsa; p=MIGfMA0GC... AA4GNADCBIQK... BDORVOPbPgG0b... qphYonPL62bW... mGgOVVEMWRm... B7zW38Wbr+sX... r+EYqIIOSdbq6r12B+qV...

MX records are recommended for all domains, even if you are only sending messages. Unless you already have MX records for this domain pointing to another email provider (e.g. Gmail), you should update the following records. More info on MX records.

Type	Hostname	Priority	Enter This Value	Current Value
MX	rocksolidchurchdemo.com	10	mx.a.mailgun.org	5 myserver.com
MX	rocksolidchurchdemo.com	10	mx.b.mailgun.org	

3. Add DNS records for tracking

Verify DNS settings

The CNAME record is necessary for tracking opens, clicks, and unsubscribes (recommended).

Type	Hostname	Enter This Value	Current Value
CNAME	email.rocksolidchurchdemo.com	mailgun.org	mailgun.org

4. Wait for your domain to verify

Once you make the above DNS changes it can take **24-48hrs** for those changes to propagate. We will email you to let you know once your domain is verified.


Verify DNS settings

© 2021 Mailgun Technologies, Inc. Terms of Service Privacy Policy Jobs Help center Blog Team Twitter

- SPF Record**
You probably already have an SPF Record; in which case you should just add `include: mailgun.org` to your existing record rather than creating a new one.
- DKIM Record**
You'll create a new TXT record in your existing domain that matches what Mailgun shows here.
- MX Records**
If you're using your actual email domain, you should **not** modify these records. Note that in this screenshot the MX records are unconfirmed, which is expected for this approach.
- CNAME Record**

Mailgun will use the CNAME record to inform Rock of opens and clicks. You'll need to create a new record like Mailgun shows.

Lastly, make sure the new domain is added to your Mailgun Communication Transport configuration under `Admin Tools > Communications > Communication Transports > Mailgun HTTP` per the instructions in the prior section above. With the new domain set up and ready to go, your emails will no longer have the "on behalf of" notation. If you had an old domain that you were using (like `mg.yourserver.com`) it's no longer needed in Mailgun.



SMS: Twilio

Twilio is the leading SMS provider. Period. They not only provide the best service, but they are also one of the least expensive options available. Again, we don't have a relationship with this organization, but we do know a good thing when we see it! Below are instructions on setting up this service for Rock.

1. From the Twilio website click the sign-up link, then provide your account information. You'll then need to verify that you have a pulse by typing in a verification code they text to you. Finally, select a phone number to tie to your account and proceed to your account information.
2. On your account page note your *Account SID* and *Auth Token*. You'll need this for Step 5 below.
3. In order to receive replies from your SMS messages you'll need to provide a 'callback' (aka webhook) address for your SMS number. This tells Twilio how to tell Rock when this event occurs. You can set this by clicking 'Numbers' from the main menu, selecting the SMS number you wish to configure, then adding the URL format below to the 'Messaging Request URL'.

`https://-yourserver-/Webhooks/Twilio.ashx`

SMS Pipeline

To set your number up for the SMS pipeline, use the 'Messaging Request URL'

`https://-YourServer-/Webhooks/TwilioSMS.ashx?SmsPipelineId=-YourPipelineId-`

The screenshot shows the Twilio console interface for configuring a phone number. The number is (555) 555-2233. The 'Configure' tab is selected, showing the following configuration options:

- Properties:**
 - FRIENDLY NAME: (555) 555-2233
 - SID: PN*****
 - PHONE NUMBER: +15555552233
 - LOCATION: Your City, US
 - CAPABILITIES: Voice, Fax, SMS, MMS
- Voice & Fax:**
 - ACCEPT INCOMING: Voice Calls
 - CONFIGURE WITH: Webhooks, TwiML Bins, Functions, Studio, P
 - A CALL COMES IN: Webhook, HTTP POST
 - PRIMARY HANDLER FAILS: Webhook, HTTP POST
 - CALL STATUS CHANGES: HTTP POST
 - CALLER NAME LOOKUP: Disabled
- Messaging:**
 - CONFIGURE WITH: Webhooks, TwiML Bins, Functions, Studio, P
 - A MESSAGE COMES IN: Webhook, http://rock.rocksolidchurchdemo.com/Webhook, HTTP POST
 - PRIMARY HANDLER FAILS: Webhook, HTTP POST

Make It Accessible

It's important that this address be accessible from the Internet so Twilio can access it.

4. Before you can actually use Twilio for real communications, you'll need to upgrade from the free trial.
5. From Rock navigate to `Admin Tools > Communications > Communication Transports > Twilio`. Enter in your *Account SID* and *Auth Token* and activate the transport. Click `Save` when done.
6. Next set the Twilio transport as the default transport for the SMS medium under `Admin Tools > Communications > Communication Mediums > SMS`.
7. Finally, add your Twilio phone number under

You can add as many Twilio numbers here as you wish. Be sure that the phone number is in the *Phone Number* field and that it is in the format of "+15555555555" (or similar for international numbers). If you select an Assigned to Person, be sure the individual you select has a valid SMS phone number on their record.

Twilio Signature Validation

When you're setting up your Twilio transport as described above (step 5), you'll have an option to Enable Signature Validation. You'll want to enable this if you're concerned that a system other than Twilio might try to send incoming SMS responses to your Rock server. Enabling this is a small step you can take to possibly avoid a lot of unwanted messages, and it helps keep your data secure.

In short, Signature Validation compares your *Public Application Root* (this is a Global Attribute in Rock) to the webhook that's set in Twilio. If they match, the validation is successful, and the message will come through as usual. If they don't match, then the message won't reach Rock. There's a bit more to it than that, and it gets a little technical, but we strongly recommend checking out the details on Twilio's site so you can get this set up.

That's it! Now you're set to send SMS messages from the Rock communications features.

Twilio's Impact Access Project for Non-Profit Organizations

Twilio offers a \$500 kickstart credit to non-profit organizations. To learn more, visit www.twilio.org.

Twilio, Short Codes and MMS Messages

If you're using a Twilio short code, keep in mind that it doesn't automatically support MMS messages. You can add MMS capabilities for a one-time fee of \$500. This is different than regular "long codes" (phone numbers) where MMS is usually automatically supported.

If you're not sure whether your account supports MMS messaging, check your Twilio Console. If you only see "Capabilities: SMS" and MMS is not listed, then it's likely you haven't purchased MMS for your short code.

Email: Google Apps

Note

Gmail is not a commercial Email Delivery Service and has significant limitations on how many messages can be sent per day, how many identical messages can be sent to different addresses, etc. Using Gmail as your email delivery service is not a viable solution for most organizations and should only be used for testing. You will want to implement one of the other email transports discussed in this section for production use.

This technically isn't an integration as much as tips for configuring SMTP Relaying for Google Apps. The basic steps are covered in this link from Google <https://support.google.com/a/answer/2956491?hl=en>. A couple of tips are below.

- The link above notes you will find the relaying settings under the 'Apps' menu setting. That setting appears to have been moved. Instead search for 'SMTP Relay' in the admin search.
- We've found success with the following Google Relay options.
 1. Allowed Senders: Any Addresses
 2. Authentication: Require SMTP Authentication
 3. Encryption: Require TLS encryption
- On the Rock side use the following SMTP settings.
 1. Sever: smtp-relay.gmail.com
 2. Port: 587
 3. Username: The admin account username
 4. Password: The admin account password
 5. Use SSL: Yes

Email: SendGrid

SendGrid is another supported Transport you can use in Rock. Like the other options described above, be sure to evaluate each service before deciding which is the best fit for your organization's needs.

Most of the configuration you'll need to do will be with SendGrid. You can learn more and get started for free by visiting <https://sendgrid.com/>. After you're set up with SendGrid, you'll need to provide the following in Rock:


- **Base URL:** The default URL <https://api.sendgrid.com> should work in most cases. You can change this if needed based on your setup in SendGrid.
- **API Key:** SendGrid will provide this when you're set up with their service. This is required for Rock and SendGrid to communicate.

Like other Communication Transports, you can also choose whether SendGrid should track email opens, clicks and unsubscribes. Note that Rock only supports HTTP/S (and not SMTP) for SendGrid.


Setting up SendGrid

The first step will be getting your API Key. Log in to your SendGrid account and navigate

to [Settings > API Keys](#) . Click the button for [Create API Key](#) .




We recommend giving *Restricted Access* permission. Also, make sure *Mail Send* is assigned full access as pictured below.




Be sure to copy the API key when it is presented to you. SendGrid warns that you won't see it again, and that's true. If you lose the key, you'll have to create a new one.

Once you've got your API key, you'll need to add it to Rock. Inside Rock, navigate to [Admin](#)


Tools > Communications > Communication Transport > SendGrid HTTP and add the *Base URL* and your *API Key* as pictured below.



Next, you'll need to update the Communication Medium configuration in Rock. Navigate to `Admin Tools > Communications > Communication Mediums` and access the *Email* entry. Change the *Transport Container* to the *SendGrid HTTP* transport configured in the prior step.



With the above configuration in place, head back over to SendGrid to set up the *Event Webhook*. You can access this in SendGrid under `Settings > Mail Settings > Event Settings`. Click the pencil icon for the *Event Webhook* row to access its settings.



The *Event Webhook* settings in SendGrid will look like those pictured below. The *HTTP*

Post URL will be formatted as shown, with your Rock URL followed by `Webhooks/TwilioSendGrid.ashx`. Twilio owns SendGrid, so don't be concerned about the Twilio part of the webhook.

Event Webhook Configuration

Mail Settings

Event Settings

STATUS	SETTING
Enabled	Event Webhook
Disabled	Signed Event Webhook Requests
Disabled	New Relic Integration
Disabled	Forward Bounce Messages
Disabled	Forward Spam Reports

Suppression Settings

STATUS	SETTING
Disabled	Purge Bounces & Blocks
Disabled	Address Whitelist

Legacy Template Settings

STATUS	SETTING
Disabled	Legacy Email Template
Disabled	Email Footer

Event Webhook

The Event Webhook setting controls webhook notifications for events, such as bounces, clicks, opens, and more. This setting allows these events to be POSTed to a URL of your choosing.
[Event Webhook Documentation](#)

Authorization Method
None

HTTP Post URL
http://yourwebsite/Webhooks/TwilioSendGrid.ashx
Requires http:// or https://

Integration Testing
[Test Your Integration](#)

Events to be POSTed to your URL:

DELIVERABILITY DATA	ENGAGEMENT DATA
<input type="checkbox"/> Select All	<input type="checkbox"/> Select All
<input type="checkbox"/> Processed	<input checked="" type="checkbox"/> Opened
<input checked="" type="checkbox"/> Dropped	<input checked="" type="checkbox"/> Clicked
<input type="checkbox"/> Deferred	<input type="checkbox"/> Unsubscribed
<input checked="" type="checkbox"/> Bounced	<input type="checkbox"/> Spam Reports
<input checked="" type="checkbox"/> Delivered	<input type="checkbox"/> Group Unsubscribes
	<input type="checkbox"/> Group Resubscribes

Event Webhook Status ¹

Note that *Processed* and *Deferred* currently have no functionality in Rock and can be left disabled. Be sure that the *Event Webhook Status* is set to *Enabled* before saving.

To track opens and clicks, you'll want to enable those Tracking options in SendGrid. Under *Settings* click on *Tracking* to enable these options by clicking the pencil icon. The example below shows what the page will look like after open and click tracking have been enabled.

Tracking Settings

- Dashboard
- Email API
- Marketing NEW
- Design Library
- Stats
- Activity
- Suppressions
- Settings
- Account Details
- Alert Settings
- API Keys
- Inbound Parse
- IP Access Management
- IP Addresses
- Mail Settings
- Sender Authentication
- Subuser Management
- Teammates
- Tracking
- Two-Factor Authentication


REPUTATION 100%

[VIEW ACCOUNT USAGE](#)

Tracking Settings

STATUS	SETTING	DESCRIPTION	
● Enabled	Open Tracking	An invisible image is being appended to HTML emails to track if they have been opened.	✎
● Enabled	Click Tracking	Every link is being overwritten to track every click in emails.	✎
● Disabled	Subscription Tracking	Allows every link to be overwritten to track every Subscription in emails.	✎
● Disabled	Google Analytics Tracking	Allows tracking of your conversion rates and ROI with Google Analytics.	✎

Lastly, add your information to the *Sender Authentication* settings. This helps with deliverability. An example of the setup is pictured below, but if you're not sure what you need there's a helpful link at the top of page.



Don't be discouraged if your emails aren't popping into inboxes right away. There are a variety of factors that can cause delays ranging from a few minutes to several hours. You can click on the *Activity* menu item in SendGrid to search for emails you've sent and view details on what may be holding them up. Be patient, because sometimes there's a delay between sending an email and seeing it in the *Activity* list.

Email Spam Reporting

When you send an email, the recipient can report the email as spam. When this happens, Mailgun and SendGrid can report it back to Rock through their APIs. Rock will then find the person and inactivate their email address in the system and add a note to their record. The note indicates that the email address was deactivated due to a spam complaint and includes the date of the complaint.

In order for this to happen, in Mailgun you would need to set up a webhook of type *Spam Complaints*. In SendGrid you'll want to update the *Event Webhook* to include "Spam Reports" under Engagement Data.

Check out the *Unsubscribing* section of the *Configuring Email* chapter above to see how Rock can help your emails avoid being reported as spam.