



Overview

Groups are used whenever two or more are gathered. You'll find groups to be simple but incredibly powerful. Rock comes pre-configured with several types of groups, including:

- **Families:** Each family is stored as a group. This is incredibly powerful because families get the same power and functionality as any other Group Type. In the beginning you'll want to leave families configured just the way you found them. As you create new Group Types and gain more experience with groups, keep in mind that you can add new attributes and additional functionality to the family Group Type.
- **Security Roles:** These groups help secure Rock data. While you'll use these groups a majority of the time for security, you'll soon discover that any group in Rock can act as a security role.
- **Check-in Groups:** Rock's check-in features use groups to store the locations where kids can check in, and to track attendance.
- **Serving Teams:** While we have big ideas for how serving teams will work in the future, we have configured a simple group type to get you started with tracking your groups.
- **General Groups:** It's likely that you'll be creating several groups that don't warrant their own specific Group Type. In these cases, feel free to create them as 'General Groups'.
- **Application Groups:** Rock needs to keep track of various lists of people. For instance, people who have opted out of getting future photo requests. These 'lists of people' are stored as Application Groups. Application groups can be viewed/managed under Admin Tools > Settings > System > Application Groups .
- **Small Groups:** We've added a generic Small Group group type. Feel free to use this as a base to build from if your church has a groups ministry.
- **Small Group Sections:** This group type works in conjunction with the Small Group type and acts as a leadership level to provide hierarchy for your groups. Again, feel free to use this type as a launching point for getting started.

Searching for Groups

As you add more and more groups to Rock, it may be tedious to locate a specific group. Never fear, you can use the *Smart Search* at the top of each page to help find the specific group you are looking for.



Be sure to choose the *Group Name* option from the drop down and then enter the group name you are searching for. You don't need to enter the full group name, since the search will return any group that has the search term you entered. Say you were looking for the Bible Study group that Ted Decker leads (named "Ted Decker's Bible Study Group"). Any of the searches below would be valid, although some may return several other groups in the results, as well.

Decker Bible Study Ted Deck

If the search term you provide only matches a single group, you will be taken directly to that group. However, if several groups match, you will have to select one from the list of

groups provided.

Group Viewer

The *Group Viewer* page can be accessed by navigating to <u>People > Group Viewer</u>. This is the primary page for viewing and editing groups. Below, we will discuss each section of the group viewer in detail.



Group Tree

This control allows you to drill down through your group hierarchies. You'll want to plan your hierarchies to achieve a good balanced approach. Too deep of a hierarchy will lead to too many clicks to drill down. However, if your hierarchy is too broad, then you will have to scan through long lists of groups to find the one you want.

2 Group Details

Displays information about the group including adding tags.

Group Labels & Following

Clicking the Group Type label will take you directly to that Group Type's page. Also, the *Campus* displays here if one has been assigned. To the right, you can follow the group by clicking the star icon.

4 Action Bar

There are options to edit, archive or delete a group. Whether you see Delete or Archive depends on Group History being enabled at the Group Type level. If Group History is enabled but the Archive button doesn't appear, run the *Process Group History* job.

5 Group Maps

The viewer will display maps for each group location that is able to be mapped. You can click on the map to see a larger interactive map. You can also click on the map marker button directly below the map to see the interactive map.

6 Actions

Below the maps you'll find buttons for a few key actions.

- Takes you to the group *RSVP List* page (see Group RSVP).
- Takes you to the Group History page (see Group History).
- S Allows you to manually enter attendance for the group.
- **Q** Takes to you an interactive map where you can view all the people who are members of the group.
- If enabled in the block's settings, this will create a copy of the group. The list of what gets copied is displayed before proceeding.
- Dusing the security button, you can control who has access to view and edit this specific group. See the Securing Groups section below for more information on how you can secure your groups.

Group Members

List of members inside the group. See the Group Members chapter for more information.

The group view has a couple of other interesting features you should be aware of. Notice the icons at the top of the "Groups" (Group Tree) block in the figure above. You can click the + icon to add a new group, or the **Q** icon to search for a group. Clicking the icon will show you several advanced features in the tree view. Let's open it up and see what's inside:

iroup Viewer		
	Groups + Q :	A Deck
	Show Public	
	All Active All Is Public	
	Show Count For	
	×	Small grou
	Filter by Campus	Parent Gro
	~	Section A
	Include groups with no campus	Schedule
	No Yes	Monday a
		Topic:
	📇 Global Connector Group	Book of G

You'll notice:

- **Show:** This determines if inactive groups should be shown.
- **Public:** This determines if only groups marked 'Is Public' should be shown.
- **Show Count For:** The tree can also display counts of the number of members in the group, or the number of child groups a group has.
- **Filter by Campus:** This lets you narrow down the groups according to a campus you select.
- Include Groups With No Campus: If this is set to No then only groups with a campus will be shown.

Archived Groups

You can Archive a group instead of deleting it. Archiving removes the group from the Group Viewer and other places where groups can be seen but allows you to restore it later. When a group has been marked as Archived and you want to bring it back go to Admin Tools > Settings > General > Archived Groups and click on the D icon to unarchive the group.

Note: If a group type has 'Enable Group History' checked, once the 'Process Group History' job runs the 'Archive' button will be enabled on a group.

Group Maps

Clicking the map marker button will take you to an interactive group map showing the members of the group. Depending on the configuration of the group other features may be enabled.

If the group has a geopoint (determined through the address geocoding process or by

selecting the point on the map) the location of the group will also be present on the map.

If the group has a defined geofence this fence will be shown on the map. The presence of the geofence will also enable the display of connection status labels at the top of the map. Clicking these labels will show everyone with that connection status in the database who lives within the geofence. This allows you to view possible 'prospect' group members.

Limiting The Display of Certain Connection Statuses

In order for a connection status to be displayed as a label, the status must be configured with a 'Color' attribute. This helps determine the pin color for the map marker as well as acts as a global setting to help determine which connection statuses should be mapped. You can set the color for a connection status under Admin Tools > Settings > General > Defined Types > Connection Status .

Along the top of the block, you can click the labels (e.g., *Decker Group* or *Group Members*) to toggle the display of the group's location or member locations. In the example pictured below we're displaying the location of the *Decker Group* and we clicked the *Group Members* label (with the green circle) to show the locations of individual members.



Adding a Group

You can add a new group to the tree by clicking the **+** icon and then selecting the location from the list. Adding a group using *Add Top-Level* will place the group at the root or top of the tree. Selecting Add Child to Selected will place the group under the currently selected group.

Note

If you have a group selected but Add Child to Selected is disabled, then this group type does not allow child groups. See the *Group Types* section below for more on group hierarchies.

(۹	Group Name 🗸 🌘 🗸
Group Viewer			
▲ Groups + Q I	Add Group		☆
Global Connector Group A Section A A	Name *	Active	Public
Ceneral Groups			A
	General Group Type * Security Role General Group Yes	Campus	^
	Parent Group the General Groups	Require Sign	ed Document 🚯 🗸 🗸
	Meeting Details		~
	Save Cancel		
Crafted by the Spark Development Net	work / License		

Adding a Group

Group Details

The group details section displays all of the information about the group. The group type and campus (if configured) will be shown as labels in the banner at the top. A map of the group's location will also be shown, if configured.

Editing a Group

Clicking the **Edit** button from the detail section will allow you to edit information about the group and provide additional configuration settings.

The key features of the edit screen are discussed below.



🚺 Name

Update this field to change the name of the group.

2 Active

You can inactivate the group by deselecting this checkbox. See Inactivating a Group for additional details.

3 Public

Only groups that are marked as Public can be viewed in the Group Finder.

4 Description

Providing a good description for the group lets people know what the

group is all about.

5 Group Type

Changing the group type of an existing group is possible, but it does have some consequences. All group attribute data for the group will be lost if the group type is changed.

6 Parent Group

Changing this will move the group to a new parent in the hierarchy. Removing a parent group will move the group to the root or top of the tree.

7 Administrator

Select the individual who is responsible for administrating the group. This will only appear if *Show Administrator* is enabled for the group type, and may be labeled differently (e.g., Coordinator, Director) if an *Administrator Term* has been configured. Group administrators don't have the security privileges of Leaders, and they aren't members of the group. Generally, this is only used for internal purposes to identify who is responsible for the group from an organizational perspective without having to add that individual to the group as a member.

8 Security Role

This option will enable the group to operate as a security role. The members of the group will be granted access to whatever privileges the group is granted.

🧿 Campus

Providing an optional campus will link the group to a specific campus. This isn't shown if you have only one campus.

10 Require Signed Document

This setting is only used if you have a legacy signature provider in place. If you're using a legacy signature provider like SignNow, you'll need to transition to the native electronic signature features in Rock soon. In a future release the *Require Signed Document* setting for groups will be going away entirely. For details on electronic signatures in Rock check out the Admin Hero Guide.

11 Meeting Details

This area allows you to add locations and times based on the configuration provided through the group type.

12 Group Attribute Values

Any group attributes values added by the group type will be available here for editing.

13 Member Attributes

In this area, you can configure attributes to be assigned to each member of the group. These attributes will be available for editing when adding or editing group members.

14 Group Member Workflows

This section allows you to configure workflows that will be launched when specific events occur with group members.

More Information Below

You may notice that we skipped over a few sections above. Additional information on these areas is provided in later chapters of this guide.

Inactivating a Group

If enabled in the Group Type settings, you'll be prompted to provide additional details after inactivating a group.

nactivating a Group					
\diamond		۹ م		Group Name 👻 🌘	
E Group Viewer Home > Section B					
Groups + Q :	🚠 Section B		Inactive	Small Group Section	☆ >
> A Section A					
 Section B ASU Student Group Gibert Group Greggs Group Marble Group Serving Teams Ushers General Groups 	Name * Section B	1		Public	
	Description A second placeholder sectio	on to demonstrate organizing	small groups into separate	e hierarchies.	6

1 Inactive Reason

Select a reason for inactivating the group. Depending on the Group Type settings, the Inactive Reason may be optional or required.

2 Inactive Note

Additional details can be recorded here for future reference. For instance, you might indicate why the group was made Inactive. Notes are optional, even if a reason is required.

3 Inactivate Child Groups

If there are child groups, you can choose whether to inactivate them also. You'll be given this option any time an inactivated group has child groups.

The list of Inactive Reasons is maintained under Admin Tools > Settings > General > Defined Types > Inactive Group Reasons. You can restrict which Group Types the reason can be applied to. If no Group Types are selected, the reason can be used with groups of any type.

Inactive Group Reasons Defined Type			
			×
Edit defined value for Inactive Group Reasons			
Value •			
Lack of Attendance			
Description			
٥			
			1
Active			
Group Type Filter			
Acme Certificates Check-in Test Area Application Group Communication List	 Jr High Area Known Relationship 	Services Serving Team	
Check In Elementary Area	 Nursery/Preschool Area Organization Unit 	Small Group Small Group Section	
Check in by Age Fundraising Opportunity	Peer Network	Volunteer Check-in	
Check in by Data View General Group Check in by Grade High School Area	Security Role Service Attendance	Weekly Service Check-in	
		Save	Cancel
	5		
50 500 5,000 1 Defined Value			
			¢ ¢

Group Types

As you start to customize Rock for your ministry, you'll want to define new group types to match your various ministry areas (small groups, ministry groups, etc.)

Tip

Once you realize the power of group types, you'll be tempted to start creating many custom types to fit each of your ministries. Don't do it! Resist this temptation at first. Less is more. Look for common points within your many ministries. This will help you reduce the number of group types that you'll need. In general, it's easier to add new group types later than it is to merge group types in the future.

Group Hierarchy

One of the most important concepts to understand as you create new group types is the relationship that groups have to each other. There are two basic hierarchy types to choose from:

• **Structured Hierarchy:** In this configuration, the levels of hierarchy are defined and limited. For example, you may want to define the hierarchy of your small group ministry to have a single leadership team, under them a level of lay leaders who act as coaches to the groups, and then the groups themselves. In a structured hierarchy you can be sure that this structure is enforced.

Example of Structured Group Hierarchy
Structured Group Hierarchy
Section 1
Region 1
Group 1
Group 2
Group 3
Region 2
Group 4
Group 5
Group 6

• Flexible Hierarchy: For some ministry types, you want your groups to have a more unstructured hierarchy. An example of this might be how you set up serving teams. You may want serving teams to be able to have sub-teams that might have additional sub-teams themselves. These hierarchies may be very deep in some ministry areas (like First Impressions) but shallow in others.



You define these hierarchies by configuring what child groups each group type can have. In the structured example, you would create a group type called *Small Group Leadership*, which would allow child group types of *Group Coaches*, which would allow child groups of *Small Groups*. The *Small Groups* would not allow any child types, ensuring that your hierarchy was fixed at the third level.

In the flexible hierarchy example, you would configure *Serving Teams* to have child-types of itself. This guarantees that you can have an unlimited hierarchy.

Administering Group Types

You administrate group types under Admin Tools > Settings > General > Group Types. When adding or modifying a group type there are many areas of configuration, as pictured below: Group Type Editor

		Name v	@ ~
	Group Type Detail Home > Settings > General > Group Types > Small Group		
*	Small Group		
0			~
ų	Name • Small Group		
â	Description A group of people who share an interest and meet together with regular frequency.		
	General		*
	RSVP		~
	Attendance / Check-in		~
	Scheduling		~
	Roles		~
	Member Attributes		~
	Group Attributes		~
	Group Type Attributes		~
	Group Requirements		~
	Group Member Workflows		~
	Display Options		~
	Save Cancel		
	Crafted by Spark Development Network / License		

Let's look at the different Group Types settings you can configure in the *Group Type Detail* block.

Show/Hide Group Type Settings

The following Group Type settings, located in the General section of the *Group Type Detail* block, control which panels and options should be shown or hidden in that block.

Setting	Description
Allow Specific Group Member Attributes	Determines if individual groups of this type are allowed to have their own group member attributes. If selected, the Member Attributes section will be shown when editing the group.

Setting	Description
Enable Specific Group Requirements	Determines if the Group Requirements section will be shown on the <i>Group Details</i> block.
Allow Group Sync	Determines if groups of this type are allowed to have Group Syncs. This will show/hide the Group Sync Settings section. If a group of this type already has group syncs, they will be kept. Unchecking this box will not prevent them from running.
Allow Specific Group Member Workflows	Determines if groups of this type should be allowed to have Group Member Workflows. If selected, the Group Member Workflows section will be shown.

Common Group Type Settings

Setting	Description	Example
Group Term	This is what Rock will use to describe the group on the various screens.	Group, Family, Event, Team
Group Member Term	This is what Rock will use to describe the people in the groups on the various screens.	Member, Individual, Participant
Roles	Roles describe the relationship of the individual to the group. Are they a leader? Or just a member?	Leader, Member, Prospect
Default Group Role	The default role to use when someone is added to the group.	Selection of one of the roles defined for the group, like Member.
Allowed Child Group Types	As we discussed above, child group types help determine the hierarchy of the group tree. This tells Rock what kind of groups can be added as children of the current group.	Serving Teams may allow Child Serving Teams
Location Types	The types of locations that can be assigned to the group.	Meeting Location
Location Selection Modes	Determines how locations should be selected in Location Picker.	The following options are available: • Named - Allows you to pick from named locations that have been defined under Admin Tools > Settings > General > Named Locations. • Address - Allows

Setting	Description	Example
		 the input of a new street address for the location. Point - Displays a map that allows for the selection of a specific latitude/longitude point. Geo-fence - Also displays a map that allows for drawing a polygon shape to use as a geofence. Group Member Address - Lists all of the addresses associated with the members of the group. Note that if the address of the group member changes the meeting location will not be automatically updated to this new address.
Multiple Locations	Determines if the group can have multiple locations.	True/False
Group Attributes	The custom attributes that each group will have. When adding new Group attributes, the explicit authorizations from the Group Type are copied over to the Group attribute.	Meeting Day, Meeting Time, Topic of Study
Member Attributes	The custom attributes that each group member will have.	Hours Per Week Serving, Assigned Bus
Group Capacity Rule	Rock allows you to set individual capacities for groups. This configuration setting determines how the capacity should be enforced. If <i>Hard</i> or <i>Soft</i> is chosen, you'll get the option to make capacities required for all groups of this type.	 The following options are available: None - This disables the group capacity features. Hard - This places a hard limit on

Setting	Description	Example
		 the capacity. Once the capacity is reached no additional group members can be added. Soft - The soft option will warn you when adding a member that is over the group's capacity, but still allows you to add them. This warning only appears in the Group Toolbox, not when adding members from the internal administration pages (e.g., Group Viewer).
Groups Require a Campus	This setting will require that all groups of this type have a campus when adding and editing.	True/False
Show Administrator	This setting determines if groups of this type support assigning an administrator for each group. Group administrators don't have the security privileges of Leaders, and they aren't members of the group. Generally, the group administrator is only used for internal purposes to identify who is responsible for the group from an organizational perspective. This is super useful in reporting because you can easily identify all the groups associated with an individual without having to add that individual to any of those groups.	True/False
Administrator Term	This setting allows you to customize the term used for the administrator of the group.	Administrator, Coordinator, Director
Enable Group Tag	This determines if tags are allowed for groups of this type.	True/False
Group RSVP Enabled	This setting enables Group RSVP features for groups of this type.	True/False

Setting	Description	Example
Enable Inactive Reason	If enabled, an <i>Inactive Reason</i> may be provided when inactivating a group.	True/False
Require Inactive Reason	Determines whether an <i>Inactive Reason</i> must be provided when inactivating a group.	True/False

Attendance and Check-in Settings

Setting	Description	Example	
Takes Attendance	Determines if the group takes attendance. This will help to enable check-in and metrics features.	True/False	
Weekend Service	Determines if attendance for this group should be counted towards attending a weekend service. For example, the attendance badge on the Person Profile will only consider attendance in groups with this value enabled.	True/False	
Group Schedule Options	This setting is used when you want to configure a schedule for the groups of this type. The schedule is used for features like group attendance and group member scheduling. The options you select here help determine the types of schedules that can be configured for the groups.	 Schedule type options include: Weekly: This option allows a simple weekly schedule to be selected. When setting up a group of this type, all you'll need to do is select the day of the week the group meets and the start time. We highly recommend that you use this setting as it is the only schedule option that is usable as a filter in the Group Finder. Custom: With this option enabled each group can select its own repeating schedule. This option allows for the most power and flexibility, but the schedule that's created can't be used as a filter in the Group Finder. Named: The named option allows you to pick the group's schedule from a list of preconfigured schedules. These schedules are configured under 	

Setting	Description	Example	
		 Schedules. Like the Custom option this setting can't be used as a filter in the Group Finder. 	
Schedule Exclusions	This setting allows you to define a set of date ranges when all of the groups of this type will not meet regardless of the specific group schedules. This allows you to easily configure breaks and holidays without having to edit each group's schedule individually.	Set of date ranges when groups of this type will not meet.	
Check-in Rule	Determines how check-in will work if the person is not already in the group.	Add on Check-in (adds the person to the group if they are not already in the group), Already Belongs (the individual must already belong to the group)	
Group Attendance Requires Location	This option will require that all attendance occurrences have a location.	True/False	
Group Attendance Requires Schedule	This option will require that all attendance occurrences have a schedule.	True/False	

Advanced Group Type Settings

These settings will be rarely used, but it's helpful to know they exist as you define your group types.

Setting	Description	Example
Purpose	The purpose helps categorize different group types together. This allows you the flexibility of creating multiple group types but at the same time providing a way of 'linking' these various types together with a single 'purpose'. To add a new purpose simply add a new <i>Defined Value</i> under Admin Tools > Settings > General > Defined Values > Group Type Purpose.	While we recommend that you start with a single group type to manage your various serving teams you could over time add new ones. You would then create a purpose to describe them all as serving opportunities.
Group	Custom attributes that will be	Group Type Attributes are used by

Setting	Description	Example			
Type Attributes	shared by every group of this type. In other words, every group of this type will have the same value of these attributes.	the check-in system. Most group types won't have a need for them.			
Print Using	 When printing check-in labels, should the device's printer or the location's printer be used? The options are: Device Printer - Always print using the device's printer. Location Printer - Always print at the printer configured for the location. 	This setting will have limited value outside of configuring check-ins.			
Inherited Group Type	This allows you to create a group type that inherits its attributes from another group type. This is helpful when you have two group types that are very similar, but one needs a few more attributes.	Say you have a <i>Serving Team</i> group type that covers most of your serving groups. Your worship teams, however, would like to add a special attribute for <i>Instruments</i> <i>Played</i> . You want this new group type to have all of the same attributes of the current <i>Serving</i> <i>Team</i> . To solve this, add the <i>Serving</i> <i>Team</i> group type as the <i>Inherited</i> <i>Group Type</i> of the new <i>Worship</i> <i>Serving Team</i> group type.			
Show Connection Status	This allows you to show a person's connection status in a column on group member lists.	This comes in handy for trying to understand a person's connection to your organization at a glance.			
Show Marital Status	This allows you to show a person's marital status in a column on group member lists.	This comes in handy for quickly viewing a person's marital status.			

Group Member Roles

People often have special roles in groups. Some are leaders; others have unique duties. To help differentiate the members of a group, you can give each a Group Member Role. The list of possible roles is defined on the group type. For more information on the roles available, you can check out the chapter on Group Members.

Family Roles

As noted above, roles are defined on the group type. While we encourage you to add roles as needed in general, we recommend against adding new roles to Family group types. Using values other than "Adult" or "Child" may cause issues with certain system processes, such as determining Age Classification.

Securing Groups

Most groups you create will need to have some level of security added to them. They may or may not contain the world's secrets, but you'll want to control who can add, edit and/or delete them at the very least.

Securing Group Types

By adding security to a group type, you control the base security of every group of that type. Let's say your organization adds a new type of group to help manage some classes you're starting. You may want to create a new group type for this initiative where every class is a group of this new type. By adding security to the group type, you can ensure that every group can be viewed and edited by a select handful of people.

To add security to a group type, go to Admin Tools > Settings > General > Group Types. There you will see a list of group types in a table. In the far right column, you will see a button. Clicking this will allow you to set the security for the selected group type.

Securing A Group

There may be occasions where each group will need different security settings. Don't worry, this is super easy in Rock. To secure a specific group, find the group in the group viewer (People > Group Viewer). On the group details page, you'll find the same a button. Clicking this button will bring up the Rock security dialog where you can adjust the security settings.

Groups have a special *Manage Members* security tab. Anyone with *Manage Members* security can add, edit and delete group members, but they can't edit or delete the group itself. If no permissions are listed under *Manage Members*, it doesn't mean that members can't be managed. Anyone with *Edit* access has *Manage Members* access by default. Also, group Leaders can manage members even if no *Manage Members* permissions are set or if they don't have *Edit* permission.

Group Security

oup security				
Secure Group				×
View Manage Members Edit	Administrate Schedule			0
Item Permissions				
No role/users Found				
Add Role Add User				
Inherited Permissions				
Role / User		Action	From	
RSR - Rock Administration (Role)		Allow	(Group)	
RSR - Staff Workers (Role)		Allow	(Group)	
RSR - Staff Like Workers (Role)		Allow	(Group)	
All Users		Deny	(Group)	
				Done
	📄 🥚 Alisha Marble	Leader	Active	2 E
	Jenny Michaels	Member	Active	. =

Note the inherited permissions at the bottom of this screen. Inherited security is a very powerful concept with groups. By default, a group will inherit the security of its parent groups and group type. This limits the amount of security configuration each group requires. These inherited rights are only a starting point. You can either build on top of these permissions or override them. The choice, and power, is up to you.

At first you may be tempted to go overboard with your group's security settings. In general, it's best to keep them simple. For instance, in the case of home-based Bible studies you may be tempted to secure each group differently to only allow the leader to edit them. While in certain cases you may need to do this, you could also secure all groups with a generic *Small Group Leader* role. You could then limit which groups a leader was able to navigate to through the configuration of your leader toolbox blocks.

Group Creator Security

In older versions of Rock, the person who created a new group would automatically have Administrate permissions for the group they added. This behavior can now be controlled via block settings.

The Group Detail block has a setting called *Add Administrate Security to Group Creator*. When this is set to "Yes" then the person who created the group will automatically have the security permission to *Administrate* the new group being added.

The default value for this setting is "No", which means the person creating the group will not be able to administrate the group unless they have permissions from another role that would allow them to do so. If you started off on an older version of Rock, this won't retroactively impact security permissions for any existing groups.

Group Member Roles

Group member roles play an important part in how groups are secured. Each role can be configured to provide *View* and / or *Edit* rights. This is configured under Admin Tools

> Settings > General > Group Types .

Inherited Permissions

When determining the security of a group it's important to consider not only the specific permissions of the group but also the inherited permission rules. The inheritance rule for groups is:

Current Group > Group Type Security > Parent Group Security > (continue up the hierarchy until it reaches the root group) > Group EntityType Security > Global Default.

The primary inheritance rules come from the group's hierarchy, but the system has a built in 'choke point' check on the security of the group type first. Why is this? Adding a quick check of the group type's security allows specific types of groups to have unique security considerations. Take for example a group type for 'Addiction Classes'. Adding a check for the group type's security allows a way for limiting visibility to these groups without having to worry about inconsistencies in the security of the group hierarchy. In most cases the group type will not have specific security so this check will not matter, but it's there if you need it.

If when checking the group's security, the person is blocked access there's still one last check to be done. Roles defined on the group type can be configured to provide access to the group. For instance, you can configure the leader of a group to have view/edit rights to that group. Likewise, the member of a group could be set up to have view access. This allows a very simple and flexible way of providing access to external individuals.

Group Strategies

The flexibility built into Rock groups is very powerful. But like a puzzle when you open the box and dump out the pieces, it can be a little overwhelming to get started. Below are a few strategies for you to consider first. Don't be afraid to ask others how they have configured their groups. The Ask section of the Rock website is perfect for these kinds of discussions.

Multiple Group Viewers

Rock comes preconfigured with a general group viewer People > Group Viewer, but you can add more. Say, for instance, your church has a strong small group ministry. You may want to create a new *Group Viewer* page just for this ministry. You can do this by adding a new page under *People* (or any other page you like) and adding the group viewer blocks to the page as described below.

Group Viewer Blocks



The following blocks are used to make a group viewer page. We recommend that you use the *LeftSidebar Panel* page layout.

1 Group Tree View

Add a group tree view block to the sidebar zone to help you navigate your group hierarchy.

2 Group Detail

Add the group details block to the top of the main zone.

3 Group Member List

Next, add the group member list block under the group details.

When you set up the *Group Tree Block* you can set the root group to start with, and limit which types of groups it will display. This allows you to make a very specific small groups viewer with just a couple of clicks.

Group Folders

As you start to think about your group hierarchies, make sure that you plan for growth. This might mean that you create special groups in your hierarchy to help categorize your groups. You can think of this like using folders on your computer to help manage all of your files. You could throw all of your files in one folder, but you'd never find anything. Adding folders helps you arrange and sort your groups. While folders add little value to your computer's file system, these *category groups* can actually be beneficial beyond just organizing. For instance, if you add these category groups to your serving teams, the categories can act as leadership teams for their sub-groups. Take a look at this example of the first impressions serving teams at a large multicampus church:

✓ ④ Glendale Campus
✓ O Usher Teams
 O Saturday Services
❹ 4:30 pm Service
ⓓ 6:15 pm Service
 O Sunday Services
🖸 9:00 am Service
O 11:15 am Service

Notice how each campus and ministry area has a leadership group. These groups not only help arrange the serving teams, but they can also have members of their own that represent the leadership team for each area.

Group Schedules

Let's take a brief moment to see the various scheduling options for groups and how these settings affect the features available.

Types of Group Schedules

There are three types of group schedules that can be configured for a group. To help simplify the editing of a group we allow you to configure which of these options are available to groups of each particular type. For instance, you'll probably want to configure your *Small Groups* to only be configured to allow the *Weekly* schedule. You can select which of these options are available for a specific group type under Admin

Tools > Settings > General > Group Types .

Weekly

This option allows a simple weekly schedule to be selected. When configuring a group, one only needs to select the day of the week the group meets and the start time. We highly recommend that you use this setting because it is the only schedule option that is usable as a filter in the Group Finder. For example, if you set your small groups to the *Weekly* schedule option, your website visitors can find groups that meet on a specific day of the week that's convenient for them.

Custom

With this option enabled, each group can select its own repeating schedule. This option allows for the most power and flexibility, but the schedule created can't be used as a filter in the Group Finder.

Named

The Named option allows you to pick the group's schedule from a list of preconfigured schedules. These schedules are configured under Admin Tools > Settings > General > Schedules. Like the Custom option, this setting can't be used as a filter in the Group Finder.

Schedule Exclusions

Picture this: you've just finished entering all of your small groups into the system with their correct schedules and your supervisor just announced that, "groups are taking a two-week break." Not a problem! Adding a *Schedule Exclusion* to the *Small Group* group type will add the exclusion(s) to the schedule of all groups of this type. This is done under Admin Tools > Settings > General > Group Types . This not only keeps the schedule

accurate, but it also keeps attendance reminders from being sent while groups are not meeting.

Group Attendance

Whether you're following the leadership principle of *inspect what you expect* or you simply want to keep a pulse on the health of a group, the group attendance feature can simplify the process of gathering participation details of your group members.

Configuring a Group for Attendance

Before a group can take attendance, its group type must first be configured to enable attendance tracking under Admin Tools > Settings > General > Group Types. From here you should select the group type you'd like to configure check-in for. Under the Attendance / Check-in tab enable the setting Takes Attendance.

While this one setting is all you need to enable the attendance features, there are a couple of other settings that help improve the attendance tools:

- **Group Schedule Options:** While a group schedule is not required to take attendance, having a schedule will simplify the attendance entry because it will guide the user to enter attendance on those dates when the group meets.
- Schedule Exclusions: While each group can set its own schedule (including exclusion dates) you may want to set exclusion dates for every group of this type. This is especially helpful when using the simple schedule option where you only specify the day of the week and the start time for a group. Adding these group type schedule exclusions helps to keep email attendance reminders from being sent.
- Send Attendance Reminder: This checkbox will enable the sending of an attendance reminder email or text message to the group leader the day the group is scheduled to meet.

Entering Attendance Information

Internal Attendance Features

There are several ways to collect group attendance. The first is to use the internal attendance features built into the Group Viewer under People > Group Viewer. You'll notice an attendance button on the group details block for groups that are configured to take attendance.

Group Attendance Button $\mathbf{\hat{\mathbf{A}}}$ Search -**Group Viewer** 2 Alisha Marble's Group Small Group Groups + Q : 0 😩 Global Connector Group ✓ ♣ Section A 😭 Alisha Marble's Group مع Small group topics involve studying the women of the Bible. 😭 Decker Group 😭 Pete's Group Parent Group Meeting Location ÷ Section A > Section B > ③ Serving Teams Schedule Wednesday at 7:00 PM () Ushers 😩 General Groups Topic Women of the Bible Coccile 3002 W Lupine Ave Phoenix, AZ 85029-3256 * ") 🗹 🕈 🔒 Edit Archive Group Members

Selecting this option will bring up the group attendance grid. This grid lists the previously entered attendance for the group and allows you to enter new attendance records from the add button in the grid's header or footer.

					Q		Group Name	
Group	Attendance							
Home > Marble	Attendance Group > Group Attendance							
Marble	Group							
Filter Option								
Enabled	Filters ge: from 6/20/2021							
Date Rai	ge. nom 0/20/2021							
Date	Location Schedule	Attendance Entered	Didn't Meet	Attendance Count	Percent Attended ()	Notes	Attendance Type	
9/14/2021	Tuesday at 6:00 PM	~		11	92 %		Physical	V
						Did not meet		
9/7/2021	Tuesday at 6:00 PM		~	0	0 %	today.		V
9/7/2021 8/31/2021		~	~	0 10	0 %		Virtual	9
	PM Tuesday at 6:00	~	*				Virtual Physical	

Selecting the
button will take you to the attendance entry screen pictured below.
From this screen you can check off all those who attended the group or note that the

group did not meet on its scheduled date and time. You can also print an attendance sheet, which allows attendance to be collected via a register.

tendance Entry			
€		🌲 📕 Q	Name - 🔞
E Attendance Home > Marble Group > Group Attendance	: > Attendance		
A Marble Group Attendance	2		
Attendance For Tuesday, April 25, 2023		2 Schedu Tuesda	ile ay at 6:00 PM
Attenda We Did Not Meet Phy 5			7 8
All Present 9 Sea			🖋 Add Note 📑 Roster
Harper, Jack Member	Jones, Will Member	Marble, Alisha Member	Marble, Bill Leader
9 Michaels, Jenny Member	Peterson, Becky Member	Peterson, Brian Member	Sweeney, James Member
Sweeney, Nancy Member	Tennant, Rob Member	Tennant, Sheryl Member	Tucker, Dale Member
Back			
Crafted by Spark Development Netwo	vrk / License		

1 Attendance For

The date for which attendance is being recorded.

2 Schedule

If a Named schedule is being used for this group, it will be shown here.

3 We Did Not Meet

Select this checkbox if there was no attendance because the group did not meet. This distinction is helpful for record-keeping, but also impacts areas like Streaks.

4 Attendance Location

If enabled in the block's settings, here you can select the type of attendance, like physical (in-person) or virtual (online). If you need other options, you can manage these values using the *Attendance Types* Defined Type. Edit the Attendance Entry block's settings to restrict the available options to only certain Attendance Types, or to change the "Attendance Location" header to say something else.

5 Attendance Count

After attendance has been entered, the count of attendees is displayed.

6 Search

For larger groups it can be helpful to search for the people you're looking for.

7 Notes

If enabled in the block settings, notes can be added here. Notes will appear in the Attendance Summary Notification email if you are using that

feature. The label "Notes" can be customized in the block settings.

8 Attendance Roster

Click the Roster button to generate a printer-friendly version of the attendance page. This will be a Word document that you can then update, print or save.

9 Members

Attendance is tracked by clicking the cards of those who attended. You can see here that nine people were in attendance on that day.

External Attendance Features

Entering attendance on this internal screen is great for staff-entered attendance. Often times you will want to push the responsibility of attendance entry to the group leaders. One way to do this is to allow them access to the leader toolbox. See the Group Leader Toolbox chapter for details on this set of tools.

Rapid Attendance Entry

The Rapid Attendance Entry method of recording attendance may come in handy for your groups. To learn more, see the Rapid Attendance Entry chapter of the Checking-out Check-in manual.

Attendance Reminders

You can also configure Rock to send a communication to the group leader on the day that their group meets to remind them to take attendance. This communication will include a link to take them straight to the attendance detail screen. Since each group leader gets an individual communication, we have enabled this link to not require a login to help simplify the process (either the *Manage Members* or the *Edit* privilege must be present for a group leader to enter attendance).

Do you have some groups that you don't want to send a reminder about attendance? No problem, we've got you covered! When attendance reminders are turned on for a group type, you can exclude individual groups. All you need is a Data View that includes the groups you want to exclude. Simply add this Data View to the *Excluded Groups Data View* field on the *Send Group Attendance Reminders* job and those groups won't get the reminders going forward.

There are two other key configuration points for attendance reminders.

The first is the system communication that is used as the template for the reminder. This template can be edited by navigating to Admin Tools > Settings > Communications >

System Communications > Group Attendance Reminder . See OUR Communicating With Rock guide for more information. If the template is configured for both email and SMS, and if your system is set up to send emails and text messages, then the reminder can use either medium. Group leaders will receive either an email or a text, depending on how the job is set up.

The other configuration point is the job that is run to send the communications on a daily basis. This job must be created for every group type that requires reminders. For
more information on this job see the Service Jobs Relating To Groups chapter below.

Before You Report

When running reports on attendance data be sure to filter on *Did Attend* to show those who attended the event.

Group Attendance Digest

The *Group Attendance Digest* is an email containing a summary of attendance information for one or more groups. See the Service Jobs Relating to Groups chapter for information on setting up the Send Group Attendance Digest job.

Example Group Attendance Digest Email



Date	nee		
6/6/2020	3/3	Perfect attendance!	Email Leade
	Conta	act Info:	
	3120 W	Cholla St Phoenix, A	Z 85029
	Phone: (555) 555-5555	
	Email: in	fo@rocksolidchurcho	lemo.com
		w.rocksolidchurchde	mo com
	6/6/2020	Conta 3120 W Phone: (Email: in Website:	6/6/2020 3/3 attendance! Contact Info: 3120 W Cholla St Phoenix, Al Phone: (555) 555-5555 Email: info@rocksolidchurcho Website:

The Group Attendance Digest may not be the right fit for all of your groups. It's only intended for a specific type of groups structure that we'll describe below.





1 Parent Group

This is the Parent Group for all of the other groups below it. This group will be added to the Send Group Attendance Digest job configuration, which we'll talk about in the Service Jobs chapter below.

2 Region or Area

Individuals in these groups who have a group role that's configured as *Is Leader* will receive a digest email for the associated child groups. If these groups have multiple *Leaders*, then each will receive their own email individually.

3 Attendance Group

These are the groups where attendance is being recorded. The attendance in these groups will be emailed to the *Leaders* of their respective parent groups. For instance, the attendance in 'Group #3' and 'Group #4' will be emailed to the *Leaders* in 'Region #2'.

The *Leader* of the attendance group will be contacted when the 'Email Leader' link is clicked from the Attendance Digest email as shown in the prior screenshot above.

The chart above has three "Regions" with two "Groups" below each region. But you're not limited to those numbers. You can have only one region with five child groups below it, or ten regions with a single child group each. The only requirement is that you need all three hierarchical levels, with a single parent group at the very top.

Group Sync

Have you ever thought, "With people constantly coming and going, how am I supposed to keep the members of this group up to date in Rock?" Well, the Group Sync might just turn out to be your next best friend.

Group Sync automates the process of keeping group membership updated by adding and removing members for you. Take, for instance, a security group that gives access to a toolbox for your group leaders. Without Group Sync, every time a leader is added or changed someone would have to remember to manually adjust the toolbox security group accordingly. With the Group Sync feature, this can all be automated for you.

Configuring Group Sync

Configuring your groups to sync takes only a few one-time steps. After you've got it all set up, you can sit back and watch Rock do the work for you.

To get started, you'll want to make sure that Group Sync is enabled for the groups you're working with. This is set at the Group Type level, as described in the Group Types chapter above.

Next, you'll need to create a Data View that returns the people who should be synced as group members. The list of people in this data view will be compared against the list of the group's current members. If there are any differences between those lists, the group's membership is updated so that it matches the data view.

With Group Sync enabled and your data view in place, go to the group you'd like to sync and edit its details. If you have *Administrate* access to the group, you'll see a panel labeled Group Sync Settings. At first, when you're just getting started, there won't be anything listed in this panel. Click the **O** to add your sync as described below.

Group Sync Settings



1 Sync Data View

This is the data view you created to use as the source of your sync. The people found by the data view are compared against the current members of the group, and changes to group membership are made if there are differences.

Group Role to Assign

Select the role you want to assign to group members added by the selected data view. Each sync works with one role at a time, so you'll need a second sync like this one if you want to automatically manage both 'Leaders' and 'Members'.

3 Sync Interval

This setting controls how frequently this group should be synced. Having a lot of group syncs running constantly throughout the day might create performance issues in your system, even if no changes are made. So, try to keep the frequency as low as possible according to your needs. When setting the sync interval here, you'll want to keep the Group Sync job in mind, which we'll discuss a little later below.

4 Welcome Communication

If you'd like to notify new group members of their new status in life you can configure a system communication to let them know. We've provided a good template called *Sync Welcome To Group* that covers most cases. If the member already had a login, it even reminds them what their username is (not their password though, we store that in a super-secret way that not even we can decrypt). If you've enabled *Create Login During Sync* below, and if the person doesn't already have a login, the communication will include their new username and password (we know the password in this case because we just created it).

5 Exit Communication

You can also choose to send a notification letting people know that they're no longer part of the group. This can be helpful in some cases but isn't

required. We've provided a template called *Sync Exit From Group* for this purpose.

6 Create Login During Sync

When syncing with security roles, you may also want the job to create logins for new group members. This will give those members access to use their new permissions.

Group Sync Job

As noted in the prior section above, the *Sync Interval* setting for the group controls how frequently the group's members are checked against the data view. However, this is only part of the equation.

There's a system job called *Group Sync* that actually does the syncing we've been describing in this chapter. By default, this job runs once every 20 minutes. Most of your groups won't need to be synced that frequently, so you generally don't need to worry about when the job runs. The only time it might cause an issue is if you've configured a group to sync at a more frequent interval than the job. That should be an extreme case, but if you need to change the frequency of the job you can do so under Admin Tools > Settings > System > Jobs Administration.

Security Tip

The *Group Sync* job has a setting to create new logins in such a way that the individual will need to reset their password on their first login. This setting is initially set to not require a reset. Feel free to change this if you'd like.

Managing Synced Group Members

Once a Group Role is managed by a sync, members cannot be added to that role manually. You can still manually add people to the group, just not with that role.

That's because if you're manually adding a person to a synced group, then it means the person doesn't meet the criteria of your data view. The sync would remove that person from the group the next time it runs, undoing your manual work. That's why each sync is specific to a role, so you can have some roles that are synced and others that are managed manually.

For the same reason, you can't manually remove synced group members. If you did, they would just be put back in the group by the sync the next time it runs. If you need to remove a synced group member, consider updating the data view to account for that person's scenario.

If you want to stop syncing a group, you can remove the sync from that group's settings, and it will keep the members. At that point, members of the group would need to be managed manually.

You'll also notice 😑 icons in the group's member list, to notify you that the member is

being automatically synced. The \rightleftharpoons icon is also displayed in the upper-right corner of the list. If you hover your cursor over the icon, Rock will display the roles being used to sync the members of the group. From there, you can manually sync the group rather than waiting for the Group Sync job.

Group Following

Hopefully by now you've seen how to follow a person. If not, stop what you're doing and read this. You can also follow a group. Why...? Following a group allows you to put that group into easy reach from your My Dashboard page.

How To Follow

Following is super simple. First navigate to the group you'd like to follow. Then, press the follow star in the upper right of the group detail block.

Following A Group				
(6) ~
E Group Viewer Home > Decker Group				
Groups + Q : Global Connector Group × B Section A	备 Decker Group		Small Group	* *
 ✔ Alisha Marble's Group ☆ Alisha Marble's Group ☆ Decker Group ☆ Pete's Group > ☆ Section 8 > ③ Serving Teams ③ Ushers ☆ General Groups 	Small group with Ted as the group leader. Parent Group Section A Schedule Monday at 7:00 PM Topic Book of Genesis	Meeting Location	W The Annual Annua	
	Edit Archive Group Members	Cogo		ata 62022

Also note that when you have an event registration that places registrants into a group, you can configure the registration to notify all individuals who are following that group.

Group Members

Group members are a key component of groups. Like groups, they come with a ton of options for customization.

Group Member Roles

People often have special roles in groups. Some are leaders; others have unique duties. To help differentiate the members of a group, you can give each a *Group Member Role*. The list of possible roles is defined on the group type. Each role has the following configuration options:

- **Is Leader:** Determines if the individuals in this role are considered leaders within the group. This option enables additional functionality within Rock.
- **Receive Requirements Notifications:** Individuals in this role will receive notifications of group members who do not meet the group's requirements. This only applies if you've configured the Send Group Requirements Notification job.
- **Can View:** This gives the members of this role the ability to view the group information in various group toolbox blocks.
- **Can Edit:** Allows members to edit group information in various group toolbox blocks.
- **Can Manage Members:** Individuals with this role will be able to manage group members (e.g., change their role, status, etc.) regardless of the security settings on the group itself.
- **Can Take Attendance:** Individuals with this role can take attendance regardless of the group's security settings.
- **Can Check In to Group:** This option indicates whether individuals in this role can check in. If disabled, people assigned to this role cannot check in to groups of this type, even if they are members of the group. Note that this only applies if the *Check-in Rule* is set to "Already Enrolled In Group" in your check-in Area configuration. See the Checking Out Check-in manual for additional details.
- **Minimum Required:** Rock allows you to have rules on how many individuals can have certain roles. This setting configures the minimum number of individuals

who must have this role. This will keep you from deleting a group member if the deletion will drop the number of individuals with this role below the minimum.

- **Maximum Allowed:** This setting is like the minimum but limits the number of people who are allowed this role. For instance, you might configure a group type to only allow one person to be the leader. You can also use this option to limit the number of adults in a family. A family is a group type.
- **Default:** When someone is added to a group, this will be the default role they'll be assigned to. Note: Some blocks will have a block setting that overrides this default. This setting will handle cases when a block does not provide an overriding setting.

Group Member Status

The status of the group member tells you the person's standing within the group. The available statuses are:

- **Active:** The individual is currently participating in the group.
- **Inactive:** The individual is not currently participating in the group. Usually, this status denotes that the person did participate at one point but isn't doing so anymore. How you choose to use this is up to you.
- **Pending:** The individual has not yet fully joined the group.

Group Member Attributes

Group members can also have attributes. This allows you to track custom data points for each person as it relates to their membership in the group. Usually, these *Group Member Attributes* are defined on the *Group Type* under Admin Tools > Settings > General > Group Types. When they're configured here, the attributes will apply to every group member in groups of this type.

You can also add Group Member Attributes to a specific group under People > Group Viewer > Group if you have Administrate access to the group. This also requires that there is at least one Group Member Attribute defined at the group type level, or that the group type has Allow Specific Group Member Attributes enabled.

Editing a Group Member

Selecting a group member from a group member list will take you to the group member detail screen shown below. From here you can change the role and status of the group member. You will also be able to modify any of the *Group Member Attributes* defined for the group.

Editing a Group Member

衮		A 📕 9.	Name 🗸 🔞 🗸
	Group Member Detail Home > Alisha Marble's Group > Alisha Marble		
▲	Alisha Marble		Added: 10/18/2018
الا €	1 Person * ▲ Alisha Marble 3 Role * Leader	 Notified Member Status Inactive Active Pending Communication Preference 6 	
	4 Note	No Preference Email SMS	7 8
	Save Cancel		
	9 <section-header> Group Member Notes</section-header>		

1 Person

The name of the person is shown here for reference. You can't change the group member from here. Instead, you would add a new group member or remove an existing member.

2 Notified

This indicates whether the group leader has been notified about the person's membership in the group. This only has an effect if you're running the Group Leader Notification job.

3 Role

We talked about group member roles above. This is where you set or change the role that this group member has in the group.

4 Note

Here you can add a note about the group member or their membership in the group.

5 Member Status

Group members can either be Active in the group, Inactive or Pending.

6 Communication Preference

This sets the person's communication preference as it relates to this group's communications. This does not impact the Communication Preference that would be set on the person's profile.

7 Quick Communication

Click this icon to send a quick SMS or Email communication to the group member.

8 Move Group Member

Click this icon to transfer the person from this group to a different group. See the next section below, and the Alternate Placements chapter, for more details.



Group Member Notes

Here you can track notes about the group member. These can optionally stay with the group member if they are moved to a different group.

As pictured above, you'll see a note field for the group member. This is useful for keeping basic notes. Rock uses this field to provide specific information about the group member when processing things like workflows and alternate placements.

If a group member has a note attached, a small note icon 🕒 will display on the group member list to help identify this fact.

As noted above, you can send a quick communication to the group member from the group member detail screen by clicking the 🖂 icon. You can send either an email or an SMS text message. This is best used when you just want to send a quick note to a single group member.

Send	d Group Member Communication	
€	Send Group Member Communication	× ~
E	Email SMS To: Jenny Michaels	
•	From •	
ş	Subject *	
8	Message *	~
	Send	Cancel
	Ra Group Member Notes	Đ
	Crafted by Spark Development Network / License	

Moving Group Members

From the Group Member Detail screen discussed above, it's also possible to move a group member from one group to another by clicking the 🗗 icon. When you do, you'll be given the option to transfer any group member notes to the new group. If you're working with Fundraising Groups you'll also see an option to move donations to the new fundraising opportunity.

Moving a Group Member

C Mc	ove Group Member		×
	ent Group na Mission Trip		
2 Desti	ination Group •		
-20	🕯 Kenya Orphanage B 🔻		
Role			
Pa	rticipant		~
	e Notes 🚯		
Move	e Notes 0 e Fundraising Financial Transactions (Tove	0	
Move	e Fundraising Financial Transactions	_	•
Move	e Fundraising Financial Transactions (_	•
Move	e Fundraising Financial Transactions i tove	_	• * • • •

If the group member's current group and the destination group share group member attributes with the same key, then those attributes will be retained. Otherwise, when the group member is moved, the member's attribute information will be lost.

Group Member Workflows

By now you realize that groups are the backbone of Rock. So, it makes sense that we'd invest in making them as powerful as possible. Group Member Workflows are one of these investments. So, what do they do?

Group Member Workflows are an easy way to trigger workflows to launch when the state of a group member changes for a specific group. These events include:

- Being added to a group
- Being removed from a group
- Member status changes (e.g., status changed from *Pending* to *Active*)
- Member role changes (e.g., role changed from Attendee to Leader)
- Member attendance
- Member alternate placements (discussed in detail in the next chapter)

The workflows you define for these triggers can be configured for all groups of a specific type under:

Admin Tools > Settings > General > Group Types or for a specific group under People > Group Viewer > Group. Below is the screen you'll see in either case. Note that workflows for a specific group can only be added if *Allow Specific Group Member Workflows* is enabled for the Group Type.

Required Access

You must have *Administrate* access to a group to be able to configure Group Member Workflows.

Add Trigger		
Name • 1	Active 2	
Member Added to Group		
itart Workflow 0 • 3	When • 4	
¢°, -	Member Added To Group	~
	With Status of	
	Active	~
	With Role of	
	Member	~
		Save Cancel
Add Trigger		×
Name •	Active	
Member Status Changed		
Member Trigger Active ber Status Changed orktiow • Member Status changed orktiow • Trong Status of Image: Cancel Save: Cancel Trigger Active		
¢°,	Member Status Changed	~
	From Status of 7	
	Pending ~~	~
		_
Add Trigger		Save Cancel
Add Trigger	Active	Save Cancel
	Active	Save Cancel
Name *	changed Active Changed Active Active A	
Name * Member Role Changed	Active Active	Save Cancel
Name • Member Role Changed itart Workflow ① •	Active Active Active Mhen • Member Role Changed	Save Cancel
Name • Member Role Changed itart Workflow ① •	Active Active When *	Save Cancel
Name • Member Role Changed itart Workflow ① •	Active Active C Vinen Member Role Changed From Role of Member	Save Cancel
Name • Member Role Changed itart Workflow ① •	Active Active Active Member Role Changed From Role of	Save Cancel
Name • Member Role Changed itart Workflow ① •	Active Active C Active Active Active Active Active Active C Active Activ	Save Cancel
Name • Member Role Changed itart Workflow ① •	Active Active C Active Active Active Active Active Active C Active Activ	Save Cancel
Name • Member Role Changed :tart Workflow • • *	Active Active C Active Active Active Active Active Active C Active Activ	Save Cancel
Aame • Member Role Changed ttart Workflow • • * Construction • Add Trigger	Active Active Active Member Role Changed From Role of Member To Role of Leader	Save Cancel
Aame • Member Role Changed tart Workflow • • *\$ • Add Trigger Name •	Active Active Active Active Member Role Changed From Role of Member To Role of Leader Active Active	Save Cancel
Aame • Member Role Changed ttart Workflow • • * Construction • Add Trigger	Active Active Active Member Role Changed From Role of Member To Role of Leader	Save Cancel
Aame • Member Role Changed tart Workflow • • Add Trigger Ame • Member Attended Group tart Workflow • •	Active Active Active Member Role Changed From Role of Member To Role of Leader Active	Member Added To Group With Status of Active Member Member Sore Cancel Active Image: Cancel Active Image: Cancel Active Image: Cancel Active Image: Cancel Active Image: Cancel Active Image: Cancel Active Image: Cancel Active Image: Cancel Active Image: Cancel Active Image: Cancel Active Image: Cancel Active Image: Cancel Active Image: Cancel Active Image: Cancel Image: Cancel <td< td=""></td<>
Aame • Member Role Changed tart Workflow • • * * • Add Trigger Name • Member Attended Group	Active Active Active Member Role Changed From Role of Member To Role of Leader Active	Save Cancel
Aame • Member Role Changed itart Workflow • • * * • • Add Trigger Name • Member Attended Group itart Workflow • •	Active Active Active Member Role Changed From Role of Member To Role of Leader Active	Save Cancel

🕨 Name

This is the name you want to use to describe the trigger.

2 Active

Indicates whether this trigger is currently active.

3 Start Workflow

The workflow type you'd like to start when the trigger conditions are met.

4 When

This determines when the trigger should be considered.

5 With Status Of

This allows you to filter when the trigger is applied for members with a specific status.

6 With Role Of

This allows you to filter when the trigger is applied for members with a specific role.

7 From Status/Role Of

Determines what the original status/role was to use as a trigger filter.

8 To Status/Role Of

Determines what the new status/role must be for the trigger to fire.

9 First Time

Determines if this trigger should only be activated the first time a person attends this group, or every time.

See our Blasting Off With Workflows guide for more information on working with workflows.

Tips For Creating Triggered Workflows

When workflows are started from the group member triggers, they will pass in a few attributes for your convenience (as long as the attributes are defined). These include:

- **Person:** The person that the group member represents.
- **Group:** The group that the person is a member of.
- **AttendanceDateTime:** Only applies to the Member Attended Group trigger type and is the date/time that person attended the group.

Be Persistent

Make sure the triggered workflow is *Automatically Persisted*. This will ensure it works correctly and as intended.

Whenever possible, the workflow will also pass in the *Group Member* model as the entity of the workflow. You can access the group member properties and attributes by using the *Attribute Set From Entity* action combined with Lava like the following:

{{ Entity | Attribute:'HasBook' }}
{{ Entity.GroupMemberStatus }}
{{ Entity.GroupRole.Name }}
{{ Entity.PersonId | PersonById | Property:'PrimaryAlias' | Property:'Guid' }}

When Group Member Won't Be Passed

Some member workflow triggers won't pass the group member as the entity. For instance, for the *Member Removed from Group* and *Alternate Placement* workflow types there won't be a group member left to pass when these events are launched.

Alternate Placements

In some group usage scenarios, you may want group leaders to be able to remove someone from their group but not have the group member fall to the wayside. Alternate placements allow you to do just that.

The first step is to configure the group type to have an alternate placement group member workflow. We discussed creating these workflows in the previous chapter. The *Member Placed Elsewhere* workflow trigger type has two options: *Show Note* and *Require Note*. This allows the group leader to notate the reason why they are seeking to place the group member elsewhere.

Configuring an Alternate Placement Workflow

		۹ 🖪 ۹	
Group Type Detail	all Group		
Small Group			
Name *			
Small Group			
Description			
A group of people who share an i	interest and meet together with regular	frequency.	
General			,
RSVP			
Attendance / Check-in			
Scheduling			
Roles			
Member Attributes			
Group Attributes			,
Group Type Attributes			
Group Requirements			
Group Member Workflows			,
The workflow(s) that should be	e launched when group members are ch	anged in groups of this type.	
Name	Workflow	When	Active
■ Alternate Placement	Alternate Placement	Member Placed Elsewhere	✓ / ×
			C
Display Options			
Save Cancel			

The *Group Member Detail* screen contains a button that allows you to initiate an alternate placement workflow. When you click this button, Rock displays the *Move Group Member* window, where you can select which configured workflow to launch (if there is more than one) and allow the leader to enter a note (if it's configured to do that).

Alternate Placement Button

€		A 🖪 9	Name 🕶 🛞 🗸
	Group Member Detail Home > Alisha Marble's Group > Alisha Marble's Group > Jenny Michaels		
•	Jenny Michaels		Added: 10/18/2018
ت بر	Person *	Notified 0	~
a	Role * Member	Member Status ✓ Inactive O Active Pending	
	Note	Communication Preference O No Preference Email SMS	
			0
	Save Cancel		e e
	🝳 Group Member Notes		H
	Crafted by Spark Development Network / License		

Alternate Placement

		C M			× ~
	MO/	ve Group Member			*
E		t Group Mission Trip			
2	Destina	ation Group •			
		Kenya Orphanage B 🔻			
0	Role				
	Parti	icipant			~
×		Notes 🚯			
	Move F	Fundraising Financial Transactions 🕚			
	Mo	ve			
		🝳 Group Member Notes			
		~			
		Fundraising Donations			
		Donor	Donor Address	Donor Email	Date Amount

When the Move button is clicked, the workflow is launched, and the person is removed from the group.

Tips For Creating Triggered Workflows

When workflows are started from the group member triggers, they will pass in a few attributes for your convenience. These include:

- **Person:** The person that the group member represents.
- **Group:** The group that the person is a member of.
- **Note:** The note that was entered by the group leader.
- **Group Member Status:** The status that the group member was when the workflow was launched.
- **Group Member Role:** The role name of the group member when the workflow was launched.
- Any attributes that match those of the group member attributes configured for the group.

Group History

As you work with groups—adding and removing members, adjusting schedules and member roles, etc.—there may be times when you want to get a 40,000ft view to see how they're doing. Rock's Group History feature allows you to do just that.

Group History takes all of the configurations and changes made to a group and compiles them into timeline and table views that let you easily view the life and health of that group. Here's an example of a Group History timeline view.



Rock ships with Group History enabled for small groups and serving groups. You can enable and disable Group History for any group type. However, because a lot of data can build up quickly, we recommend using it only with your more regular, stable groups. For example, enabling Group History for a Sunday School group where different children are in attendance each week would lead to crowded (and potentially messy) timelines and tables. Enabling it for a security team or other serving group that experiences fewer fluctuations makes a lot more sense.

OK, let's take a closer look at how to set up and use Group History.

Enable Group History

To enable Group History for all groups of a certain group type, begin by locating the group type in:

```
Admin Tools > Settings > General > Group Types .
```

In the *General* section of the *Group Type Details* screen, check the *Enable Group History* checkbox. You can customize the group type's display options in the *Display Options* section by assigning it a color and icon. These options come into play in a number of the Group History views, but we'll get into that later. For now, click <u>Save</u> and Rock will enable the history and options for that group.

			🌲 📕 Q	
Grou Home > Set	p Type Detail ings > General > Group Types > Small Group			
Smal	Group			
Name •				
Descrip	l Group			
	pup of people who share an interest and meet to	gether with regular fr	equency.	
Gen	eral			
Purp	ose 🕦	~	Location Selection Modes ()	Multiple Locations () Allow
Allow	v Any Child Group Type 🚯		 Address Point Geo-fence 	Enable Location Schedules ()
Allow	ved Child Group Types 🕕		Group Member Address	
No) Group Types Found	0	Location Types () Meeting Location	
Inhe	rited Group Type 🕕	×	Don't Inactivate Members 3	
	ip Capacity Rule 🟮		Allow Specific Group Member Attributes	Allow Group Sync 🚯
Grou	ıps Require a Campus 🕕		Enable Specific Group Requirements	Allow Specific Group Member Workflows 1
Grou	p Status Defined Type 🚯	~ (Enable Group History 0	Enable Group Tag 🕚
Show	v Administrator 🟮		Enable Inactive Reason (1)	Require Inactive Reason ()

View Group History

Now that you have Group History enabled, you can jump to that 40,000ft view. Locate the group in the Group Viewer and click the 🗌 button.



Archived Groups

You can Archive a group instead of deleting it. Archiving removes the group from the Group Viewer and other places where groups can be seen but allows you to restore it later. When a group has been marked as Archived and you want to bring it back go to: Admin Tools > Settings > General > Archived Groups Click on the D icon to unarchive the group.

Note: If a group type has 'Enable Group History' checked, once the 'Process Group History' job runs the 'Archive' button will be enabled on a group.

This brings up the group's timeline view, shown earlier, including both member and group history information. The Group History screen shows the history of the group by day for the lifetime of that group. Each event on the timeline has an icon that corresponds to a type of action.

- 🗌 Member added
- 🗌 Member removed
- 🕜 Group edited
- 🗃 Other/general group action

If there is more information than space available for an event on the timeline, you can view the entire contents by hovering your mouse over the text. For multiple occurrences on the same day, Rock will display a link to expand the area to display all of the actions for that day.

To hide member history and view only actions made on the group level, click the 🐲

button.

You can also zoom in from that 40,000ft view and get a closer look at the history of the members of a group. Click Member History to display a group's members and the history/dates of their involvement in the group. Click on a specific person to view a timeline of their involvement with the group.

Group Member Histor Home > Decker Group > Group History > Group	Member History			
Decker Group Historical Gro	up Members			
Filter Options 🗸	Date Added	Date Removed	Last Role	Last Status
🗑 Ted Decker	9/5/2021		Leader	Active
Cindy Decker	9/5/2021		Member	Active
🥚 Alisha Marble	10/18/2021		Member	Active
Bill Marble	10/18/2021		Member	Active
50 500 5,000 4 Group Membe	rs			
				E

View Group History in a Person's Profile Page

Individual group history is also available on the *Person Profile*, under the *Groups* tab.

Group History in Person Profile

							C
Profile	Extended Attributes	Steps Gro	Documents	Contributions	Benevolence	More 🗸	(
Ted Decker Member Main		0 _{/16} 9 5					0
Group History 2021 May June July	Aug Sept	Oct	Nov Dec	Jan	Feb Mar	Apr	Ka
Group Types Serving Team Small Group							
Group List Filter Options 🗸						\$ ⊞	Ç
Name	Group Type	Descriptio	n		Role	Added	
A/V Team	Serving Team				Member	3 Years Ago	1
China Mission	Fundraising Opportunit	у			Participant	22 Hours Ago	
Decker Group	Small Group	Small gro	oup with Ted as the grou	ıp leader.	Leader	3 Years Ago	1
Fundraising	Fundraising Opportunit	у			Participant	31 Minutes Ago	
Members and Attendees	Communication List				Recipient	17 Months Ago	
50 500 5,000 5 Groups						¢ ⊞	þ
Schedule Toolbox - Ted Deck	er						
🛱 Copy Calendar Link							
8/20/2022			Confirmed	Actio	ns Schedule Ur Update Schedu		
A/V Team - Main Campus Saturday 4:30pm						ale Fletelelices	
			Decline Acce	pt	Sign-Up for Ad	ditional Times	

Hover your mouse over any of the events on the person's timeline to display the details of that event. Note the timeline colors correspond to the color assigned to the group back when Group History was enabled. If the person is a group leader, the color will be slightly darker. You can also click on a specific event to drill down into the group. As with all of the tabs on the *Person Profile*, the information is filterable. Click the result button to display the filter options.

Group Leader Toolbox

The group leader toolbox can be found on the external site under *My Account*. The toolbox is made up of just a couple of pages and blocks that provide a ton of options. The out-of-the-box configuration is meant more as a sample of what's possible rather than a *one size fits all* model. Let's look at each of the blocks in detail to give you an idea of what you can achieve.

My Account - Groups

Along the right of the *My Account* page is a listing of groups to which the person belongs. The individual can also see their role within the group. Through block settings you can configure which group types to show or hide. Using Lava, you can adjust the look of this block to your heart's content.

Rock Solid Church Demo	New Here?	Resources	Connect	Give	Blog	Calendar	Watch	Hello Ted 👻
My Account								
Home / My Account								
						Ad	ccount Info	
40 years old (2)ecker					CI	hange Passwor	d
Male Married 19 yrs	(1/4)					GI	roups	
						Us	shers (Member)	
Contact Information						De	ecker Group (Le	eader \star)
Home Address							E Sche	dule Toolbox
11624 N 31st Dr Phoenix, AZ 85029						As	ssessments	
Email ted@rocksolidchurchdemo.com Update Profile							DISC Completed: 2/2 View Results Assessment	
Decker Family							Spiritual Gifts Available Start Assessm	ent
Cindy Decker							Conflict Profile	
39 yrs old (3/10/1981) Female	Contact Info Married 19 yrs (1/4)						Available Start Assessm	

Clicking on any group in which the person is a leader will open the group leader's toolbox.

Group Toolbox



This is the money block. With this block, you have access to every detail of a group that's accessible in a Lava template. It also has some special *Postback Commands* that allow you to enable editing of the group details and its members. If enabled in the block settings, you can even allow individuals to set their communication preference for the group. The sky really is the limit when it comes to customizing this block, so be sure to check out all its settings.

Note on Security

When adding a person to the group the default view allows you to select the new individual from those already in the database. In order for this search to work you will need to adjust the security on the API/People/Search REST endpoint. You can find this under:

Admin Tools > Settings > Security > REST Controllers > People.

If you would prefer not to allow group leaders to search the list of people in the database, you can provide an alternate *Group Member Add Page* in the block settings. On this new page you may choose to set up a workflow entry form, a group registration block or a simple email form.

Group Attendance List and Detail

Home / My Account / Group Toolb	ox / Group Attendance									
Groups Decker Group (Member) Marble Group (Leader *)	ave Globy Attendance aver 4147th Ave		W Cactus	N 35th Ave	Ave • N 31st	1 29th Ave	V 23rd Ave			
	Marble	e Grou			t	~	Z			
		study group pe S:		no are new to C	Lea	We meet near W aders: • Bill Marble (Lea		t Ave.		Ec
	Roster A	ttendance								
	Date Range: Date	12/17/2019 to	2/4/2020 Schedule	Attendance Entered	Didn't Meet	Attendance Count	Percent Attended	Notes	■	0
								Notes	E	0 ×
	Date		Schedule Tuesday at	Entered		Count	Attended	Notes		
	Date 1/28/2020		Schedule Tuesday at 6:00 PM Tuesday at	Entered		Count 9	Attended 75 %	Notes		×
	Date 1/28/2020 1/21/2020		Schedule Tuesday at 6:00 PM Tuesday at 6:00 PM	Entered ✓		Count 9 12	Attended 75 % 100 %	Notes		×
	Date 1/28/2020 1/21/2020 1/14/2020		Schedule Tuesday at 6:00 PM Tuesday at 6:00 PM Tuesday at 6:00 PM Tuesday at	Entered		Count 9 12 9	Attended 75 % 100 % 75 %	Notes Didm't meet due to New Years Eve holiday.		
	Date 1/28/2020 1/21/2020 1/14/2020 1/14/2020 1/7/2020		Schedule Tuesday at 6.00 PM Tuesday at 6.00 PM Tuesday at 6.00 PM Tuesday at 6.00 PM Tuesday at 7.00 PM Tuesday at 7.00 PM	Entered	Meet	Count 9 12 9 10	Attended 75 % 100 % 75 % 83 %	Didn't meet due to New Year's Eve		
	Date 1/28/2020 1/21/2020 1/14/2020 1/14/2020 1/17/2020 1/2/31/2019		Schedule Tuesday at 6.00 PM Tuesday at 6.00 PM Tuesday at 6.00 PM Tuesday at 6.00 PM	Entered	Meet	Count 9 12 9 10 0	Attended 75 % 100 % 75 % 83 % 0 %	Didn't meet due to New Year's Eve		

	ance Detail			
Home / My Account / Group Too	lbox / Group Attendance / Group Attendance Deta	ail		
Groups	Marble Group Attendance			
Decker Group (Member)	Attendance For		Schedule	
Marble Group (Leader*)	Tuesday, April 25, 2023		Tuesday at 6:00 PM	
	We Did Not Meet			
	All Present Search			Add Note
	Harper, Jack	Jones, Will	Marble, Alisha	
	Member	Member	Member	
	Marble, Bill	Michaels, Jenny	Peterson, Becky	
	Leader	Member	Member	
	Peterson, Brian	Sweeney, James	Sweeney, Nancy	
	Member	Member	Member	
	Tennant, Rob	Tennant, Sheryl	Tucker, Dale	
	Member	Member	Member	
	Back			

These two blocks allow you to track the attendance of a group. By default, these options will only show for groups of a type with attendance enabled.

Group Finder

The group finder is another very powerful block that allows your website visitors to search for a group and register quickly. The group finder has been configured on the external website under Connect > Small Groups.

If configured in the block settings, it allows for searching by the day of the week that the group meets and the study topic. Selecting your criteria and clicking <u>search</u> returns all of the groups that match those criteria. From there you can choose to register for a group.

Public Groups

Only groups that are marked as Public can be viewed in the group finder. You can change the public setting by editing the group.

Home / Connect / Small Groups		
Children	Lorem ipsum dolor sit amet, consectetur adipiscing elit. Proin eget pellentesque metus. Sed tempor velit ante, et malesua venenatis sed. Donec lacinia lacus sit amet pharetra vehicula. Nam accumsan malesuada fringilla. Lorem ipsum dolor sit a consectetur adipiscing elit. Curabitur vulputate semper tellus ac faucibus. N	
Students		VICTA
Adults	Map Satellite Mount	AIN []
Prayer	SUN RAY THUNDERBIRD Best Buy Cave Creek	ES
Missions	MANOR SQUARE Park . Thunderbird	W Thu
Serve	CHEVENNE MELROSE GARDENS GARDENS	HERI
Small Groups	TAMARRON COMMERCIAL SET ALLS SWEETWATER TAIT NO	RTH
Contact Us	CENTER LARKSPUR GARDENS	
Subscribe	W Cactus Rd High School W Cactus Rd WEST CACTUS DEL VISTA	
Subscribe		
Family Pre-Registration	SOVE REX WEST COMMON'S CONDOMINIUMS	SADDLE
Family Pre-Registration	REX WEST FAIRWOOD WHENGE SUNSET NORTH NORTH MOUTAIN NORTH NORTH MOUTAIN NORTH NO	CK HILLS E CUATRO IMINIIM ITS + WOOD -
Family Pre-Registration	REX WEST FAIRWOOD AKE BILTISRE SUNSET NORTH NORTH MUNTAIN WRewaw WETRO PLAZA MELRO SE METROPLEX METRO PLAZA MELRO SE METROPLEX AVALLER CAVALLER	CK HILLS E CUATRO IMINIIM ITS + WOOD -
Family Pre-Registration	REX WEST A KE BLITINGE SUNSET NORTH SUNSET NORTH WPees Ave WPees Ave METRO PLAZA MELRO SE METRO PLAZA MELRO SE METRO PLAZA MELRO SE METRO PLAZA METRO PLAZA METRO SE METRO PLAZA METRO SE METRO SE MET	CK HILLS E CUATRO IMINIUM ITS + WOOD - ACE
Family Pre-Registration	REX WEST FAIRWOOD ONEHENGE SUNSET NORTH MOUNTAIN When Ave West Ave West Ave MELROSE CAVALIER FREEWAY NORTH REEROPLEX MELROSE METROPLEX MELROSE RETROPLEX MELROSE RETROPLEX MELROSE RETROPLEX MELROSE RETROPLEX MELROSE RETROPLEX MELROSE MELROSE RETROPLEX MELROSE MEROSE MER	CK HILLS E-CUATRO IMINIUM ITS + WOOD - ACE Kegister
Family Pre-Registration	FAIRWOOD Image: Construction of the studying the women of the Bible. Status	CK HITTS E CUATRO IMINIHA HINIHA WOOD ACE Kegister V
Family Pre-Registration	FAIRWOOD Image: Construction of the study ing the women of the Bible. Sunset north Sunset north Shaw Butte Sunset north North North North North North Multicage North North North Desert cove Whensaw METRO PLAZA North Pamelata CAO D MEROSE METRO PLAZA North Pamelata CAO D Google Cavalitier Sports Complex State Cove Houss Triat Google Cavalitier Sports Complex North Name Description Small group topics involve studying the women of the Bible. Small group topics involve studying the women of the Bible. Group We hang out and study the bible in an informal way. We hang out and study the bible in an informal way.	CK HIIIS E CUATRO MINIIM HINS + WOOD ACE High Temsoff Register
Family Pre-Registration	FAIRWOOD Image: Construction of the state of the stat	CK HIIIS CUATRO IMINIIM VOOD KACE Register
Family Pre-Registration	FAIRWOOD Image: Construction of the story and discussing each chapter. Image: Construction of the story and discussing each chapter.	CK HILLS CUATION IN THE CONTRACT OF CONTRACT.

While this default configuration should work for many organizations, there are a number of ways you can alter the experience by modifying the settings of this block. Let's take a look at what's possible in the block's settings:

	New Here?	Resources	Connect	Give	Blog	Calendar	Watch	Hello Alisha
Group Finder Configuration								
Groups								^
Group Type 🕚		Locatio	n Types					
Small Group 🗙								
Hide Overcapacity Groups 0		Small	Group	5	All			~
Load Results on Initial Page Load 💿								
Geofence Group Type 🕕								
	`							
Filters								~

Day of Week Filter Label 🚯 °	None O Single-Select Dropdown O Multi-Select Checkboxes
Day of Week	Display Time of Day Filter
Time of Day Filter Label 🕕 °	Ves 7
Time of Day	Display Campus Filter 🕕 🛛 🔞
Campus Filter Label 💿 *	Ves 🗸
Campuses	Enable Campus Context 0 9
Campus Types 🕕	Display Attribute Filters 0
Online Physical	✓ Topic (Small Group)
Campus Statuses 🚯 🗌 Closed 🔹 Open 🔹 Pending	
Alex.	
Мар	
Show Map 🕕	
2	
Google Standard	Map Height 600
Map Marker 🚯	Marker Color 🚯
	✓
Vinimum Zoom Level 🕕	Maxium Zoom Level 🕕
	×
nitial Zoom Level 🚯	
Automatic	~
Narker Auto Scale Zoom Level 🕕	Marker Auto Scale Amount 🕔
	✓ 1
Location Precision Level 🕕	
Precise	×
Group Window Contents 🕕	
<pre>6 (% endfor %) 7 (/div) 9 (div class='margin-v-sm'> 10 (% if Location.FormattedHtmlAddress and Location.FormattedHtmlAddress)) 12 (% endif %) 13 (/div)</pre>	e.ValueFormatted }} ddress != `` %}
<pre>6 {% endfor %} 7 10 {% if instance Enumerication Television Enumerication Television </pre>	
<pre>6 (% endfor %) 7 9 <div class="margin-v-sm"> 10 (% if Location.FormattedHtmlAddress and Location.FormattedHtmlAddress)) 12 (% endif %) 13 </div></pre>	ddress != `` %)
<pre>6 (% endfor %) 7 (/div) 8 div_class="margin=v=sm") 10 (% if class="margin=v=sm") 10 (% if class="margin=v=sm") 10 (% if class="margin=v=sm") 11 (/div) 12 (/div)</pre>	ddress != `` %)
<pre>6 (% endfor %) 7 (/div) 9 (div class "margin.v.sa") 9 (div class "margin.v.sa") 9 (% sit (occion.formattedHtmlAddress and Location.FormattedHtmlAd 11 ({ Location.formattedHtmlAddress }) 12 (% endf %) 13 (/div) 14 Lava</pre>	ddress 1= '' %) Additional Geofence Settir
6 (% endfor %) 7 (/div) 10 (x - classe 'margine_vset') 10 (% if (caction.formsted/tmlAddress and location.formatted/tmlAddress }) 11 ((Location.formatted/tmlAddress }) 12 (% endfor %) 13 (/div) 14 5how Formatted Output ()	ddress 1= '' %) Additional Geofence Settir
<pre>6 (% endfor %) 7/div 7/div 9 (div class-margin-v-sm*) 9 (div class-margin-v-sm*) 10 (% for contine.formattedHtmlAddress and Location.FormattedHtmlAddress 11 ({ Location.FormattedHtmlAddress }) 12 (/ div 13 //div 14 Lava Show Formatted Output 1 Yes Lava Template 1 </pre>	ddress 1= '' %) Additional Geofence Settir
6 (% endfor %) 7 (/div) 9 (div class='margin-v-sm') 9 (% fil (accianon-formattedHtmlAddress and Location.FormattedHtmlAddress)) 10 (% endif %) 13 (/div) 14 (location.FormattedHtmlAddress)) 13 (/div) 14 (location.FormattedHtmlAddress)) 14 (location.FormattedHtmlAddress)) 15 (/div) 16 (location.FormattedHtmlAddress)) 17 (location.FormattedHtmlAddress)) 18 (location.FormattedHtmlAddress)) 19 (location.FormattedHtmlAddress)) 19 (location.FormattedHtmlAddress)) 10 (location.FormattedHtmlAddress)) 11 (location.FormattedHtmlAddress)) 12 (location.FormattedHtmlAddress)) 13 (location.FormattedHtmlAddress)) 14 (location.FormattedHtmlAddress)) 15 (location.FormattedHtmlAddress)) 15 (location.FormattedHtmlAddress)) 16 (location.FormattedHtmlAddress)) 17 (location.FormattedHtmlAddress)) 18 (location.FormattedHtmlAddress)) 19 (location.FormattedHtmlAddress)) 19 (location.FormattedHtmlAddress)) 19 (location.FormattedHtmlAddress)) 10	ddress 1= '' %) Additional Geofence Settir
<pre>6 (% endfor %) 7/div 7/div 9 (div class-margin-v-sm*) 9 (div class-margin-v-sm*) 10 (% for contine.formattedHtmlAddress and Location.FormattedHtmlAddress 11 ({ Location.FormattedHtmlAddress }) 12 (/ div 13 //div 14 Lava Show Formatted Output 1 Yes Lava Template 1 </pre>	ddress 1= '' %) Additional Geofence Settir
<pre>6 (% endfor %) 7/div 7/div 9 (div class-margin-v-sm*) 9 (div class-margin-v-sm*) 10 (% for contine.formattedHtmlAddress and Location.FormattedHtmlAddress 11 ({ Location.FormattedHtmlAddress }) 12 (/ div 13 //div 14 Lava Show Formatted Output 1 Yes Lava Template 1 </pre>	ddress 1= '' %) Additional Geofence Settir
<pre>6 (% endfor %) 7/div 7/div 9 (div class-margin-v-sm*) 9 (div class-margin-v-sm*) 10 (% for contine.formattedHtmlAddress and Location.FormattedHtmlAddress 11 ({ Location.FormattedHtmlAddress }) 12 (/ div 13 //div 14 Lava Show Formatted Output 1 Yes Lava Template 1 </pre>	ddress 1= '' %) Additional Geofence Settir
<pre>6 (% endfor %) 7/div 7/div 7/div 9 (div class-margin-v-sm'> 9 (div class-margin-v-sm'> 10 (% if Location.FormattedHtmlAddress and Location.FormattedHtmlAddress)) 11 ({ Location.FormattedHtmlAddress }) 12 (\$ endif %) 13 (div) 34 35 Show Formatted Output 34 34 34 34 34 34 34 34 34 34 34 34 34</pre>	ddress 1= '' %) Additional Geofence Settir
<pre>6 (% endfor %) 7/div 7/div 7/div 9 (div class-margin-v-sm'> 9 (div class-margin-v-sm'> 10 (% if Location.FormattedHtmlAddress and Location.FormattedHtmlAddress)) 11 ({ Location.FormattedHtmlAddress }) 12 (\$ endif %) 13 (div) 34 35 Show Formatted Output 34 34 34 34 34 34 34 34 34 34 34 34 34</pre>	ddress 1= '' %) Additional Geofence Settir
<pre>6 (% endfor %) 7/div 7/div 7/div 9 (div class-margin-v-sm'> 9 (div class-margin-v-sm'> 10 (% if Location.FormattedHtmlAddress and Location.FormattedHtmlAddress)) 11 ({ Location.FormattedHtmlAddress }) 12 (\$ endif %) 13 (div) 34 35 Show Formatted Output 34 34 34 34 34 34 34 34 34 34 34 34 34</pre>	ddress 1= '' %) Additional Geofence Settir
<pre>6 (% endfor %) 7/div 9 (div class*marginsm*) 9 (% if Location.FormattedHtmlAddress and Location.FormattedHtmlAd 11 ({ Location.FormattedHtmlAddress }) 12 (% endfor %) 13 (/div 14 show Formatted Output >>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>></pre>	ddress 1= '' %) Additional Geofence Settir
Grid	ddress I= '' %) Additional Geofence Settir
<pre>6 (% endfor %) 7 (div: 9 (div:Class="margin:v=ss">) 9 (% if (costion.FormattedHtmlAddress and Location.FormattedHtmlAddress)) 11 (% endfor %) 12 (% endfor %) 13 (/div: 14 15 (vdiv: 14 15 (vdiv: 14 15 (vdiv: 14 15 (vdiv: 15 (vdiv:</pre>	ddress t= `` %) Additional Geofence Settin -
Grid Grid Grid Show Grid Yes Yes Yes Yes Yes Yes	ddress 1= ··· %) Additional Geofence Settin
6 (% endfor %) 7 (div: 9 (div:lass*marpin-v=m*) 9 (% if Location.FormattedHtmlAddress and Location.FormattedHtmlAd 11 ((Location.FormattedHtmlAddress)) 12 (% endfor %) 13 (/div) 14 //div) 14 //div 15 //div 16 //div 17 //div 17 //div 18 //div 19 //div 19 //div 10 //div	ddress t= ··· %) Additional Geofence Settin
<pre>6 (% endfor %) 7 (div: Class-"margin.v-sa"> 9 (div: Class-"margin.v-sa") 9 (div: Class-"margin.v-s</pre>	ddress t= `` %) Additional Geofence Settin Show Campus Show Campus Show Distance Show Distance Sort by Distance S
<pre>6 (% endfor %) 7 (div: Class="margin.v=sa"> 9 (div: Class="margin.v=sa") 9 (div: Class="margin.v=s</pre>	ddress t= `` %) Additional Geofence Settin Additional Geofence Settin Show Campus Show Distance Show Distance Show Distance Sort by
<pre>6 (% endfor %) 7 (div class="margin.v-ss") 9 (div class="margin.v-ss") 9 (div class="margin.v-ss") 10 (% endfor %) 11 ((costion.FormattedHtmlAddress and Location.FormattedHtmlAd 11 ((Location.FormattedHtmlAddress)) 12 (% endfor %) 13 (% endfor %) 14 (% endfor %) 15 (% endfor %)</pre>	ddress t= `` %) Additional Geofence Settin Show Campus Show Campus Show Distance Show Distance Sort by Distance S
<pre>6 (% endfor %) 7 (div class ** margin.v-ss*) 9 (div class ** margin.v-ss*) 10 (% if (costion.formatted/tmlAddress and Location.formatted/tmlAddress)) 11 (% endfor %) 12 (% endfor %) 13 (% if (costion.formatted/tmlAddress)) 13 (% if (costion.formatted/tmlAddress)) 14 (% endfor %) 15 (% endfor %) 15 (% endfor %) 16 (% endfor %) 17 (% endfor %</pre>	ddress t= `` %) Additional Geofence Settin Additional Geofence Settin Show Campus Show Distance Show Distance Show Distance Sort by
<pre>6 (% endfor %) 7 (div: 7 (div:Class="margin:v=ss"> 7 (div:Class="margin:v=ss") 7</pre>	ddress 1= `` %) Additional Geofence Settin Additional Geofence Settin Show Campus Show Campus Show Distance Show Distance Page Sizes Page Sizes Show Attribute Columns Show Attribute Columns
6 (% endfor %) 7 (% endfor %) 9 (div class="margin-v-sa") 9 (div class="margin-v-sa") 11 ((Location, FormattedHtmlAddress)) 12 ((Location, FormattedHtmlAddress)) 13 (/ div) 14 ((Location, FormattedHtmlAddress)) 15 (/ div) 16 (Second %) 17 (Second %) 18 (div) 19 (div) 10 (div) 11 (div) 12 (div) 13 (div) 14 (div) 15 (div) 16 (div) 17 (div) 18 (div) 19 (div) 10 (div) 11 (div) 12 (div) 13 (div) 14 (div) 15 (div) 16 (div) 17 (div) 18 (div) <td>ddress t= `` %) Additional Geofence Settir Additional Geofence Settir Show Campus Show Campus Show Distance Show Distance Show Distance Page Sizes Page Sizes</td>	ddress t= `` %) Additional Geofence Settir Additional Geofence Settir Show Campus Show Campus Show Distance Show Distance Show Distance Page Sizes Page Sizes
<pre>6 (% endfor %) 7 (div: class="margin:v=sa"> 9 (% endfor %) 9 (% if ucation.FormattedHtmlAddress and Location.FormattedHtmlAddress)) 11 (% endfor %) 12 (% endfor %) 13 (% endfor %) 13 (% endfor %) 13 (% endfor %) 13 (% endfor %) 14 (ucation.FormattedHtmlAddress)) 15 (ves 14 3 5how Formatted Output 1 3 5how Member Count 1 15 (% endfor %) 16 (% endfor %) 17 (% endfor %) 17</pre>	ddress 1= `` %) Additional Geofence Settin Additional Geofence Settin Show Campus Show Campus Show Distance Show Distance Page Sizes Page Sizes Show Attribute Columns Show Attribute Columns
<pre>6 (% endor %) 7 (div class "argin.vss") 9 (div class "argin.vss") 9 (div class "argin.vss") 9 (div class "argin.vss") 11 ((cection.Formatted/thilddress and Location.Formatted/thild 11 ((cection.Formatted/thilddress)) 12 (vss 12 (vss 12 (vss) 12 (v</pre>	ddress 1= `` %) Additional Geofence Settin Additional Geofence Settin Show Campus Show Campus Show Distance Show Distance Page Sizes Page Sizes Show Attribute Columns Show Attribute Columns
6 (% endor %) 7 (div class="arginves") 9 (div class="arginves") 11 ((costion.FormattedHtmlAddress and Location.FormattedHtmlAddress)) 12 ((costion.FormattedHtmlAddress)) 13 ((costion.FormattedHtmlAddress)) 14 ((costion.FormattedHtmlAddress)) 15 (/div 16 ((costion.FormattedHtmlAddress)) 17 (/div 18 (/div 19 (/div 19 (div classifier)) 11 (div classifier)) 12 (div classifier)) 13 (div classifier)) 14 (div classifier)) 15 (div classifier)) 16 (div classifier)) 17 (div classifier)) 18 (div classifier)) 19 (div classifier)) 10 (div classifier)) 11 (div classifier)) <tr< td=""><td>ddress t= `` %) Additional Geofence Settir Additional Geofence Settir Show Campus Show Campus Show Distance Show Distance Page Sizes Page Sizes Show Attribute Columns Show Attribute Columns Compage Sizes Compage Sizes</td></tr<>	ddress t= `` %) Additional Geofence Settir Additional Geofence Settir Show Campus Show Campus Show Distance Show Distance Page Sizes Page Sizes Show Attribute Columns Show Attribute Columns Compage Sizes
<pre>6 (% endor %) 7 (div class "argin.vss") 9 (div class "argin.vss") 9 (div class "argin.vss") 9 (div class "argin.vss") 11 ((cection.Formatted/thilddress and Location.Formatted/thild 11 ((cection.Formatted/thilddress)) 12 (vss 12 (vss 12 (vss) 12 (v</pre>	ddress 1= `` %) Additional Geofence Settir Additional Geofence Settir Show Campus Show Campus Show Campus Show Campus Show Campus Show Distance Show Sature Show Distance Store State Show Distance Store State Show Distance Show Attribute Columns Show Attribu

🕨 Group Type

Start by choosing the Group Types you would like to be available through the group finder.

2 Hide Overcapacity Groups

If the group is full, then you may not want to show it in the Group Finder. This setting lets you hide groups that have reached (or exceeded) their maximum capacity.

3 Load Results on Initial Page Load

When this is enabled, a person coming to the page will see the group map and the available groups, even though they haven't searched for anything yet. When this is disabled, the person needs to do a search before the map and groups become visible. This only applies if you've enabled filters the person can search on, like *Day of Week* or *Campus*. See below points for more details.

4 Geofence Group Type

Some organizations may want to limit the results to certain geofenced areas that are close to an address that is provided during the search. For instance, some churches with neighborhood ministries may only want to show groups that meet in a person's neighborhood. These churches would create a group type to manage these *neighborhoods*, each as a group of that type. Selecting this group type would then prompt the user to enter their address as part of the search criteria. This address would be used to determine which neighborhood geofence they live in so that only groups in that fence are displayed.

Below the Geofence Group Type selector, you have options for changing what your filters are called.

5 Location Types

You can filter groups by Location Type, to show only groups with locations of a certain type. For instance, you might only want to show groups with a Location Type of *Meeting Location*. You can set a Location Type for each Group Type individually.

6 Display Day of Week Filter

If your groups have a "weekly" type schedule, you can offer people either a single-select or a series of checkboxes they can use to find groups which meet on the day they choose.

7 Display Time of Day Filter

If your groups have a "weekly" type schedule, you can offer people the ability to filter for groups meeting at a specific time. They can choose Greater Than 5:00pm to find groups which meet in the evening, for instance.

8 Display Campus Filter

Allows people to filter the list of groups according to the campus they belong to.

9 Enable Campus Context

Configures the block to automatically filter for groups belonging to a

specific campus, if you've set the Campus Context for the page.

10 Display Attribute Filters

Allows you to choose which Group Attributes people can filter the list by. The same attribute must exist on all of the selected group types in order to be used as a filter.

11 Campus Type/Status

You can restrict which campuses are available for selection by limiting them to certain types or statuses. For instance, this would be helpful if you only want to list *Physical* campuses that are *Open*.

12 Show Map

This section allows you to display or hide the map on which the filtered groups will be shown. You can also choose the Map Style and size (Map Height).

13 Map Marker

You can change the style of the markers that appear on the map. Options include:

- Pin
- Marker
- Marker With Dot
- Circle

You can also change the color of the markers by updating the *Marker Color*.

14 Min/Max Zoom Level

You can use the Minimum and Maximum Zoom Level settings to control exactly how far a person can zoom in or out on the map. These settings help people find groups within a reasonable area, while giving you the option to not let them zoom in to a specific house or building.

15 Initial Zoom Level

This controls the zoom level on the map when the page is loaded. You might set it to something like *10 - City* to give a wider view of all the available groups.

16 Marker Auto Scale Zoom Level/Amount

These settings relate to the markers on the map. For instance, if your map can be zoomed in to the Building level, you can set the Marker Auto Scale Zoom to the Street level. This would mean that the person can zoom the map in to see buildings, but the marker would still be at the street level. This gives some ambiguity to the exact location of the group, which can be good for privacy if it's a person's house.

17 Location Precision Level

This is another setting to help mask the exact location of a group, which you might want to do if it's a person's home. This determines how precise of a latitude/longitude to provide to the map. The options include:

- Precise
- Narrow
- Close
- Wide

18 Group Window Contents

The HTML and Lava used to display a pop-up window on the map when a

group is clicked. By default, it will show the group name, location, attributes, a link to the Group Detail Page (if configured) and a link to the Register Page (if configured).

19 Lava: Show Formatted Output

Allows you to configure your own output based on the groups matching the filters. If you enable both the Lava and grid, the Lava results will be shown above the grid. Your Lava will have access to an array called Groups which you can loop through to display groups matching the filters. See our Lava documentation for more information.

20 Show Grid

Configures whether the grid (table) of groups will be displayed once filters are chosen. If it's shown, you can also configure whether other information about each group is included in the grid, such as the Schedule, Description, Member Count, Average Age (of members), the Campus, the distance from their address, and whether the groups are sorted according to how close they are to the person's address. You can also choose how many groups are shown on each page and which Group Attributes you'd like to display in the grid.

21 Group Detail Page

Specifies a page the person will be taken to if they ask for more details about a group. This page is available to your Lava using the LinkedPages.GroupDetailPage object

22 Register Page

Specifies a page the person will be taken to if they click the "Register" button. This page is available to your Lava using the LinkedPages.RegisterPage object

Another Way to Use the Group Finder

If you pass a 'PersonGuid' through the page's query string you can use the group finder to register that person for a group. You can use this trick to say link from a group badge on the person profile page if they are not already in a group. This allows a staff person to quickly register them for a group without a lot of clicking around.

Consider using the Group Member Add From URL block with this feature.

Group Registration

Registering for a group is a simple process using Rock's Group Registration block. Outof-the-box this block will ask for basic contact information for the individual and their spouse. By adjusting the block settings, you can customize this block in several different ways. Below we'll walk through some of the common settings but be sure to review all of this block's settings to ensure it's meeting your organization's needs.

- **Mode:** There are three entry modes for the registration form.
 - Simple: This mode only asks for the individual's first name, last name and

email address.

- **Full:** This mode additionally asks for more contact information including home phone, cell phone and address.
- **Full With Spouse:** This mode is identical to the normal *Full* mode but adds the spouse's first name, last name, cell phone and email.
- **Group Member Status:** This setting determines the group member status that will be used when they are added to the group. Options include Pending, Active or Inactive.
- **Connection Status:** The registration form will attempt to find a matching record in the database using the first name, last name and email. If a record cannot be found, a new record will be created in the database. When that occurs, this will be the connection status that is used for these new records.
- **Record Status:** This represents the record status that will be used for new records. It's best to leave this as *Pending* so individuals on your data integrity team can manually review them for possible duplicates and merge the records if needed.
- **Workflow:** This option allows you to launch a workflow after the registration. The group member will be attached to the workflow as the Entity.
- **Lava Template:** This is a Lava template that will be applied to the top of the registration block. This allows you to customize the experience for the individual.
- **Result Lava Template:** This Lava template is used to craft a response message after the registration is completed.
- **Result Page:** You can optionally send the individual to a new page after the registration is processed.
- **Show SMS Opt-in:** Allows the person to choose whether they would like to receive text messages on their mobile number. The Options for this field may be hidden, shown for first adult or shown for all adults.
Schedule Toolbox

In this chapter, we'll explore the power that the Schedule Toolbox puts in the hands of each volunteer. You'll learn how volunteers can easily manage their schedules, set preferences, and stay organized. From choosing serving frequencies to setting blackout dates, the Schedule Toolbox streamlines the volunteer experience, empowering individuals to contribute effectively to your organization's mission.

But before we delve into the capabilities of the Schedule Toolbox, keep in mind that it's just one part of the larger *Group Scheduling* framework. In the next chapter, we'll cover the administrative configuration and the Group Scheduler, which is how Group Scheduling is set up and managed internally. And remember, while many of the examples may revolve around weekend serving schedules, don't feel limited to that. Group Scheduling extends far beyond typical weekend service coordination. Don't be afraid to think outside the box!

For instance, Group Scheduling can be used to:

- Organize VBS staff and volunteer schedules
- Coordinate summer camp volunteers
- Set up a rotating schedule for monthly campus potlucks
- Keep youth groups on track and engaged
- Seamlessly manage special events

The Schedule Toolbox can be accessed from your public-facing website via the *My Account* page. Let's explore the details, starting with the person's Current Schedule.

Current Schedule

The Current Schedule is exactly what it sounds like. It shows the person's currently accepted, declined and pending serving engagements. But there's more to it than just glancing at a list of dates and times. Let's break down the features in this area of the Schedule Toolbox.

Current Schedule



Add to Calendar

What's more convenient than having your schedule on your own calendar? This button will automatically download a .ics file to your computer, which you can import into your calendar software. On mobile, this will immediately ask if you want to add it directly to your calendar.

2 Copy Calendar Link

This will copy a link to your calendar to your clipboard. This makes it easy to paste it directly into calendar software like Microsoft Outlook or Google Calendar.

3 Schedule Unavailability

This is where you can set periods when you'll be unavailable to serve, perhaps due to a vacation or schedule conflict.

4 Actions

Each of these buttons will direct the volunteer to a new screen where they can manage different aspects of their schedule and schedule preferences. Each of these actions are described in the following sections below. The list of available Actions can be modified by editing the block's settings.

5 Confirmed

Confirmed assignments can be cancelled by clicking the three dots and selecting <u>Cancel Confirmation</u>. Similarly, Declined assignments can be accepted by clicking the three dots and selecting <u>Confirmed</u>. Note the text for both of these buttons can be controlled via block setting.

6 Accept/Decline

Will you be able to serve in this slot? Simply click Accept or Decline for each schedule and location.

🕗 Unavailable

This indicates an assignment that occurs during a period of unavailability,

which the volunteer can configure for themselves (see below screenshot). Clicking the three dots to the right will let the person remove such assignments from the list.

The *Add to Calendar* and *Copy Calendar Link* buttons described above won't be available until you have an actual, confirmed schedule. In other words, nothing will go on your calendar if you haven't *Accepted* anything yet. Keep in mind you may need to download these files multiple times as your schedule changes.

Block Settings

Be sure to review the settings for this block because there are a lot of them. For instance, you can change the text of buttons on the page, or you can disable some of the features entirely.

Cancelling a "Confirmed" assignment changes it to "Declined" automatically. A reason for declining will be required if the Group Type is configured to require a reason. Also, a Decline Note will appear if enabled in the block settings (both are off by default).

You may also notice that you can switch between schedulable family members on all panels of the Schedule Toolbox. Pictured below, Noah and Alex are not listed only because they do not belong to any schedulable groups.

		amily Members
Sat, Mar 2nd	0	Ted Decker 👻
A/V Team - Bldg 1	commed :	Ted Decker
Saturday 4:30pm		Cindy Decker
Sat, Mar 2nd		Update Schedule Preferences
A/V Team - Bldg 1 Saturday 6:00pm	Declined 🚦	Sign Up for Additional Times
Sun, Mar 3rd	Confirmed	
A/V Team - Bldg 1 Sunday 9:00am	Confirmed :	
Powered by: Rock RMS		3120 W Cholla St Phoenix, AZ 85029-4113

Family members will appear in the *Schedule Unavailability* window (see below), even if they're not schedulable.

Schedule Unavailability

Next, we'll look at how to set the dates for when you're unavailable to serve. The below screen can be accessed by clicking on the *Schedule Unavailability* button from the main *Schedule Toolbox* page.

Rock Solid Church Demo	New Here? Resources Connect Give Blog	Calendar Watch Hello Ted 💌
Schedule Unavailability		
Date Range •		
to 🗯		
Unavailability Notes		
Group		
All Groups		
Individual •		
Z Ted Decker		
Cindy Decker		
Noah Decker		
Alex Decker		
		Save Cance
Sunday 9:00am		
Powered by: Rock RMS		3120 W Cholla St Phoenix, AZ 85029-41
1 Date Range		
This is whore volunt	eers can select dates indicating v	when they can't serv
	person from being scheduled to	

2 Unavailability Notes

The person can optionally provide a description, indicating why they are unavailable for the selected dates.

3 Group

A volunteer can be unavailable for serving in a single group, or across all groups.

4 Individual

If a person is unavailable, it's often the case that others in their family are also unavailable. Here the person has the option to indicate which family member(s) are not available to serve on the selected dates. Whoever is selected on the main Schedule Toolbox window will be at the top of the Individual list and will be automatically selected. The list of available groups from the Group drop-down is based on this person.

Update Schedule Preferences

The screen displayed below is accessible by clicking the "Update Schedule Preferences" button on the main *Schedule Toolbox* page. You can switch between groups by clicking on the headers at the top of the block. In block settings, you can choose to display the group's campus in these headers. If no abbreviated name is configured, the full campus name is used.

Home / My Account / Schedule To	olbox							
A/V Team Children's	Greeters Ushers				Actions			
Send Reminders							rent Schedule	
3 days before	~						chedule Prefen	
Current Schedule		Starting On				sign op i	or Additional 1	imes
Every Week	~	03/03/2024	-					
Please select a time and optional locat Schedule 9:00 AM	ion that you would like to be scheduled fo Location Bears Room		1	×				
10:30 AM	No Location Preference		1					
Powered by: Rock RMS						3120 W	Cholla St Phoe	enix, AZ 85029-41

1 Send Reminders

Each volunteer can select how long before a scheduled serving time they want to receive a reminder that they're scheduled to serve. They can also choose to not be sent a reminder at all.

2 Current Schedule

This is where volunteers can set the frequency of their serving. Options include:

- No Schedule
- Every Week
- Every Other Week
- 1st and 3rd Week
- 2nd and 4th Week

This list can be maintained under Admin Tools > Settings > Group Member Schedule Templates .

3 Assignment Preferences

This is where volunteers can set their preferences for when they would like to serve and where. Or, a person can choose not to select a location, indicating they don't have a location preference. Only named schedules marked as *Show Publicly* are listed. These preferences are used to Auto-Schedule volunteers.

The person's assignment preferences can also be viewed and maintained from the *Group Member Detail* page.

Group Member Schedule Preferences

			🌲 📕 Q	Name 🕶 🧯
Group Me Home > Children's > Ali	mber Detail			
Alisha Marble				Added: 2/29/2024
Person •	ole		Notified 0	
Role •			Member Status	
Member		۰ .	/ Inactive O Active O Pending	
Note			Communication Preference O No Preference SMS	
Schedule Templat Every Week	e			
Assignment				
	ime and optional location that you would	like to be		
Please select a t	Location			
Please select a t scheduled for.	Location Bears Room	<i>i</i> ,	¢	
Please select a t scheduled for. Schedule		# > # >		

Sign Up for Additional Times

The last stop on our tour of the Schedule Toolbox is the Sign-Up screen. Volunteers come here to sign up for serving opportunities that aren't currently on their schedule. This page is easy to use; all you need to do is check the box next to the serving opportunity. You may also see an option to pick a preferred location if there are multiple locations from which to choose.

Rock Solid Church Demo	New Here? Resc	ources Connect (Give Blog	Calendar Watch	Hello Alisha 🔻
Schedule Toolbox					
Home / My Account / Schedule Toolbox					
A/V Team Children's Greeters Ushers			Actio	ns	
				Current Se	hedule
Sat, Mar 2nd				Update Schedul	e Preferences
G:00 PM (2 people needed)		`		Sign Up for Add	litional Times
Sun, Mar 3rd					
9:00 AM (3 people needed)					
Sat, Mar 9th					
□ 4:30 PM (3 people needed)					
G:00 PM (3 people needed)					
Sun, Mar 10th					
9:00 AM (3 people needed)					
10:30 AM (3 people needed)					
12:00 PM (3 people needed)					
Sat, Mar 16th					
✓ 4:30 PM (2 people needed)					
6:00 PM (3 people needed)					
Sun, Mar 17th					
9:00 AM (3 people needed)					

Immediate Needs

Let's take a moment to spotlight a feature called *Immediate Needs*. Here, you'll discover serving opportunities requiring volunteers immediately. How immediate? You decide by setting the time frame. With Immediate Needs enabled, urgent serving opportunities are prioritized at the top of the list, highlighted in blue. Sign up by checking the box next to the time and selecting a location if applicable.



Immediate Needs are disabled by default but can be enabled in the block settings. There you'll also find other related settings. Immediate Needs Block Settings Additional Time Sign-Up Header 🜖 Date Range 3 * 3/4/2024 12:00 AM to 4/14/2024 11:59 PM ✓ 6 Next Weeks Cutoff Time (Hours) Require Location for Additional Time Sign-Up 🜖 No Additional Time Sign-Up Schedule Exclusions (1) Enable Immediate Needs 🕕 2 Yes 3 Immediate Need Title 3 Immediate Needs 4 Immediate Need Introduction () This group has an immediate need for volunteers. If you're able to assist we would greatly appreciate your help. 5 Immediate Need Window (Hours) 1 72

1 Cutoff Time (Hours)

This setting affects the entire page, including Immediate Needs. It determines which serving opportunities are displayed. Those starting before the cutoff time are excluded. For instance, with a setting of "1," opportunities starting within the next hour won't appear.

2 Enable Immediate Needs

The settings below only apply if Immediate Needs is enabled. If it's not enabled, you won't see the Immediate Needs area on the page regardless of these settings.

B Immediate Need Title

If you'd prefer to call it something besides "Immediate Needs" then you can change it here.

4 Immediate Need Introduction

You can stick with the provided wording or craft your own if you wish.

5 Immediate Need Window (Hours)

This is the other end of the *Cutoff Time* setting above. Anything that starts after this window will not be shown as an Immediate Need but will show up on the page in general as long as it's within the *Date Range* set above.

Group Scheduling

This chapter delves into the administrative setup and management capabilities of the Group Scheduling feature. In the prior chapter we covered what volunteers are empowered to do themselves. Now, we'll show you how that all gets set up, and what Group Scheduling looks like on the administrative side.

Before starting to scheduling volunteers, you'll need to configure things like locations and schedules. Locations ensure volunteers know where they're needed, while Schedules pinpoint when their help is required. Then, the Group Scheduler is used to place volunteers into those positions at those times.

Configuring Group Scheduling

There are two critical pieces of the puzzle you need before starting to schedule volunteers. It's simple to get these pieces because when it comes to asking for help, people are hardwired to know *when* and *where* they are needed. So, we are going to make sure our *Named Locations* and *Schedules* are configured.

Be sure to check out the <u>Checking-Out Check-In</u> user guide for more detail about adding locations. For *Group Scheduler*, however, you will be adding more than rooms. Perhaps you'll be adding sections, areas or positions. These might be used to schedule specific areas of your lobby for the greeters to be stationed. Or, if you'll be using Rock to schedule your band and technical teams, add a location named 'Audio' or 'Piano' and change the location type to be a position.

Adding Location Types

Location Types (Campus, Building, Room, etc.) are *Defined Types*. To add more, open the Defined Type *Location Type* associated with the Location category and click the **o** button.

Named	Locations		
衮		🌲 🗮 9.	Name - 😥 🗸
8	Named Locations Home > Settings > General > Named Locations		
	Locations +	Main Campus	1
© بر 1	Main Campus South-Inactive	Active Campus	
		Edit Delete	
	Crafted by Spark Development Network /	License	

Next up: schedules, also known as times. This is found in Admin Tools > Settings > General > Schedules . You should have a few parent groups for different types of schedules. For group scheduling, we want to make sure the times are accurate since, you guessed it, location and time are critical aspects of scheduling volunteers.



One Schedule

It is best practice to have one schedule for each time. If you have multiple sites with the same start times, you will only need one schedule for that time.

Lastly, make sure scheduling is enabled on the Group Type. Navigate to Admin Tools > Settings > General > Group Types > Serving Team | Scheduling. There are additional settings you can configure for your organization. To enable, check the Scheduling Enabled box as pictured below.

Group Type Scheduling



1 Scheduling Enabled

Enabling scheduling unlocks all of the scheduling features for groups of this type.

Schedule Confirmation Communication

Select the System Communication that you want to send to people to confirm their schedule. Rock ships with the *Scheduling Confirmation Email* System Communication for this purpose.

Email Security and Schedule Responses

Some email security tools automatically open links to scan them. This can unintentionally accept or decline a person's schedule, especially if a decline reason is required. To avoid this, use the *Scheduling Confirmation Email (One Button)* template, the default template, which prevents this behavior.

Schedule Cancellation Workflow

You can optionally launch a workflow whenever a person indicates they can't make it at their scheduled time. You might use this to notify people that you're a person shorter than planned.

4 Requires Reason If Schedule Declined

This setting determines if a reason is required if a person says they can't attend at their scheduled time. The available reasons are stored as a Defined Type called *Group Schedule Decline Reason*.

5 Schedule Reminder Communication

This is the System Communication to use for sending people a reminder about their scheduled serving time. Rock ships with the *Scheduling Reminder Email* System Communication for this purpose, but you can use a custom communication if desired.



6 Schedule Confirmation Offset Days

This is simply the number of days before the scheduled serving time that you want to send the confirmation email.



7 Schedule Reminder Offset Days

This is similar to the setting described above but applies to the reminder email.

8 Schedule Confirmation Logic

Here you can choose to Ask the person if they accept their schedule, or you can have all schedules automatically accepted by choosing Auto Accept instead. If this is set to Auto Accept, then the confirmation email will only contain a Decline button.

Changing Schedule Confirmation Logic

Keeping in mind it should happen rarely, use caution when changing the Schedule Confirmation Logic setting. In some scenarios, changing this setting could result in a person who is not confirmed receiving a confirmation email with only a Decline button and no way to Accept the assignment. This typically happens when changing from Ask to Auto Accept before the person receives their confirmation email.

9 Schedule Coordinator Notification Options

Here you can designate which types of schedule changes the group's Schedule Coordinator should be alerted to. See the Schedule Coordinator Notification section below for more details.

In the Group Type configuration pictured above, note the Schedule Confirmation Email and Schedule Reminder Email settings. These communications can be sent via email or SMS messaging.

To send these as SMS messages you'll need to be sure to have SMS messaging configured (see the Communicating With Rock) guide for details) and the person needs to have an SMS enabled phone number. You'll also need to make sure the System Communications for these are configured for SMS. With all that in place, the communication medium will be decided based on the person's group member communication preference or, if not specified there, the person's personal profile communication preference.

Configuring Groups

We're almost to the fun part. The Group Scheduler requires some information from the group before it's ready. In the Group Viewer, add Meeting Details for every location that needs assigned people. This might be a pretty long list for some groups like the list we see in the screenshot below.



Groups

> 📩 Section A > 🚠 Section B

✓ ③ Serving Teams

Children's

() Greeters

③ Ushers

() Ushers

 \bigcirc

-

•

مکر

÷

	Member Attributes	~
	Save Cancel	
Crafted by the Spark Developme	nt Network / License	

At the end of the day, the goal for this page is to have separation and customization for each group. You can break your groups up any way that works best for your flow of work. We recommend that you do some planning before jumping in and creating groups so you can maximize the effectiveness of this feature for your staff.

Meeting Details

Click on the **o** icon in the *Meeting Details* tab.

This opens a window to add a new location. The properties include Location, Type, and Schedule(s).

Adding Meeting Details

Group Location					×
ocation					
۰ -					
ype					
Meeting Location					~
chedule(s)					
≡ •					
				Ok	Cance
			Sunday 12:00pm	_	
	Road Runners	Meeting Location	Saturday 4:30pm, Saturday 6:00pm,	42	×
		Location	Sunday 9:00am, Sunday 10:30am, Sunday 12:00pm	9	^
	Wolves	Meeting	Saturday 4:30pm, Saturday 6:00pm,		
		Location	Sunday 9:00am, Sunday 10:30am, Sunday 12:00pm	dis.	×
			Sunday 12.00pm		
					0
	Group Schedule				
	🔘 None 🔵 Weekly				

1 Location

Choose from the drop down (these are the rooms from the *Named Locations* page).

2 Туре

These are Defined Types found in General Settings > Defined Type > Group | Location Type.

3 Schedules

This drop down shows all the times from the *Schedules* page in General Settings.

You can select multiple schedules (i.e., service times) just by clicking on them one by one. Make sure you use the same schedule for every group in the meeting details. This will avoid scheduling conflicts. More properties can be selected to add the minimum, desired and maximum people needed for that room and its times.

pacities				
Group Location				
Location				
😭 Bears Room 🔹				
Туре				
Meeting Location				
Schedule(s)	Capacities 🚯			
苗 Saturday 4:30pm,S ▼		Minimum	Desired	Maximum
	Sunday 10:30am	2	3	4
	Saturday 4:30pm	1	2	3
	Saturday 6:00pm	1	2	3
	Sunday 9:00am	2	3	4
	Sunday 12:00pm	1		3
		1	2	2
				Ok Cano
			Sunday 12.00pm	
				0
	Group Sch	edule		
		Weekly		
	Schedulin	g		~

You have the option to choose different capacities for each time. The *Group Location* screen pictured above is where all those details are customized.

When it's complete, you shouldn't have to do anything in the meeting details again until your organization opens more rooms or adds times.

Members

It goes without saying: it's best practice for your volunteers to be members in the group to appear on the people list in the Group Scheduler, although there are other ways to search for people in the Group Scheduler. We'll discuss that later.

Next, you'll need to set up the group's Scheduling options. Even though scheduling is enabled at the Group Type level, there are settings you can control for each group individually.

Scheduling

衮							6) ~
8	Group Viewer						
•							
Ď	Groups + Q :	() Children's				Serving Team	
0	 Global Connector Group A Placement Groups 						~
¥	A Section A A A Section B	Name *			Active	Public	
	✓ ③ Serving Teams	Children's					
â	A/V Team Children's	Description Are responsible for teaching children.					
	 ③ Greeters ④ Ushers > ♣ General Groups 						
		General					~
		Meeting Details					~
		Scheduling					^
		Disable Group Scheduling		2	Disable Schedule Toolbox Acce	255 🚯	
		3 Scheduling Must Meet Requirements 0					
		Check-in Requirements Schedule Not Required	``	/			
		5 Schedule Confirmation Logic 0		,			
		6 Schedule Coordinator 0		7	Schedule Coordinator Notificat None	tion Options ① Decline Self-Schedule	
		Group Attribute Values					~
		Member Attributes					~
		Group Sync Settings					~
		Save Cancel					
	Crafted by Spark Development Network / Lice	nse					

1 Disable Group Scheduling

Group scheduling is enabled at the Group Type level, but you can disable group scheduling for individual groups using this setting.

2 Disable Schedule Toolbox Access

Enabling this takes the group out of the public-facing Schedule Toolbox.

3 Scheduling Must Meet Requirements

If this is enabled, then the person must meet the group's membership requirements in order to be scheduled. For instance, you might want to prevent someone from being scheduled in certain groups if their background check is expired.

4 Check-in Requirements

The setting here applies when the person attempts to check in to the group. The options include:

- **Schedule Not Required:** The person does not need to be scheduled in order to check in for this group
- **Pre-select Group if Scheduled:** If the person is scheduled then this group will be pre-selected when the person goes to check in
- Schedule Required: A person can't check in to this group unless they are scheduled

5 Schedule Confirmation Logic

Here you can choose to have everyone who gets scheduled automatically Accept their assignment, as opposed to the person Accepting the assignment themselves manually.

6 Schedule Coordinator

If someone is scheduled and they make a change to their schedule (Accept, Decline, Add), the *Schedule Coordinator* will be notified.

7 Schedule Coordinator Notification Options

This is where you determine, for the group, which events should trigger a notification to the *Schedule Coordinator*. Values here will override the corresponding values at the Group Type level. See the Schedule Coordinator Notifications section below for more details.

Setting up Permissions

You'll want to be sure that the right people have the proper permissions to access and manage groups. We have all the info you need on how group security works for both group leaders and staff in the Securing Groups chapter above.

Group Scheduler

Now the moment of truth...the *Group Scheduler* page. This is where the magic happens. Okay, maybe not actual magic, but it is where the scheduling happens. This page will become very familiar to your staff, since it's the "magic page" for organizing group members into a location.

Obsidian Group Scheduler

The following Group Scheduler documentation shows the newer *Obsidian* version. For the previous version, see the v16 Group Scheduler Documentation.

The Group Scheduler can be accessed from People > Group Scheduling > Group Scheduler.

	<u>♦</u>	📮 Q. Name •	6
Group Scheduler		Q	? 🖸
幸 Filters: A/V Team, Children's Next 1 Week All Locations A	All Schedules	Clone Schedules 🛛 🛱 Rosters 🖉 Auto Schedule 🖾 Send C	onfirmations
Saturday, Dec 21st		Sunday, Dec 22nd	
Saturday 4:30pm	Saturday 6:00pm	Sunday 9:00am	Su
A/V Team A/V Booth	A/V Team A/V Booth	A/V Team A/V Booth	A/ A/
Ted Decker Member	Jim Simmons Member	Jim Simmons Member	(
Children's Bears Room	Children's Bears Room	Children's Bears Room	Ch
Cindy Decker Member	Sindy Decker Member	Pamela Foster Member	(
Pamela Foster Member	Mariah Jackson Member	Alisha Marble Member	Bo
Alisha Marble Member \$	Alisha Marble Member \$	••••	
· · · · · · · · · · · · · · · · · · ·	+ Preference	Bobcats Room	B
Bobcats Room	Bol Saturday 4:30pm - Bobcats Room Sunday 10:30am - Bears Room	Gindy Decker Member	
	Sunday 12:00pm	Sarah Simmons Member	
Bunnies Room	Jenny Michaels	•	
🌍 Mariah Jackson Member 🚦	+	Bunnies Room	

Using Group Scheduler

At first the group scheduler will be empty as pictured below. Let's start from here to show how we can build a full schedule from a blank canvas. First, we'll tour some of the features and functions on this page.

		🛕 📕 Q. Name 🕶	
		🐥 📕 Q. Name -	0
Group Scheduler		1 Q	201
≅ Filters: A/V Team, Children's, Greeters Next 1 W	/eek All Locations All Schedules	3 🕞 Clone Schedules 🛛 🛱 Rosters 🛛 🌾 Auto Schedule 🖂 Sena	d Confirmations
Saturday, Dec 21st		Sunday, Dec 22nd	
Saturday 4:30pm	Saturday 6:00pm	Sunday 9:00am	Sun
A/V Team A/V Booth 5	6 A/V Team A/V Booth	A/V Team A/V Booth	A/V A/V
	· · · · · · · · · · · · · · · · · · ·	•	
Children's Bears Room	Children's Bears Room	Children's Bears Room	Child
	• • •	•	
Bobcats Room	Bobcats Room	Bobcats Room	Bobc
Bunnies Room	Bunnies Room	Bunnies Room	Bunn
Greeters Bldg 1	Greeters Bldg 1	Greeters Bidg 1	Gree Bldg
;	(+) (===================================	+	



The icons in the top-right corner of the block allow you to see and do different things.

- 1. **Zoom:** We made it easy to change the zoom level, so the group scheduler fits well into screens of different sizes.
- 2. **Help:** Click here to show a handy summary of how various parts of the Group Scheduler works and what different icons mean. This is a great quick-reference tool for staff using the page.
- 3. **Full Screen:** Click this to turn the full-screen view on or off.
- 4. **Copy Link to Clipboard:** Found under the imenu, a link which includes the filters you've selected on the page (i.e., weeks, locations, schedules) can be copied to your clipboard. Anyone with proper permissions who uses it will essentially see the page as it appears for you when the link is copied.

2 Filters

Click here to change what you see on the screen. You can choose which groups, weeks, locations and schedules you want to see.

3 Scheduler Actions

- 1. **Clone Schedules:** This copies schedules and assignments from one week to another. We'll cover this a little later below.
- 2. **Rosters:** This button takes you to the *Group Schedule Roster* page. How convenient!
- 3. **Auto Schedule:** Click this button to let Rock automatically schedule people based on their serving preferences. We'll talk more about Auto Scheduling below.
- 4. **Send Confirmations:** This will send a scheduling confirmation request to the people who have been scheduled, allowing them the opportunity to accept or decline their assignments.

4 Date/Time Columns

Each column represents a schedule. If there are multiple schedules in the same day, they are grouped together under that date.

5 Locations

Listed vertically beneath each schedule are the locations for that schedule. For each location you can see a progress bar indicating how many people have been scheduled at that location for that time. The bar changes color based on the number of people who are scheduled compared to how many people are needed.

6 Add to Schedule

Click the **O** icon to start adding people to the schedule for that date, time and location. We'll show you what that looks like below.

You may have noticed that each group location has a progress bar showing the status of the schedule and how close the location is to being filled. The status is indicated by the color of the bar:

- 1. **Red:** There are not enough accepted invites to reach the minimum number of individuals needed.
- 2. Yellow: There are enough accepted invites to reach the minimum number, but

not the desired number.

- 3. **Green:** There are enough accepted invites to reach or exceed the desired number.
- 4. **Orange:** There are too many accepted invites and the maximum number is exceeded.

This is based on how the location is configured, which we mentioned above in the Configuring Groups section. You can hover over the progress bar to see the configured capacities and the counts for each type of invite response.

At this point we're ready to start scheduling some volunteers. There are two ways to add people to the schedule.

Auto Schedule Vs. Manual Schedule

Imagine being able to effortlessly match every volunteer with their perfect serving role. That's what Rock's *Auto Scheduling* feature does. It takes the guesswork out of scheduling and ensures your team is ready to serve without a hitch. With just a click, you can confidently assign volunteers based on their preferences, saving time and avoiding scheduling conflicts.

Auto Scheduling relies on preferences set by each volunteer, either through their *My Account* page or the internal site, where administrators can view and update them as needed. This seamless connection ensures everyone's availability and preferences are up-to-date, whether volunteers manage their preferences themselves or a staff member adjusts them after a quick chat.

Rock's logic avoids double-booking volunteers, even the multi-talented ones who are ready for any role. By referencing your schedule configuration, the system ensures no one is assigned to overlapping time slots. As long as you're using the same schedules to represent the same time frames, then the auto scheduler won't double book anyone. This is why it's best to have one shared schedule for a given time, rather than multiple schedules for the same time.

So how exactly does the auto scheduler place people? Are there scenarios where a person can't be automatically scheduled? The table below shows different scenarios for Alisha Marble, who is volunteering with the Children's team. Whether she gets auto scheduled depends on several factors, but it's mostly driven by her preferences. Each row on the table represents a different scenario and its outcome.

Alisha's Current Schedule	Alisha's Schedule Preference	Alisha's Location Preference	Volunteers Already Assigned/Capacity	Auto-Schedule Result
-	-	-	0/3 - Bears 0/3 - Bobcats	Alisha is not scheduled because she has no preferences set.
Every Week	-	-	0/3 - Bears 0/3 - Bobcats	Alisha is not scheduled because she has no schedule preference set.
Every Week	10:30am	-	0/3 - Bears 0/3 - Bobcats	Alisha is scheduled in the Bears room at 10:30am due to her schedule preference.

Alisha's Current Schedule	Alisha's Schedule Preference	Alisha's Location Preference	Volunteers Already Assigned/Capacity	Auto-Schedule Result
Every Week	10:30am	Bears Room	0/3 - Bears 0/3 - Bobcats	Alisha is scheduled in the Bears room at 10:30am due to her schedule and location preferences.
Every Week	10:30am	Bears Room	3/3 - Bears 0/3 - Bobcats	Alisha is not scheduled because her preferred location is full.
Every Week	10:30am	-	3/3 - Bears 0/3 - Bobcats	Alisha is scheduled for the Bobcats room at 10:30am due to her schedule preference and not having a location preference.
Every Week	10:30am	-	3/3 - Bears 3/3 - Bobcats	Alisha is not scheduled because no rooms are available at her preferred time of 10:30am.

Manual scheduling is in the name. It's physically placing people into their serving locations. If we're being realistic here, we know there are going to be those few people who never get around to setting their preferences, so in those cases you'll have to manually place them.

We'll start with auto-scheduling, since that should fill in a good portion of our schedule for us. This also means people with preferences set get priority. After clicking the Auto schedule button, people will be added to the schedule automatically as shown below.

		📮 Q. Name 🕶) ~
Group Scheduler		ର୍ ?	с I
≢ Filters: A/V Team, Children's Next 1 Week All Locatio	ns Alf Schedules	Clone Schedules 🛛 🛱 Rosters 🖉 Auto Schedule 🖾 Send Confirm	mations
Saturday, Dec 21st		Sunday, Dec 22nd	
Saturday 4:30pm	Saturday 6:00pm	Sunday 9:00am	Sur
A/V Team A/V Booth	A/V Team A/V Booth	A/V Team A/V Booth	A/V A/V
Ted Decker Member	Jim Simmons Member	Jim Simmons Member 1	
(+		· · · · · · · · · · · · · · · · · · ·	
Children's Bears Room	Children's Bears Room	Children's Bears Room	
Children's	Children's	Children's	Bear
Children's Bears Room	Children's Bears Room	Children's Bears Room	Bear
Children's Bears Room	Children's Bears Room Cindy Decker Member	Children's Bears Room Pamela Foster Member :	Child Bear
Children's Bears Room G Cindy Decker Member	Children's Bears Room Cindy Decker Member : Alisha Marble Member :	Children's Bears Room Pamela Foster Member : +	Bear
Children's Bears Room Cindy Decker Member Parnela Foster Member Alisha Marble Member	Children's Bears Room Cindy Decker Member : Alisha Marble Member :	Children's Bears Room	Bear
Children's Bears Room Cindy Decker Member Pamela Foster Member Alisha Marble Member Cindy Decker Member Cindy Decker Cindy Decker	Children's Bears Room Cindy Decker Member : Alisha Marble Member : Bobcats Room	Children's Bears Room Pamela Foster Member : Bobcats Room Cindy Decker Member :	Bear

So, we've got several slots already filled in, but there are still some openings. We can use manual scheduling to fill those gaps. Click the **•** icon for a location/schedule to manually add people to the schedule. As pictured below, all you need to do is check the box next to the person's name and click Assign. You can find people using the *Search* box near the top-right corner, which is very helpful if you have long lists to look through.

Select Individuals AV	Team - A/V Booth - Sa	aturday 4:30pm (Saturday, Jun 17th)				×
A/V Team					Required for Mi	nimum Capacity: 1
All Group Members Matching Week	Matching Assignment			Q	Search	×
Ted Decker Member						
Preference Saturday 4:30pm						
Saturday 4:30pm Saturday 6:00pm - A/V Boot	th					
Alisha Marble Member						
Preference						
Sunday 10:30am Sunday 12:00pm - A/V Boot	h					
Sunday 10:30am	h					
Sunday 10:30am Sunday 12:00pm - A/V Boot	h					
Sunday 10:30am Sunday 12:00pm - A/V Boot	h				Assign	n Cancel
Sunday 10:30am Sunday 12:00pm - A/V Boot	h				Assign	n Cancel
Sunday 10:30am Sunday 12:00pm - A/V Boot	h	Bobcats Room		Bobcats Room	Assig	n Cancel
Sunday 10:30am Sunday 12:00pm - A/V Boot Jim Simmons Member	h	Bobcats Room		Bobcats Room	Assign	Cancel
Sunday 10:30am Sunday 12:00pm - A/V Boot Jim Simmons Member		:	•	\square	Assig	
Sunday 10:30am Sunday 12:00pm - A/V Boot Jim Simmons Member		Bobcats Room Bunnies Room		Bobcats Room	Assig	•
Sunday 10:30am Sunday 12:00pm - A/V Boot Jim Simmons Member		:	•	\square	Assig	
Sunday 10:30am Sunday 12:00pm - A/V Boot Jim Simmons Member		:		\square	Assig	•

You might have noticed the three different tabs above the list of people. Here's what they mean:

- All Group Members Displays everyone in the group who isn't yet scheduled.
- **Matching Week** Only shows people who are available for the week you're looking at. It checks if they've said "yes" to helping out that week through the *Schedule Template*.
- **Matching Assignment** Only shows people who are available for the exact time or place you're trying to fill this week. It helps you see who is already working that specific job or possibly available to work it.

Keep in mind that people who have a blackout date can't be auto or manually scheduled.

Select Individuals A/	V Team - A/V Booth - Saturda	y 4:30pm (Saturday, Jun 17th)			>
A/V Team				Required for Minim	
All Group Members Matching Week	Matching Assignment		Q	Search	×
Preference					
Saturday 4:30pm Saturday 6:00pm - A/V Boo	oth				
Jim Simmons Member Alisha Marble Member					
Cannot be scheduled due t Preference	o a blackout.				
Sunday 10:30am Sunday 12:00pm - A/V Boo	th				
Sunday 10:30am Sunday 12:00pm - A/V Boc	th				
	th			Assign	Cancel
		Bobcats Room	Bobcats Room	Assign	
Sunday 12:00pm - A/V Boc				Assign	Cancel
Sunday 12:00pm - A/V Boc		Bobcats Room	Bobcats Room	Assign	•
Sunday 12:00pm - A/V Boc				Assign	
Sunday 12:00pm - A/V Boc				Assign	•

Similarly, you can see if someone has a conflict with another schedule.

Conflict



If you have multiple sites that are close enough to each other that some people volunteer at more than one location, you will run into a scheduling conflict that doesn't appear as one if the locations have different schedules. For example, one site might have a 4:30pm and 6:00pm schedule while the other only has a 5:00pm schedule. If someone is scheduled for the 4:30pm slot at one site, Rock won't see a conflict if you try to schedule them for 5:00pm at a different site.

Note

If both sites have a 4:30pm and 6:00pm schedule, make sure those schedules in your meeting details are the same for all groups. There is no need to have location-specific 4:30pm schedules in the schedule tree.

Block settings enable additional tabs to appear at the top of the Select Individuals popup.

Alternate Group, Parent Group, and Data View

Group Alternate Group P	Parent Group Data View		Required	d for Desired Capacity
T In Serving Team	× •		Q De	
Debbie Ansley				
Cindy Decker				
Saturday 4:30pm - Bears Room				
Noah Decker				
Frank Dexter				
				cance
				ussign Cance
Children's	Children's		Bears Room	
Children's Bears Room	Children's Bears Room			Assign Cance Member
Bears Room		Member 🚦	Bears Room	
Bears Room Cindy Decker	Bears Room	Member : Member :	Bears Room	Member
Bears Room Cindy Decker	Bears Room		Bears Room Pamela Foster Sarah Simmons	Member 8
Bears Room Cindy Decker Pamela Foster	Member 1 Member 2 Member 1 Member 3	Member 🚦	Bears Room Pamela Foster Sarah Simmons Bobcats Room	Member i Member i
Bears Room Cindy Decker	Member : Bears Room Member : Source Condy Decker Member : Source Condy Decker	Member :	Bears Room Pamela Foster Sarah Simmons	Member #
Bears Room Cindy Decker	Member 1 Member 2 Member 1 Member 3	Member 🚦	Bears Room Pamela Foster Sarah Simmons Bobcats Room	Member
Bears Room Cindy Decker Pamela Foster Pamela Foster Alisha Marble Bobcats Room	Member 1 Member 2 Member 1 Member 3	Member :	Bears Room Pamela Foster Sarah Simmons Bobcats Room	Member #

Confirmation Communication

You will typically send a mass communication once you have your teams set up for them to accept or decline. Click on the <u>Send Confirmations</u> button near the top of the block to send a confirmation. Rock will automatically send either SMS or email confirmations based on the person's preferences and available information.



Alternatively, you can send an individual a communication to accept or decline by clicking on the three dots near their name. This opens a drop-down list of options where you can choose the Resend Confirmation button to send the email or SMS message to confirm or decline again.

end Confirma	tion					
3				٩	Name 👻 🌘) ~
Group Scheduler					@ ? :	C2
	, Greeters Next 1 Week All Lo	cations All Schedules	6	Clone Schedules 🛛 🛱 Rosters 🖉 Auto S	Schedule Send Confirma	ations
Saturday, Dec 21st				Sunday, Dec 22nd		
Saturday 4:30pm		Saturday 6:00pm		Sunday 9:00am		Su
A/V Team		A/V Team A/V Booth		A/V Team A/V Booth		AA
Ted Decker	Member 🚦	Fed Decker	Member 🚦			C
	Mark Confirmed Mark Pending		•	Children's Bears Room		Ch
Children's Bears Room	Mark Declined Resend	Children's Bears Room		Pamela Foster	Member 🚦	
G Cindy Decker	Confirmation Update Preference	Gindy Decker	Member	Sarah Simmons	Member 8	
Pamela Foster	Remove	lisha Marble	Member			
(a) Alisha Marble	Member 🚦		•	Bobcats Room		Bol
	+	Bobcats Room		Cindy Decker	Member 🚦	C
Bobcats Room			+		÷ •	Bur
Jenny Michaels	Member	Bunnies Room		Bunnies Room		C
		;	+	;	+	

Note the other options you have for managing scheduled people. As pictured above, you can do things like mark them as Confirmed, or update their schedule preferences.

Clone Schedules

Clicking the <u>Clone Schedules</u> button near the top-right of the scheduler allows you to copy schedules and existing assignments from one week to another. As pictured below, you can choose to do this only for certain groups, locations or schedules.

ne Schedule			
Clone Schedules			
Configure the settings below to clone schedules for a difference	ent week.		
Source Settings Source Week Of		Destination Settings	
7/17/2023 to 7/23/2023		8/28/2023 to 9/3/2023	*
Groups			
Greeters × Ushers ×	Ŧ		
Locations			
Bldg 1 \times Worship Center \times	~		
Schedules			
	~		
			Clone Cancel
Bobca	ts Room		
Bobcats Room	: :	Bunnies Room	
	es Room		

Schedule Status Board

The status board gives you a bird's-eye view of rooms and times, showing what's covered and what is still needed. You can access the status board by navigating to People > Group Scheduling > Group Schedule Status Board.

The block settings allow you to choose a parent group to filter out any unnecessary groups showing in the select groups list. The Dates button opens a slider bar to choose how many weeks to show at a time. You can also access the *Group Schedule Roster* and *Group Schedule Communications* pages directly by clicking their links near the top of the page.

					۹ A			C
	Schedule State	US Board	d					
	, , , ,							
Schedul	e Status Board				Rosters	Send Communication	s 🖶 Groups 🛱 Dates	1
	Mar 26, 2022		Mar 26, 2022		Mar 27, 2022		Mar 27, 2022	
	Saturday 4:30pm		Saturday 6:00pm		Sunday 9:00am		Sunday 10:30am	
	Ƴ Children's ☑							
	Cindy Decker	Member	Mariah Jackson	Member	Ted Decker	Member	Ø Jenny Michaels	
Bears Room	O Mariah Jackson	Member	O Ted Decker	Member	Sarah Simmons	Member	Sarah Simmons	
Room	1 person needed		1 person needed		1 person needed		1 person needed	
	enny Michaels	Member	Cindy Decker	Member	Mariah Jackson	Member	3 people needed	
Bobcats	O Alisha Marble	Member	Ø Jenny Michaels	Member	O Jenny Michaels	Member		
Koom	2 people needed		1 person needed		2 people needed			
	3 people needed		3 people needed		3 people needed		3 people needed	
Bunnies Room								
Koom								
	∽ Greeters 🔄							
	Ted Decker	Member	Tom Miller	Member	8 Ben Jones	Member	3 people needed	
Bldg 1	Ben Jones	Member	O Daniel Peak	Member	O Jim Simmons	Member		
	1 person needed		1 person needed		1 person needed			
	∽ Ushers 🗹							
	🔮 Bill Marble	Member	🔮 Bill Marble	Member	Bill Marble	Member	Oindy Decker	
Bldg 1	Sarah Simmons	Member	Sarah Simmons	Member	O Cindy Decker	Member	2 people needed	
	O 201011 2010112							

Schedule Analytics

The analytics board acts similarly to the scheduler page. You can choose the group, location and schedule then hit Update to show records of the response, or lack thereof, in one place.



Group Schedule Roster

The *Group Schedule Roster* shows you who's serving, plain and simple. Of course, you can see this information from other group scheduling tools, but the roster provides a clean, simplified view of volunteers and where they're scheduled. This layout is great for printing, to give your staff a paper copy they can use to track volunteers. It even comes pre-populated with checkboxes next to each person's name, so individuals can be marked off the printed list.

To access the roster, navigate to People > Group Scheduling > Group Schedule Roster .

Group S	Schedule Roster		
€		۹ م	Search 🕶 🙆 🗸
8	Group Schedule Roster Home > Group Scheduling > Group Schedule Roster		
•	Group Schedule Roster		Live Update
	Greeters Thursday March 24, 2022	() 6:00 PM	🖽 Bldg 1
۶ ۲	Name	Name	
	Ushers 🛗 Thursday March 24, 2022	©6:00 PM	🗓 Bldg 1
	Name	Name	
	Children's Thursday March 24, 2022	@6:00 PM	🔟 Kittens Room
	Name	Name	

You can click the 🏶 icon to access the configuration for the roster. These settings let you add or remove the groups, locations and schedules shown on the roster. This way you can rapidly print several different rosters for the day. This is also where you change the date of the roster, to view assignments on different dates.

Roster Configuration

Groups •	Occurrence Date	
😫 Greeters,Ushers,Chil 💌	10/23/2022	
Schedules	Locations	
Sunday 9:00am X Sunday 10:30am X Sunday 12:00pm X	🧹 Main Campus	
Display Role		
		Save Cance

By default, the roster is updated automatically every 10 seconds, to pick up scheduling changes as they occur. After all, you don't want to print outdated rosters, and lastminute changes are always a risk. This "Live Update" feature can be disabled, or set to a different refresh frequency, by accessing the block's settings. Just keep in mind that a very frequent refresh rate may negatively impact performance.

Group Scheduling Communications

There are different ways to send group scheduling communications from Rock. You can send scheduling confirmation requests from the *Group Scheduler* page as described above, or you can wait for a job to run to send them for you. You can also send custom one-time communications if you need to.

Send Group Schedule Notifications Job

Rock will automatically send out confirmation and schedule communications based on the values you set on the Group Type Detail page. By default, these communications will be sent daily at 4pm to people who have not already received them. If you want to change the sending time, you can edit that time in the "Send Group Schedule Notifications" job, which can be viewed under Admin Tools > Settings > System > Jobs

Administration .

We have "Scheduling Confirmation Email" and "Group Attendance Reminder" system communications already set up for you, which are of course customizable to fit your organization's lingo. Just like all system communications, you can view and modify them under Admin Tools > Settings > Communications > System Communications.

See our <u>Communicating With Rock</u> guide for more information on working with system communications.

Custom Group Scheduling Communications

While schedule and confirmation communications are certainly useful, sometimes you'll want to send other types of communications to your teams. On top of that, maybe you just want to contact volunteers who have Accepted the invite, or only those that are serving on Sunday. The *Group Schedule Communication* block lets you do all that, and more, quickly and easily. You can navigate to it directly from People > Group Scheduling > Group Schedule Communication or you can access it from the *Group Schedule Status Board*.

Group So	chedule Communication		
衮		۹.	Name 🕶 🌘 🗸
	Group Schedule Communication me > Group Scheduling > Group Schedule Communication		
	Group Schedule Communication		
 ● ●	Groups *	2 Include Child Groups Locations • 2 Bears Room 3 Bobcats Room 4 3 Main Campus	
6	Week Week of 9/20/2021 to 9/25/2021 ~		
0	Create Communication		
Cra	afted by Spark Development Network / License		

1 Groups

Members of the group or groups selected here will form the initial list of individuals that will receive the communication. If you don't want to send the communication to everyone in this list, you can use the other settings on this page to narrow it down.

2 Include Child Groups

If you have a lot of groups, you don't always have to select each one individually. Enabling this option will include members of any child groups a selected parent group has. You can select multiple parent groups if needed.

3 Invite Status

You can choose to send the communication only to individuals with a certain Invite Status. If you want everyone to receive the communication, select all statuses.

4 Locations

You can limit the communication to people serving in certain locations. The list of locations you see here is automatically filtered according to the group selections, so it may change as you add or remove groups from the communication.

5 Schedules

Like the *Locations* field, you can select certain schedules to further refine the list of communication recipients. For instance, you may only want to communicate with volunteers for the Sunday morning services.

6 Week

The list of volunteers will probably change from week to week. Select a week here to send the communication to those scheduled during that week.

7 Create Communication

After you've made your selections above, clicking this button will take you straight to the <u>Communication Wizard</u> with the list of recipients conveniently pre-loaded for you. At that point you would proceed with creating a new communication as normal.

Schedule Coordinator Notifications

Ever been caught off guard by a last-minute volunteer change? Picture this: It's Sunday morning, the next service is starting soon, and a crucial volunteer has dropped out. As the *Schedule Coordinator* for your serving team, you'll be the first to know, giving you time to adjust and ensure everything runs smoothly.

The Schedule Coordinator can be notified when a volunteer accepts or declines a serving opportunity, or if the volunteer signs up for additional serving opportunities via the *Schedule Toolbox*. The emails Schedule Coordinators receive will look like the one pictured below but will change slightly depending on which action the volunteer takes.
Scheduling Response

Scheduling Response	2
Hi Alisha!	
Ted Decker has confirmed and will be at the:	
Saturday, November 2, 2024	
A/V Team - (6:00 PM)	
Rock Solid Church Demo	
	Contact Info:
	3120 W Cholla St Phoenix, AZ 85029-4113
	Phone: (602) 555-1234
	Email: info@rocksolidchurchdemo.com
	Website: www.rocksolidchurchdemo.com

To start getting notified, there's a few simple configuration items needed. We'll walk you through them below.

You can start by updating the *Scheduling* settings on the Group Type (Admin Tools > General Settings > Group Types). Specifically, you'll make selections for the *Schedule Coordinator Notification Options*. These are the notification options that all groups of this type will use by default.

Schedule Coordinator Notification Options

		A B	٩	Name +
RSVP				
Attendance / Check-in				
Scheduling				
Scheduling Enabled 1				
Schedule Confirmation Communication ()		Schedule Cancellat	ion Workflow 🚯	
Scheduling Confirmation Email	~	¢°	•	
Requires Reason If Schedule Declined ()		Schedule Reminder	Communication (1)	
		Scheduling Ren	ninder Email	2
Schedule Confirmation Offset Days 🕕		Schedule Reminder	Offset Days 🚯	
4		2		
Schedule Confirmation Logic 🟮		Schedule Coordina	tor Notification Options 🕕	
Ask	~	Accept	🖌 Decline	Self-Schedule
Roles				
Member Attributes				

Note above that the *Decline* option is selected. This will send a notification when the volunteer declines a serving opportunity for groups of this type. Any combination of Accept, Decline, or Self-Schedule may be used. You can also select none of the options, which means these notifications will not be sent.

That's all that's needed for the Group Type. Next, we'll drill down to the Group level via the Group Viewer (People > Group Viewer). There are two important settings you'll want to know about.

Schedule Coordinator Notification Settings

$\textcircled{\black}{\black}$				Q	Name -	() ~
.∎ .▲	© A/V Team © Children's © Greeters © Ushers > 🕸 General Groups	Description Responsible for all A/V equipment.				h
0		General			`	,
r		Meeting Details				,
â		Scheduling			,	`
		Disable Group Scheduling 0 Scheduling Must Meet Requirements 0		Disable Schedule Toolbox Access 🕚		
		Check-in Requirements 🟮				
		Schedule Not Required Schedule Confirmation Logic	~			
		Schedule Coordinator 💿	2	Schedule Coordinator Notification Option None Accept Self-Sc	е	
		Group Attribute Values				,

1 Schedule Coordinator

This is the person who will be notified whenever a volunteer accepts, declines, or adds to their schedule. The notifications the Schedule Coordinator will receive are determined by the *Notification Options*. These settings override the Group Type configuration for notification options.

2 Schedule Coordinator Notification Options

You can customize notification settings for this specific group, overriding the default settings at the Group Type level. To use the default settings, select nothing. Otherwise, choose the desired notifications for the Schedule Coordinator. If notifications are enabled at the Group Type level but you want to disable them for this group, select *None*.

The System Communication (Admin Tools > Communications > System Communications) that the Schedule Coordinator receives is the *Scheduling Response Email*. It's ready to use out of the box and contains all the logic needed to decide whether to send an accept, decline, or self-schedule notification.

Group Blocks

By now you've seen the power of groups in Rock. Hopefully, you're starting to see all the different ways they can bend and flex to meet the demands of your organization. The real power is when you break free to see *what is* and start to comprehend what *could be*. While we've attempted to *pre-configure* groups with some standard best practices, you shouldn't limit yourself to what is configured out of the box.

The best way to see what's possible is to understand what group blocks are available in Rock. Start thinking of these blocks as your own box of Legos®. How you arrange and build with these blocks is limited only by your imagination. If you're unfamiliar with blocks and how to add them to a page, take a minute and read about them in the Designing and Building Websites Using Rock guide.

Group List

As its name suggests, the *Group List* block lists all groups that match a specific filter. The power of this block lies within its block settings. They allow you to:

- Include Groups Of Type: Specify which group types to include in the list.
- Exclude Groups Of Type: Specify which group types not to show in the list.
- **Detail Page:** The page you would like to navigate to when someone selects a group from the list.
- Limit to Security Groups: Remember that security groups are a bit special. While there is a group type for security groups, any specific group can be configured to act as a security group. This setting shows groups that meet any of these criteria.
- **Display Filter:** Determines if the filter panel should be displayed above the list.
- **Display XYZ Column:** This block also has several block settings to hide or display columns for displaying group type, group description, active status, group member count and system status.

Below is an image of a sample group list.

		🔲 Q		ne 🗸 🚺	6
Group List					
			\$	⊞ ()	
Name	Group Type	Description	Members	System	
APP - Check-in Devices	Security Role	Used to give rights to the accounts that access and run the check-in application.	0	~	,
Devices		appreason.			
GROUP - Administration	Organization Unit	Department for administration staff.	0		;
GROUP - Alisha	Small Group	Small group topics involve studying the women of the Bible.	2		
Marble's Group					
GROUP - ASU Student Group	Small Group	We hang out and study the bible in an informal way.	1		ī
GROUP - Childrens	Organization	Department for childrens staff.	0		,
	Unit				
GROUP - Children's	Serving Team	Are responsible for teaching children.	7		1
GROUP - Connections	Organization	Department for connections staff.	0		

Group Tree View

The *Group Tree View* block is very similar in configuration to the *Group List* block except that it displays the groups in a hierarchical tree view. Below is a sample of what this block would look like.



Group Details / Group Member List / Group Member Details

While these are three different blocks, they are usually used together to fully display the contents of a group with the ability to edit.



Group Type Map

The *Group Type Map* block maps the location of every group of a specified type. This is different from the Group Map, which shows members of a single group. While not included on a page out of the box, the Group Type Map is a very powerful block for mapping all of your small groups. Small organizations could even use it to map all the families in the database (remember families are groups too). Below is a sample of this block in action.



Group Member Add From URL

Say what? OK, this is easy... this block when passed a PersonGuid and GroupId through the query string will add the person to the group and display a Lava template of your design. This is very useful in crafting various group registration scenarios. To get the juices flowing think about all the things you could do with this using the *Dynamic Data* and *Group Finder* blocks. There you go!

Group Member Remove From URL

This block is just like the Group Member Add From URL block - but the opposite. It takes a PersonGuid and GroupId through the query string and will remove the person from the group and display a Lava template of your design. This allows you even more flexibility in creating group registration situations. Alright!

Group Simple Register

This block is another block that's handy for registration scenarios. It provides a simple form that accepts a first name, last name, and email address, registers the person to a group, and then forwards them on to a confirmation page. This block is most useful when it's used on an external facing site as a simple first point of contact but is flexible enough for many other scenarios!

nple Register Block								
Rock Solid Church Demo	New Here?	Resources	Connect	Give	Blog	Calendar	Watch	Hello Alisha '
Desister								
Register								
- First Name								
Last Name								
Email								
Save								
Powered by: Rock RMS						3120) W Cholla St Ph	oenix, AZ 85029-4

Group Simple Register Confirm

This block is designed to pair with the Group Simple Register block as a confirmation page. When a user is redirected to this page it provides either a success or a failure message. It's that simple!

Group Registration

This block is the big brother of the Simple Register block. This block takes a Groupld as a query parameter for context and allows you to do a few neat things like fire off a workflow when a user registers and use Lava options to format the registration form. It also has a full mode that takes down address details and phone details and a full with spouse -- which does exactly what you might expect. Use this mighty block when you want to get more than your standard information about a person or when you want to use a specific workflow process for your registrants.

oup Registration Block					
Rock Solid Church	New Here?	Resources Connect	Give Blog	Calendar	Hello Alisha 👻
Register					
Home / Connect / Register					
Sign up for Decker Group					
First Name *					
Alisha					۱.
Last Name *					
Marble					
Home Phone					
0					
Cell Phone					
3		Enable SM	IS		
Email					
alisha.marble@rocksolldchurchdemo.com					
Address Line 1					
3002 W Lupine Ave					
Address Line 2					
City	Stat	e	:	Zip	
Phoenix	A	Z	•	85029	
Register					
Powered by: Rock RMS				3120 W Cholla	St Phoenix, AZ 85029

Group Map

The *Group Map* block maps the members of a specific group that is passed through the query string (aka passed in through the address of the page http://server.com/page? GroupId=12). While this block isn't too powerful on its own, it can be very helpful when used in conjunction with other blocks like the *Dynamic Data* block. Below is a sample of what this block looks like with a sample group.



You'll notice two sets of color-coded labels near the top of this block. Clicking these will toggle the display of groups and families on the map. Below is a description of how and when these label toggles will appear.

Group / Group Member Labels (top left)

- If the selected group has a valid geopoint, or geofence location, that group's name will be displayed as a label in the upper left which can be used to toggle the display of the group. The group will be displayed on the map either as a marker or a polygon depending on whether the selected group had a geopoint or geofence. The color of the marker or polygon is determined by the first color specified in the *Colors* attribute of the selected mapstyle defined value. Note: this option will not appear if the selected group does not have a geopoint or geofence defined.
- A *Groups* label will be displayed if the selected group has any child groups with a valid geopoint or geofence location. The child groups may also be either a marker or a polygon. The color of markers is determined by the second color specified in the *Colors* attribute of the selected mapstyle defined value. The color of polygons is determined by the *Polygon Colors* block setting.
- A *Group Members* label will be displayed if the selected group has any members with a valid geopoint location. Clicking the label will toggle the display on the map of those members. Note, if the selected group is displayed as a polygon, these members may or may not be within the boundaries of the polygon. The color of

the markers is determined by the third color specified in the *Colors* attribute of the selected mapstyle defined value.

Connection Status Labels (top right)

- If the selected group has a geofence location and is displayed as a polygon on the map, then the block will also display a list of *Connection status* labels to toggle the display of families whose locations fall within the boundaries of that polygon.
- The connection statuses that will be included as toggle options are determined by the Connection Status Defined Values. Only those defined values that have a value specified in the *Color* attribute will be displayed. The color value is also used to determine the color of the markers.
- Only families with at least one active record will be included.
- If family members have different connection statuses, they will be ordered by the connection status defined value order, and the first connection status found will be used for the family. For example, if a family has a member and a visitor, the family will be displayed when the *Member* label is selected.

Service Jobs Relating to Groups

Service jobs allow you to set up reoccurring tasks that run on a schedule you define. Below are jobs that relate to groups.

Learn More

This section highlights unique aspects of service jobs relating to groups. For information on setting up jobs in general, see the Rock Admin Hero Guide.

Send Attendance Reminders for Group Type

This job sends reminders to group leaders to enter attendance. All individuals in the group with a role that has the 'Is Leader' setting will receive this reminder. Keep in mind that this job will only send reminders to groups of the configured type if the group type's *Send Attendance Reminder* option is disabled (unchecked).

A couple of key configuration options for this job are:

- **Group Type:** The group type that the reminders are for.
- **System Communication:** The system communication that you would like to use for sending the reminder. Rock ships with a *Group Attendance Reminder* system communication for this purpose.
- **Send Reminders:** By default, a reminder will always be sent the day the group meets. By adding values here, you can configure additional reminders if the attendance has not been entered. For instance, entering *2,4* would send reminders two and four days after the group has met if no attendance has been entered.
- **Send Using:** Choose whether the reminder should be sent via SMS text message, email or either according to the group leader's preference. Group leaders can set their preference in the Group Leader Toolbox.
- **Campuses:** You can select one or more campuses to only send reminders for groups associated with that campus. This does require that the groups are tied to a campus.

• **Parent Group:** If you choose a group here, reminders will only be sent to groups that are children (and grandchildren, etc.) of the selected group.

Note that the attendance reminder options available on the group type apply to the *Send Group Attendance Reminders* job described below.

SMS Job Errors

If the reminder job is configured for SMS, and if a person's communication preference is SMS but they don't have an active/valid SMS number, then the job will record an error. Similarly, if the job can't find the SMS configuration it needs, then it will also record an error message to the job's status/history message.

Send Group Attendance Reminders

This job is very similar to the *Send Attendance Reminders for Group Type* job discussed above. This job sends a reminder to group leaders about entering attendance for their group meeting. The key difference between the two jobs is that *Send Attendance Reminders for Group Type* requires a group type, while *Send Group Attendance Reminders* does not. That means you can have one job handling all of your reminders for all of your group types.

Keep in mind that this job will only send reminders for group types where the *Send Attendance Reminder* option is enabled under the *Attendance / Check-in* panel. Each group type can continue to have its own *Attendance Reminder Communication Template*.

		۹ 🖪 ۹	Name -
RSVP			~
Attendance / Check-in			^
Takes Attendance 🚯	Group Schedule Options () Weekly	Schedule Exclusions ()	
Weekend Service (1)	Custom Named	No Exclusions Found	0
Yes		Check-in Rule 🚯	0
Group Attendance Requires Location ()	Group Attendance Requires Schedule	None	~
Yes	Yes	Print Using 🕚	
		Device Printer	~
Send Attendance Reminder 🕧 🔽 Yes		Attendance Reminder Follow-up Days () 1 4 2 2 5	7
Attendance Reminder Communica	tion Template 🕕 •	3 6	
Group Attendance Reminder		×	
Attendance Reminder Start Offset	Minutes 🕕		
15	mi	tes	

Send Attendance Reminder Option

This job is configured to run every 15 minutes. It looks for Group Types that have Send

Attendance Reminder checked and once a group's scheduled Start Time is within the *Attendance Reminder Start Offset Minutes* setting, the attendance reminder is sent. This can only happen once per day.

To get a little technical, when a reminder is sent, the *Attendance Occurrence* record is created, and the current date/time is written to the *AttendanceReminderLastSentDateTime* property. This ensures that we never send the same reminder twice in one day.

Group Leader Pending Notifications

This job allows you to notify group leaders of newly pending members in their groups. This provides the following customization options:

- **Group Type:** The group type to filter off for limiting the groups that are checked for pending members.
- Include Previously Notified: This determines if only newly pending members should be sent to leaders, or if pending members who have already been sent once should also be considered. Note that when you initially set up this job, none of the current pending members will have been marked as sent, so they will all be sent to leaders on the first run.
- Notification Email: This is the system communication template that should be used. A sample system communication called *Pending Group Members Notification* is provided out of the box for you to use or edit as you see fit.
- **Group Role Filter/Role:** This is an optional setting that allows you to only include pending members of a specified role. If you don't select a role, all roles will be considered. You must first select a Group Type before specifying a role.
- **Pending Age:** Only pending members who have been added or updated within the number of days set here will be included. For instance, you might set this to seven to select pending members added within the past week. Leave this blank to not consider the last time a record was updated.

The notification will be sent to all group members of the group whose role has been configured as *Is Leader*.

Keeping Your Options Open

Keep in mind that you can set up multiple instances of this job. This allows you to send one scheduled communication for newly pending members and a separate for older pending members that the group leaders have already been made aware of.

Send Group Attendance Digest

This job sends a summary of group attendance information to certain group *Leaders*.

See the Group Attendance Digest section above for details on the group structure requirements for this job. When you're configuring this job, pay close attention to the following configuration options:

- **Parent Group:** The job needs to know the highest-level parent group in the group structure to identify which child groups apply to the job. Again, this job expects a very specific group structure to be in place, so be sure to check out the Group Attendance Digest section above to make sure you're set up correctly.
- **System Communication:** This is the system communication template that should be used. A sample system communication called *Group Attendance Digest* is provided out of the box for you to use or edit as you see fit.
- **Date Range:** You can choose to send the attendance digest for either the 'Current Week' or the 'Previous Week'.

In order for the job to work correctly, the groups taking attendance must meet on a regular (i.e., Weekly) schedule.

Process Group History

This job creates historical snapshots of Groups and Group Members for any group types that have history enabled. Once the job runs, groups that have history enabled will show an 'Archive' option instead of 'Delete'. See the Group History chapter for more details.

This job is set to run once per day in Rock.

Group Attendance Reporting

This job will create new Person attributes to track a person's *First Attended Date, Last Attended Date, Times Attended in Last 12 Months* and/or *Times Attended in Last 16 Weeks* for groups specified by a Data View. These attributes can be manually assigned categories and security as needed. This job considers all attendance in the specified groups, regardless of whether the person is currently an active member of the group.

When you're setting up this job, you have the following options:

- **Group Data View:** You'll need to create a data view that returns the group or groups that you want to report on. For instance, you might select all groups of the Small Group type to report on a person's attendance in small groups.
- **Reporting Label:** This gets used as part of the name of the attribute(s) that will be created by the job. In the example screenshot below the Reporting Label was "Small Group" so each attribute name starts with that phrase.
- **Tracked Values:** For the groups returned by your data view, select the attendance data you want to track. In the example screenshot below all four options were selected, so four new attributes were created.

In the example pictured below, new attributes have been added to show Small Group involvement. In this case the attributes were manually assigned to the *Visit Information*

category, to allow them to show on the Person Profile.

 \bigcirc 0 **Q** Profile Extended Attributes Steps Groups Documents Contributions Benevolence 2 Today 0 Ted Decker 9 Member Main Campus Staff 4 0000 0 Membership Visit Information Family Analytics ىكر Small Groups - First Attended Date First Gave Suppress Sending Contribution Stateme 6/14/2015 2/4/2018 No ÷ Rantism Date Small Groups - Last Attended Date Last Gave 9/13/2001 8/21/2022 8/9/2022 63 Baptized Here all Groups - Times Attended in Last 12 Month No 17 Employment Small Groups - Times Attended in Last 16 Weeks 4 Emple Social Media Rock Solid Church Facebool Position Childhood Information teddydecks Outreach Pastor Twitter decksondecks Education Safety & Security Assessments Background Check Date 10/4/2010

Group Attendance Reporting Attributes

This job will create a new attribute only if it does not find an existing attribute (e.g., from a prior run of the job) to update. This depends on how the job itself is configured. For instance, changing the Reporting Label will result in new attributes being created with the new label.

Group Leader Absence Notifications

The Group Leader Absence Notifications job is intended to alert group leaders when a member of the group has been absent a configured number of times in a row. This is so the leaders can follow up with absent people or update their status in the group if needed. Rock ships with a System Communication created specifically for this notification, called Absence Group Member Notification. When you're configuring this job, pay close attention to the following configuration options:

- Group Type: Because the job only runs for one Group Type at a time, you'll need multiple instances of this job if you want to run it for multiple Group Types.
- Notification Email: You can use the Absence Group Member Notification System Communication that ships with Rock, or you can create your own.
- **Group Role Filter/Role:** This applies to the members of the group. If set, only group members with the provided Group Member Role will be evaluated and reported by this job.
- Minimum Absences: This is the minimum number of consecutive meeting occurrences for which a person must be absent in order to be included in the

Notification Email. If left blank, then '3' will be used. Setting this to '0' will cause the job to fail.

Group Requirements

Group requirements allow you to place criteria on who should be allowed to be in a group. For instance, it's a pretty common feature that to be on a serving team around children you need to have an active background check. Administrating this need manually can be daunting, but with Rock why would you EVER consider doing it by hand?

Setting up group member requirements is a two-step process.

- 1. Define a Group Requirement.
- 2. Apply the requirement to each group that needs it.

When a group member is checked to determine if they meet a requirement, the result will be one of the three conditions:

- **Positive:** The group member meets the requirement.
- **Negative:** The group member does not meet the requirement.
- **Warning:** Something in the middle. The specific definition of warning will depend on the configuration. For a background check, warning might mean that they have a passing background check, but it's about to expire.

Group requirements can be set at the Group Viewer level, which applies member requirements to one specific group, or at the Group Type level, which applies the member requirements to all groups of a certain type. Both options are explained in detail below.

Defining Group Requirements

You manage group requirements under Admin Tools > Settings > General > Group Requirement Types. Group Requirements List

€	Requirements List		A R 9.	Name •	6
	Group Requirement Typ Home > Settings > General > Group Requirement Types	es			
£	Group Requirement Types		4 Group Requirement Types	2	I.
•	Name	Can Expire	Туре		
p	Background Check Required	~	Dataview		×
	Driver's License Required	~	Dataview		×
â	Passport Required	~	Dataview	≙	×
	Trip Insurance		Manual	≙	×
	50 🗸				
	Crafted by Spark Development Network / License				

Editing a requirement allows you to provide the following configuration options.

Editing Group Requirements

€			۹ 🖪 ۹	Name 🕶 🌘 🗸
8	Group Requirement Type De Home > Settings > General > Group Requirement Types > Group R	tail equirement Type Detail		
ے بر 1	Edit Group Requirement Type Name * Background Check Required Description Returns people that have been background check 3 Icon CSS Class 5		e years	* * *
	Requirement Criteria The configuration below determines the how we SQL Data View Meets Criteria Data View Background check is still valid Descriptive Labels The options below help better to describe the state Meets Requirement Label	× •	Warning Criteria Data View ① T Background check about to expire n individual. Does Not Meet Requirement Label ①	× •
	Background Checked Warning Label Background Check Expiring Soon Workflows Workflows can be set up to help an individual co requirement is triggered.	nplete a requirement. Th	No Current Background Check	ally, or when the
	Does Not Meet Requirement Workflow Image: Second	Auto initiate	Link Text	
	11 Can Expire ♥ 12 Expire Duration 730 days	8	Due Date Immediate Configured Date Group Attribute Days After Joining	
	Save Cancel			

1 Name

This is the name of the requirement. This will appear on the *Group Member Detail* screen in the internal site, and within the fundraising groups pages externally.

2 Description

Be sure to provide a good description of the requirements and any of the underlying criteria that are used to determine whether a group member meets the requirement. A little documentation now will save you headaches in the future.

3 Icon CSS Class

You can optionally associate an icon with the requirement. The icon will appear in places like the group member detail screen, or as a requirement for fundraising groups (e.g., for trips).

4 Category

It can be very helpful to categorize your requirement types, especially as your list starts to grow. To add categories for requirement types, navigate to <u>Admin Tools > Settings > System > Category Manager</u> and create a new category with an entity type of *Group Requirement Type*.

5 Summary

The Summary you provide will be shown in places where the requirement is displayed, such as the group member detail screen.

🜀 Check Type

So how do we determine the logic of whether someone meets a requirement? Rock gives you three options:

- **SQL:** In this case you provide a SQL statement. This statement should return a list of Person Ids in the database that meet that requirement.
- **Data View:** You can also select a data view that returns a list of all the people who meet the requirement.
- **Manual:** This requires someone to manually determine if a person meets the requirement.

You'll notice that the SQL and Data View options give you a separate property to determine the warning state. You can leave this blank if your requirement doesn't have a warning state.

7 Descriptive Labels

People will either meet the requirement, be in a warning state or not meet the requirement. According to the group member's state, these labels will appear where the requirement is displayed, such as the group member detail screen and as a requirement for fundraising groups.

8 Requirement Workflows

You can launch workflows for people who either do not meet the requirement or who are in a warning state. Based on the *Auto Initiate* setting described next, the workflow will be launched either manually or automatically. The entity passed to the workflows will be a *Group Member Requirement* entity. If your workflow has a Person attribute with a key of "Person", the corresponding person will automatically be set in your workflow. Requirement workflows must be automatically persisted.

9 Auto Initiate

You can choose to automatically launch a workflow at the point when Rock first determines that the group member does not meet a group requirement or that they're in a warning state. If this is disabled, then the workflow can be manually launched in places where the requirement is displayed.

10 Link Text

If the workflow is going to be launched manually based on the *Auto Initiate* setting, this is what the link to launch the workflow will say. If nothing is

provided here, then default text (e.g., "Requirement Not Met") will be used.

11 Can Expire

Some requirements, once met, will always be true - say for instance a requirement that you take a specific class before serving. Other requirements may expire. A good example of this is a background check or CPR certification. It's important to keep in mind that the *Calculate Group Requirements* job will not automatically re-check to see if the person still meets the requirements unless Can Expire is enabled.

12 Expire Duration

When a requirement can expire, you can set the number of days in the future to wait before re-checking the requirement. For something like a background check, you don't need to look every day to see if the background check is still valid.

13 Due Date

Each requirement of this type will have a due date, and this is where you indicate how that due date is determined.

- 1. **Immediate:** The requirement applies as soon as the person is added to the group.
- 2. **Configured Date:** When adding this requirement type to groups or group types, you'll be able to choose a date on which the requirement is due.
- 3. **Group Attribute:** You'll use this option if you have a group attribute that contains the date on which the requirement is due. You'll choose the attribute when the requirement type is applied.
- 4. **Days After Joining:** This option gives everyone the same amount of time after joining to complete the requirement.

14 Save

Don't forget to save!

As noted above, the *Expire Duration* is how many days Rock will wait before checking requirements again. With background checks it typically isn't necessary to re-check every day, or even every week or month. But there are edge cases to consider. For instance, let's say someone passed a background check yesterday and, as a result, shows up as meeting the group requirement. Then today something changes with the requirement (e.g., the Data View is updated) and the person no longer meets the requirement. The *Calculate Group Requirements* job will not re-check this person's requirement until after the *Expire Duration* has passed. In such cases the person will appear as meeting the current requirement, even though they don't.

If someone does not meet a requirement and the due date has not been reached, then the person is considered to be in a warning state. Tips for Creating Data Views and SQL Expressions

When creating data views and/or SQL expressions for group requirements keep these two things in mind:

- **Meets** The data view/SQL expression for meets should return a list of all the people in the database that meet this requirement.
- **Warning** This data view/SQL expression should return a list of all the individuals in the database in a warning state.

When you apply a requirement type to a group or group type (see the following sections below for instructions on that) you have the option of allowing group leaders to override the requirement for individual group members. For other staff or volunteers, you can indicate who can override requirements by accessing the security for the requirement type by clicking the explicit icon and adjusting permissions for *Override*.

	cure Background Check Required			×
	View Edit Administrate Override			0
Iter	n Permissions			
N	o role/users Found			
A	dd Role 🛛 Add User			
Inh	erited Permissions			
N	o Inherited Security Rules Found			
				Done
	Passport Required	~	Dataview	A
	Trip Insurance		Manual	a
	50 500 5,000 6 Group Requirement Types			

Group Requirement Override Permission

Applying Group Requirements to Individual Groups

Once you have defined your requirement, and if *Enable Specific Group Requirements* is enabled at the Group Type level, you can apply the requirement to individual groups. If you have *Administrate* access to a group, you'll notice a panel on the edit screen entitled *Group Requirements*. You can add group requirements from this panel. There is also a setting to keep group members who don't already meet the requirements from being added to a group.

Limited Restriction

This restriction on adding group members only applies to manually adding people to the group. Workflow actions that add someone to a group will still be able to add people who don't meet the requirement to the group.

<			۵		Q			Name v	6
8	Group Attribute Value	s							~
	Member Attributes								~
	Group Requirements								^
لا €	Specific Group Requiren	Group Role	Age Classification	Data View	Required For New Members	Can Expire	Туре		
	Background Check Required		All			~	Dataview	3 10	×
									0
	Group Sync Settings								~
	Save Cancel								
Crafted by Spark Development Network / Lie	cense								

Applying Group Requirements

Applying Group Requirements to Group Types

You can also set group member requirements at the Group Type level. This allows you to apply member requirements to all groups of a certain type rather than to each individual group.

6 $\mathbf{\hat{\mathbf{A}}}$ Group Attributes -Group Type Attributes Θ Group Requirements مر Name Group Role Age Classification Data View Required For New Members Can Expire Type Background Check Required All ~ Dataview 🖋 × 0 Group Member Workflows Display Options Cancel Save Crafted by Spark Development Network / License

To access your group types, go to Admin Tools > Settings > General > Group Types. Select the group type you want to add requirements to from the Group Type list. In the Group Type Detail screen, expand the Group Requirements section. From here you can either select an existing group requirement to edit or click the **o** button to add a new requirement.

Group Requirements Section - Group Type Detail Screen

Adding New Group Requirement

6		
Grou	p Requirement	×
Group F	equirement Type •	
Back	round Check Required	~
Applies	to Group Role 🕕	
		~
Applies	to Age Classification 🕕	
O All	O Adults O Children	
4	to Data View 🟮	
T		
5 All	w Leaders to Override 🕕	
6 Me	mbers must meet this requirement before adding 🟮	
	Save	Cancel
	Group Member Workflows	Cancel
	_	
	_	
١	Group Member Workflows	
	Group Member Workflows	
١	Group Member Workflows Display Options	
	Group Member Workflows Display Options	

1 Group Requirement Type

This is simply where you pick the requirement you want to apply. This is where having a descriptive name pays off.

2 Applies to Group Role

You might have some requirements that only apply to Leaders or that only apply to Members. Whatever roles you have, this is where you indicate which role the requirement applies to. If this is left blank, then the requirement applies to all roles.

3 Applies to Age Classification

Sometimes requirements like background checks only apply to adults, whereas a waiver for minors would only apply to children. Here you can choose which age classification the requirement applies to or apply it to all age classifications.

4 Applies to Data View

This is an advanced setting that lets you provide a data view to indicate who the requirement should apply to. This is only needed if the above settings aren't targeting the desired population.

5 Allow Leaders to Override

For some types of requirements, it makes sense to allow group leaders to provide an override.

6 Members must meet this requirement before adding

You might set up some serving teams this way, to ensure new members have passed a background check before they get added to the group.

Viewing Group Requirements

Once you enable group requirements, you'll notice in the Group Viewer that certain group members may have warning icons next to their names. The yellow icon denotes that the group member is in a warning state, while the red icon indicates that the group requirements are not met.



While the icons shown above will give you a general sense of whether a person meets requirements or not, you can switch over to the **Requirements** tab to view the status of individual requirements.

Viewing Group Require	ments Tab
(🜲 📕 Q. 🛛 Name 🕶 🎯 🗸
8	Participation Type Individual
1	Edit Delete
0	Group Members
r	Group Members Requirements
a	Filter Options V 🗩 🛎 🐘 🌣 🎛 🖞 😡
	Name Role Requirements
	Ted Decker Leader Driver's License Required Passport Required Trip Insurance
	Cindy Decker Participant Driver's License Required Passport Required Trip Insurance
	Jenny Michaels Participant Driver's License Required Passport Required Trip Insurance
	50 500 5,000 3 Group Members
	Fundraising Donations
	۵ 🛱 😓 🛱 🕮 🗅

Clicking on a group member will show you details about the group member and the group's requirements. In the group requirements note that you can *Upload Passport* for Ted or mark his Trip Insurance requirement as met.

Viewing Group Member Details

		A .	Q Name 🕶
Group Member Det ome > China Mission Trip > Ted Decker	ail		
Ted Decker			Added: 12/22/20
Person •		Notified 🚺	
Led Decker		Member Status	
Leader			Active Pending
Note		Communication Pre	ference Email SMS
Individual Fundraising Goal 🜖		<i>B</i>	
\$ 0.00			
Personal Opportunity Introduction Help me make a difference on		vorld!	
Disable Public Contribution Request	s 🚯		
No			
Driver's License Required License on File A copy of your driver's licen	se is needed.	 Passport Required Valid Passport Not On File We'll need a copy of your passport for th trip. You can provide it here or bring it to the office. OUpload Passport 	
Save Refresh Requireme	nts Cancel		
🝳 Group Member Notes			
Ted Decker Group Member Note - 4 Can't wait to start this trip!	4 days ago		
Fundraising Donations			9 4 6 E
Donor	Donor Address	Donor Email	Date Amo
Alisha Markla	12345 W St Lane Phoenix, AZ 85029	admin@organization.com	1/22/2023 \$150
Alisha Marble			
Alisia Malble 50 500 5,000 1 Donations			e 🛎 🛼 🖽

Group Requirement Jobs

The Group Requirements features rely on two system jobs. These jobs can be configured under Admin Tools > Settings > System > Jobs Administration.

Calculate Group Requirements

This job comes pre-configured and running in Rock. Every night it runs to check that all the group members met their requirements.

Send Group Requirements Notification

This job does not come pre-configured. You can set up this job to send a warning communication to group leaders when a group member does not meet the requirements. These communications will go to group members whose role has been configured with the 'Receives Requirements Notifications' setting. This can be configured under:

Admin Tools > Settings > General > Group Types .

Below is a listing of settings for this job.

- Notification Email Template: This is the system communication template that you want to use to format the communication. Rock provides a sample communication entitled *Group Requirements Notification* that's configured to meet most needs.
- **Group Types:** The group types you want to check the requirements on.
- **Notify Parent Leaders:** This setting will notify the roles of parent groups of the group. This follows the hierarchy of the group structure all the way to the top. This ensures that top-level group leaders will receive notifications for all the groups under them.
- Accountability Group: The group you select here will get a listing of all group members not meeting requirements. Some might call this fascism, but we prefer "inspect what you expect."

Fundraising Groups

It's unfortunate, but sometimes it takes money to do good in this world. Whether it's money to pay the travel expenses of a mission trip or the small salary of an internship, costs can become a roadblock for many individuals. But when the community can be made aware of these needs, the burden of costs can be shared. The problem then becomes promoting the need and managing the transactions that are generated. Rock's fundraising features make quick work of both problems. Think of it as a mini Kick-starter just for your organization's needs! Let's dive in and see this feature at work.

Fundraising needs are stored as a new group inside Rock. These groups are created with the group type *Fundraising Opportunity*. This group type provides several group and group member attributes that will drive the fundraising features within Rock.

Each group will represent a specific type of fundraising activity. Examples include:

- A specific mission trip (e.g., Summer China Mission Trip)
- A specific type of fundraising (e.g., Summer Interns, Fall Sports Season)

Fundraising Walk Through

Keep in mind that each fundraising opportunity is a group. You'll manage the opportunities from the Group Viewer.



Ok, but that's the boring part. Let's start looking at how these groups are displayed on your external site! Out of the box Rock configures several pages to view fundraising opportunities. The pages are displayed under the Missions pages (found under the Connect menu item). The missions page lists the various opportunities that are marked *Show Public*. Keep in mind that this block can be filtered by the *Fundraising Opportunity Type* (e.g., Trip, Internship, Project).



Selecting one of the opportunities will take you to its detail page. In the example below, Ted (who is leading this particular mission trip) is viewing the page. Since we know it's Ted, a summary of his Fundraising Progress is shown. Links are also displayed to take him to his participant's page and for him to make a payment. Also, note that since Ted is a leader for this opportunity, he has access to a leader toolbox.



Pictured below is the same page, but with a fundraising group that's configured to use families. In this case both Ted and Cindy are in the group, and their individual fundraising goals become combined into a single family goal. Note there is a single Make Payment button for the family, but each member has their own Participant Page.



This page is also used for the general public to view. It allows them to easily register for

the opportunity if a registration instance was provided.



Fundraising Opportunities can also optionally be configured with a Content Channel for providing updates. When configured, a new tab will be shown to display these updates.



Another optional setting is to allow commenting on the opportunity. This tab will

display a Rock notes control. Keep in mind that this feature currently doesn't allow for approving comments and does not email when new comments are added.

Rock Solid Church Demo	New H	lere? Resources	Connect	Give Blog	g Calendar	Watch	Hello Ted 🔻
China Mission Trip							
Home / Connect / Missions / China Mission Trip							
September 10, 2023 to October 08, 2023 Beijing, China A small team will be traveling to China to help support churches in Beijing, Travelers will also have the opportunit work as English teachers at a small business school in the evenings. This trip will have a huge impact for the local as those attending.							
Donate to a Participant Leader Toolbox		Ted Decker Fundraising Progre	55		\$846.	.00	Participant Page Make Payment
Registration Open Contact Jenny Michaels jenny@rocksolidchurchdemo.com	Trip Details	Trip Updates (2)	Comments (0)				
Registration Notes A non-refundable application fee of \$50 is required to register for this trip. Register		I Decker Fundraising Opportunity	Comment - a min	ute ago			+
20 spots available	So glad for th	ne opportunity to lead	I this trip!				
Powered by: Rock RMS					3120 \	W Cholla St Pi	noenix, AZ 85029-4113

Each opportunity participant has a personalized page that they can share with others to help generate interest and help encourage funding.

As pictured below in green, red and yellow, the participant can use this page to track documents that are needed for the trip and, if configured, launch a workflow to upload those documents. These are really just group requirements that have been added to the fundraising group. They could be used to track things like documents, attendance in classes or background checks. In this example, Ted has a driver's license on file but hasn't provided his passport yet. He hasn't submitted his trip insurance either, but it's not due until a date in the future, so Ted is currently in a warning state.


Viewing Group Requirements

Requirements are only visible to the individual participants, people in their family (if the fundraising group has a *Participation Type* of Family) and trip leaders.

Note, this means that if Ted is logged in, he should see everyone in his family who is in the group even if he is not in the group himself. This allows him to view the details for his children and make payments.

Each participant can provide a custom opportunity introduction and edit their profile image from their personalized page. This block can also be configured to edit specific person attributes if you wish, such as the Facebook example pictured below.

	New Here?						
		Resources	Connect	Give Blo	og Calendar	Watch	Hello Ted 🔻
n Trin							
n mp							
/ Fundraising Participant							
Profile for	China Mis	ssion	Trip				
8, 2023							
Personal Opp	ortunity Introduction (
Help me ma	ke a difference on the oth	ier side of the v	vorld!				
Farakash (
	//facebook.com/TheRealT	edDecker					
	8, 2023 Personal Opp Help me ma Facebook ()	Fundraising Participant Personal Opportunity Introduction Help me make a difference on the oth Facebook	/ Fundraising Participant S Profile for China Mission 8. 2023 Personal Opportunity Introduction Help me make a difference on the other side of the v Facebook	/ Fundraising Participant S Profile for China Mission Trip 8. 2023 Personal Opportunity Introduction ① Help me make a difference on the other side of the world! Facebook ①	Fundraising Participant Profile for China Mission Trip a. 2023 Personal Opportunity Introduction Help me make a difference on the other side of the world! Facebook	Profile for China Mission Trip a: 2023 Personal Opportunity Introduction Help me make a difference on the other side of the world! Facebook	/ Fundraising Participant Profile for China Mission Trip 8. 2023 Personal Opportunity Introduction Help me make a difference on the other side of the world! Facebook

If the person logged in is the participant, they can also view the gifts that have been given near the bottom of the page by selecting *Contributions*.

China Mis	sion Trip					
Home / Connect / Mi	ssions / China Mission Trip / Fu	ndraising Participant				
		Fed Decker's Trip September 10, 2023 to October 08, 2023 Beijing, China Help me make a difference on the other side of the world! Image: China Image: Chi				
	rip Page dit Profile					
					(1 <u>)</u>	
Participant Checklis Below are tasks required f Driver's License Re License on File	or this Trip.	Passport Required Valid Passoort Not On File			e Due: 7/1/2023	Make Payment
Below are tasks required f	or this Trip.	Passport Required Valid Passport Not On File We'll need a copy of your passport for this trip. You can provide it here or bring it to the office. @Upload Passport	-	Requiremen This trip req liability.		
Below are tasks required f Driver's License Re License on File A copy of your d	or this Trip. quired	Valid Passport Not On File We'll need a copy of your passport for this trip. You can provide it here or bring it to the office.	-	Requiremen This trip req liability.	a Due: 7/1/2023 It Met With Warning Juires trip insurance	
Below are tasks required f Driver's License Re License on File A copy of your d Trip Updates (2)	or this Trip. quired Iriver's license is needed.	Valid Passport Not On File We'll need a copy of your passport for this trip. You can provide it here or bring it to the office.	-	Requiremen This trip req liability.	a Due: 7/1/2023 It Met With Warning Juires trip insurance	
Below are tasks required f Driver's License Re License on File A copy of your d Trip Updates (2)	or this Trip. quired Inver's license is needed.	 Valid Passport Not On File We'll need a copy of your passport for this trip. You can provide it here or bring it to the office. Upload Passport 	-	Requiremen This trip req liability.	a Due: 7/1/2023 It Met With Warning Juires trip insurance	
Below are tasks required f Driver's License Re License on File A copy of your d Trip Updates (2) Contributions Date	or this Trip, quired Iriver's license is needed. Intributions	 Valid Passport Not On File We'll need a copy of your passport for this trip. You can provide it here or bring it to the office. Outpload Passport 	-	Requiremen This trip req liability.	a Due: 7/1/2023 It Met With Warning Juires trip insurance	
Below are tasks required f Driver's License Re License on File A copy of your d Trip Updates (2) Contributions Date 12/22/2022	or this Trip. quired triver's license is needed. ntributions Name Alisha Marble	 Valid Passport Not On File We'll need a copy of your passport for this trip. You can provide it here or bring it to the office. Outpload Passport Address 12345 W St Lane Phoenix, AZ 85029	-	Requiremen This trip req liability.	a Due: 7/1/2023 It Met With Warning Juires trip insurance	

If someone doesn't have a link to a participant's profile page, they can choose to give from the opportunity detail page and select the participant they would like to fund.

Rock Solid Church Demo	New Here?	Resources Conne	ct Give	Blog	Calendar	Watch	Hello Ted 🔻
Donate to China Mi	ssion Trip						
Home / Connect / Missions / China Mission Tri	p / Fundraising Donation						
Fundraising Opportunity China Mission Trip							
Participant * Jenny Michaels							~
Cindy Decker							

If the fundraising group is set up for families, and if more than one person from the same family is in the group, you can give to the family as a whole.

Rock Solid Church Demo	New Here?	Resources	Connect	Give	Blog Ci	alendar	Watch	Hello Alisha 🔻
Donate to Kenya Or	phanage Buil	ding I	Projec	ct				
Home / Connect / Missions / Kenya Orphanage	Building Project / Fundraising D	onation						
Fundraising Opportunity Kenya Orphanage Building Project								
Participant ®								
Participant * Decker Family (Ted & Cindy)								~
Decker Family (Ted & Cindy) Alisha Marble Decker Family (Ted & Cindy)								Ŷ
Decker Family (Ted & Cindy) Alisha Marble								~

After selecting a participant and clicking Next from the page pictured above, the

person will be brought to the *Fundraising Transaction Entry* page pictured below. There are many block settings for this block, so be sure to review them to ensure this process matches your organization's needs.

Fundraising Transactic	on Entry	
Home / Connect / Missions / China Mission Trip / Fe		
undraising Opportunity	Participant	
hina Mission Trip undraising Goal	2 Jenny Michaels Amount Remaining	
1,500.00	\$942.00	
Contribution Information		
Donation Amount		
\$ 100.00		
Donor Information		
Name		
Ted Decker		
Address		
11624 N 31st Dr		
Address Line 2		
Phoenix	AZ V 85029-3202	
Email		
teddecker@rocksolidchurchdemo.com		
Give Anonymously		
Payment Information		
Card Bank Account		
Card Number		
1111222233334444		
Expiration Date	Card Security Code	
Apr 🗸 / 2026 🗸	123	
Enter a different billing address		
Previous		Ne

1 Fundraising Opportunity

The name of the fundraising opportunity comes from the *Opportunity Title* group attribute that was set when the fundraising group was created.

2 Participant Information

Based on the person's selection in the prior screen (see prior screenshot above) we see the participant's name, their total fundraising goal and how much they have left to raise to meet the goal. If giving to a family, the family's name will appear here, and the amounts displayed will be for the family as a whole.

3 Contribution Information

When a participant is selected from the prior screen, the *Financial Account* associated with the fundraising group (set as a group attribute) is passed to this page in the URL. The amount entered here will go to that account. Only Public accounts can be used by this block.

If this page is accessed directly without first selecting a participant, then

multiple *Donation Amount* fields will be present, one for each Public account you have. This can be changed in the block's settings by specifying the Accounts that should be used. The block settings also provide an option to allow the person to choose additional accounts if needed, but this only applies if an AccountId is not present in the URL.

4 Donor Information

This information will be pre-filled for the person if they're known (i.e., logged in). The type of address to use can be changed in the block's settings.

5 Additional Options

The block settings allow you to remove the prompt for email, and also give you the option of asking for a phone number. You can also disable the option for the person to give anonymously.

6 Payment Information

This is where the person will provide their card or bank account information. The title of this area can be changed in the block settings.

🕖 Previous

This will take the person back to the prior screen, where they can select a different participant if needed.

8 Next

Clicking Next will take the person to a confirmation screen. The header and footer text of the confirmation screen can be customized in the block settings.

Fundraising Opportunity Configuration

As we mentioned earlier, Rock's fundraising features are driven by a set of group and group member attributes. Let's take a look at these settings to see how you can customize each fundraising opportunity to meet your individualized needs.

Keep in mind the group and group member attributes below are specific to a single fundraising opportunity (each one is a group). This allows you to have several types of opportunities, each with their own unique settings and configuration.

Group Attributes

Below is a detailed discussion of each setting for the group that represents the opportunity (Mission Trip, Internship Season, etc.)

Name	Туре	Description
Opportunity Title	Text	The group name is mainly used internally. This attribute of <i>Opportunity Title</i> is what will show on the external site when opportunities are listed.
Opportunity Date Range	Date Range	Used to show the start and end dates of the opportunity. For a mission trip, we would recommend that you put the trip dates here. This date range doesn't control when the opportunity is shown externally; it just describes when the

Name	Туре	Description
		opportunity occurs.
Opportunity Location	Text	This is the location of the opportunity. For a mission trip, this would be the city or country. Feel free to leave this blank if it doesn't make sense in your situation.
Opportunity Summary	Memo	A brief description of the fundraising opportunity.
Opportunity Photo	Image	If a picture is worth a thousand words, then we'd better include one.
Opportunity Details	HTML	Now we get to the nitty-gritty of what this opportunity is all about.
Individual Fundraising Goal	Currency	This field determines how much money each person is trying to raise. If each person in the opportunity is raising different amounts, you can provide those unique amounts on their group member attribute (discussed below).
Opportunity Type	Defined Value	 The opportunity type helps group similar opportunities. Rock ships with three options (<i>Trip</i>, <i>Internship</i> and <i>Project</i>). You can add your own under General Settings > Defined Types > Fundraising Opportunity Type. This setting has two roles: Acts as a filter for opportunities on the external website (e.g., show only mission trips on this list) Provides a label to describe the opportunity type. For instance, should this opportunity be referred to as a <i>Trip</i>, <i>Project</i>, etc.
Update Content Channel	Content Channel	You may want to provide updates on the status of your opportunity. For example, if your opportunity is a mission trip, you might want to file trip reports. Or if it's a project, you might want to provide updates on the overall funding level or project status. This setting allows you to configure a content channel to manage these updates. If you don't provide a channel the updates tab will be hidden.
Enable Commenting	Boolean	Sometimes you want comments, sometimes you don't. When enabled, a notes block will be added to the opportunity detail. Just remember that there is no automatic email when new notes/comments are left and no approval process. These features may be added in a future release.
Registration Instance	Number	This is what ties in a registration to the fundraising opportunity. You must provide the registration instance ID (currently there isn't a registration instance picker).
Registration Notes	Memo	This short description will show up on the opportunity details page to provide any quick notes about the

Name	Туре	Description
		registration (e.g., <i>A \$200 deposit is required</i>).
Allow Individual Disabling of Contribution Requests	Boolean	Opportunity participants can have their own personalized fundraising pages. Some participants may want to use this page to share the opportunity and provide updates, but not want to communicate the financial needs. This setting allows you the option to allow them to disable the sharing of their funding status.
Allow Individual Editing of Fundraising Goal	Boolean	This allows individuals to set their own fundraising goals from their external fundraising profiles. The default for this is not to allow editing.
Cap Fundraising Amount	Boolean	This setting determines if an individual can raise more money than their goal.
Financial Account	Financial Account	This configures which financial account the fundraising opportunity should use to track their money.
Allow Donations Until	Date Picker	An inclusive date that specifies how long to allow donations to participants. Once this date passes no more donations will be accepted by Rock.
Show Public	Boolean	This flag determines whether the opportunity should be displayed on the external website. Since it's common for an opportunity to be displayed long before it starts, and for a brief time after it ends, this flag is used to determine when an opportunity should be displayed.
Participation Type	Single- Select	This is where you select whether the participant is an individual or a family. This controls much of how people interact with the group, as noted throughout this chapter.

Since many of these attributes drive the external display of the opportunity, let's look at an example and see where each value is shown.

External Display of Attributes



2 Photo
3 Date Range
4 Location
5 Summary
6 Details
7 Trip Updates
8 Comments
9 Registration Status This is determined by looking at the dates on the registration instance. If the registration is not yet open, the future opening date will be displayed.
10 Registration Contact The contact comes from the Registration if it is configured.
11 Registration Note
12 Spots Available

This is calculated by looking at the number of registrant openings available for the registration.

Group Member Attributes

The following group member attributes are available to help configure the opportunities.

Name	Туре	Description
Individual Fundraising Goal	Currency	This allows you to provide an individual goal that is unique to each person. This attribute is only available to internal Rock administrators and cannot be edited by the individual.
Personal Opportunity Introduction	Memo	This is a short message that the person can provide to provide a personalized note on their individual trip page.
Disable Public Contribution Requests	Boolean	This allows an individual to hide their name when listing people to fund. It also hides many of the features on their personal opportunity profile that are intended to encourage someone to give. This allows them to use their personal page to communicate updates if they are self- funding the opportunity.

Fundraising Financial Transactions

Financial Transactions that are created from the fundraising features will all default to the *Contribution* type. The account for the transaction will be applied based on the opportunity group setting. It is possible to change the transaction type to a different value than *Contribution*. To do so, you'd need to create a new page with a *Transaction Entry* block on it. This block has a block attribute to set the transaction type on the advanced setting panel. You'd then need to configure your fundraising pages to use this new page for processing financial transactions.

Moving Transactions

If a participant moves from one fundraising group to another, you can easily transfer the donations that were already made. See the Moving Group Members section above for details.

In Rock, financial transactions can be tied to another entity (event registration, etc.). Donations that are made as a part of fundraising will be tied to the *Group Member* of the *Fundraising Opportunity* group. There is no financial linkage to registrations. This is an important point to understand as there is no way to link money coming in to a registration with that given as a fundraising opportunity. Below we cover several ways you can configure event registration to work with the fundraising tools for maximum impact.

Financial Transactions Matching

We've already discussed that Financial Transactions for fundraising are Contributions that are tied to the Group Members of the Fundraising Opportunity Group. The Rock tools mentioned above do all of the connecting of the group member to the transactions. You might be asking, "What about checks or gifts that need to be entered manually?" And that...is a GREAT question! After entering contributions (either scanning and matching or through another process), you can link a contribution to a fundraising opportunity participant using the *Fundraising Matching* page found under Finance > Fundraising Matching.

undra	aising Matchi	ing					
衮				۹ 🖡 ۹			()
8	Fundraising N Home > Fundraising Matching	Matching					
-	Group Member M	Aatching					
0	Open Batches						
r	#284 Fundraising E	Oonations Credit Car &. ∨					
÷	Person	Amount	Account	Transaction Type	Group Member		
	Alisha Marble	\$150.00	Mission Fund	Contribution	Group		
					China Mission Trip	3	< ~
					Group Member		
					Ted Decker	2	< ~
	Save						
	Crafted by Spark Developn	nent Network / License					
	crarted by spark Developh	nent wetwork / License					

Fundraising Progress

You can quickly track the progress of fundraising campaigns for fundraising groups. Start by going to the *Group Viewer* page (<u>People > Group Viewer</u>). From this screen you can view the individual fundraising donations for each group member, below the list of group members.



You can also quickly view the group's overall fundraising progress. Click the 🗌 button to display a snapshot of both the combined and individual fundraising progress.



If the fundraising group's *Participation Type* is Family, then the chart combines family members into a single line as pictured below.

Fundra	ising Progress - Family		
衮		🌲 🔳 Q	Name 🗸 🌘 🗸
8	Fundraising Home > Fundraising		
*	Kenya Orphanage Building Project		
ه مر	Total Goals 32.42% Complete		\$1945/\$6000
÷ (Decker Family (Ted & Cindy)	24.83% Complete	\$745/\$3000
	Trish Lowe	46.67% Complete	\$700/\$1500
	Alisha Marble	33.33% Complete	\$500/\$1500
	Crafted by Spark Development Network / License		

How Registration Can Work with Fundraising

As mentioned above, Rock's registration and fundraising tools were meant to work together. That said, financial transactions from these two features don't tie directly together. Below are some use cases to show how you can get these two features to sing in perfect harmony.

Basic Mission Trip

In a basic scenario you would create a new event registration to capture information about the trip participant and have the registrant drop directly into the fundraising group. To enable this direct link to the fundraising group, be sure you define a linkage on the registration instance to the group. The fundraising blocks are smart enough to use these linkages in the registration process.

Pro Tip

You can actually provide multiple linkages to have individuals drop into different groups. The linkage name will be used on the registration button on the fundraising page.

Mission Trip with No Cost Application Process

Say you wanted to configure a mission trip in which a person needed to register and be approved before they could begin fundraising. You could use an event registration to take their application information. Once their application was approved, they would be added to the *Fundraising Opportunity* group (using the group placement tools would help with this) and they could then start their fundraising. They would use the same

Donation page to submit their own payments for the trip.

Mission Trip with Required Costs Paid by the Participant

Now let's say that the trip costs \$1,000 and that \$200 is due upfront and should be paid by the trip participant. Also, suppose that there is an optional post trip safari that a person could choose to add. In this case, you would set up an event registration for \$200 with an optional fee for the safari. You would then set up the *Fundraising Opportunity* group to have an *Individual Fundraising Goal* of \$800.

Group RSVP

If you're hosting an event, class or other type of gathering, it can be very important to know how many people plan to attend. The expected attendance can impact things like the location, the refreshments and even how many chairs you'll need. Those are just some of the reasons why Rock comes with an RSVP system that lets you track whether invitees actually plan on attending your function.

If this brings Rock's event registration features to mind, you're not too far off. You already know how robust and flexible event registration features can be, but sometimes it might be a little more than you need. Group RSVP is for when you just need to know who's coming, plain and simple.

Enable Group RSVP

The RSVP function is enabled in group type settings, making RSVP features available to any groups within that type. All RSVP features are tied directly to a group. That means you must have a group created before you can use RSVP. The group doesn't need to have any members, but it needs to exist so individuals who accept your RSVP can be added to it.

To enable RSVP for a group type, navigate to Admin Tools > General Settings > Group Types and open the RSVP settings for the group type. Enable Group RSVP

�	A 🖪 Q	Name 🕶 🌘 🗸
8	Group Type Detail Home > Settings > General > Group Types > Small Group	
-	Small Group	
٥		~
r	Name * Small Group	
÷	Description A group of people who share an interest and meet together with regular frequency.	
	General	~
	RSVP	^
	Group RSVP Enabled 0	
	RSVP Reminder System Communication • RSVP Reminder Offset Days • RSVP Reminder •	30
	Attendance / Check-in	~
	Scheduling	~

Group RSVP Enabled

This checkbox must be selected to access RSVP features for any group of this type. Once enabled, the other two fields related to RSVP will appear.

2 RSVP Reminder System Communication

Select the System Communication that should be used to send reminders to invitees who have Accepted. Only communications in the "RSVP Confirmation" category will be available for selection. The selected communication will automatically be used with all groups of this type. Leave this blank to set the System Communication on each group individually.

3 RSVP Reminder Offset Days

Indicate how many days before the event the reminder should be sent. Like the communication selection, you won't be able to change the offset days for individual groups if you set a value here. All groups of this type will inherit the offset days set at the group type level. Set this to '0' days if you instead want to manage the reminder offset days on each group individually.

RSVP - Group Viewer

After you've enabled RSVP for a group type, you'll see a couple of changes when viewing groups of that type from the *Group Viewer* page.

First, you'll notice the addition of a new icon that will take you to the *Group RSVP List* page, where you can view or add occurrences. We'll talk more about occurrences in the RSVP Occurrences section below.

\diamond		۹		0
Group Viewer Home > Decker Group				
Groups + Q i	☆ Decker Group		Small Group	\$
Global Connector Group Gobal Connector Group				~
Alisha Marble's Group	Small group with Ted as the group leader.			
Pete's Group	Parent Group Section A	Meeting Location	1	
 A Section B O Serving Teams Ushers 	Section A Schedule Monday at 7:00 PM	W Then decised But	Additional And	and and a start of the start of
state General Groups	Topic: Book of Genesis	W Group M	S Carlin M	Procee Are
		600000 11624 N 31st Dr Pho		ata 62021
	Edit Archive		★ = 3 ≥	

Second, you can Edit a group to access the *RSVP Reminder System Communication* and *RSVP Reminder Offset Days* for that group. These settings are only available for groups where RSVP has been enabled on the group type.

Group Viewer RSVP Reminder Settings

•					0
Group Viewer					
Groups + Q :	😤 Decker Group			Small Group	☆ >
 Alisha Marble's Group Decker Group Pete's Group Pete's Group Section B O Serving Teams Ushers General Groups 	Name • Decker Group Description Small group with Ted as the group leader.		Active	Public	
	General				* *
	RSVP Reminder System Communication RSVP Reminder	~	RSVP Reminder Offset Days ①		30
	Meeting Details				~
	Group Attribute Values				~
	Save Cancel				
Crafted by the Spark Development Ne	twork / License				

1 RSVP Reminder System Communication

Select the *System Communication* that should be used to send reminders to invitees who have *Accepted*. Only communications in the "RSVP Confirmation" category will be listed for selection. If you already set this at the group type level, then you won't be able to change it here.

2 RSVP Reminder Offset Days

Indicate how many days before the event the reminder should be sent. Like the communication selection, you won't be able to change the reminder settings for individual groups if they're already configured for the group type.

Group RSVP List

Clicking the icon takes you to the *Group RSVP List* page. It will be empty when you first start, but after you add a few occurrences to the list (see RSVP Occurrences) you'll quickly see how useful this page is. Let's take a look.

RSVP Lis	st Page									
衮									0	
8	Group RS									
•										
	RSVP Occur	rrences								
•	Filter Options V	Schedule	Location	•	Invited	Accepted	Declined	No Response		
×	10/25/2021	Monday at 8:00 PM	3 the Garage	4	5 34	19	9	6	 ₽`	
â	10/18/2021	Monday at 8:00 PM	the Garage	-	34	18	11	5	*	
	10/11/2021	Monday at 8:00 PM	the Warehouse		34	24	6	4	*	
	10/4/2021	Monday at 8:00 PM	the Garage		34	15	10	9	Ł	
	9/27/2021	Monday at 8:00 PM	the Garage		34	24	9	1	*	
	9/20/2021	Monday at 8:00 PM	the Warehouse		34	16	8	10	*	

1 Date

The date of the occurrence is shown in the first column. You can use the *Filter Options* near the top of the block to narrow the list by date.

2 Schedule

The check-in schedule associated with the occurrence, if applicable, is shown here.

3 Location

If a location has been assigned to the occurrence you can see it here.

4 Response Progress Bar

This column gives you a graph of RSVP response data:

- Green = Accepted
- Red = Declined
- Blank/Gray = No Response

5 Invited

You can view the count of all invitees for the occurrence, so you know how many people were invited.

6 Response Statistics

In this part of the block, you can see how many people have replied to the RSVP with either an Accept or Decline, and a count of how many haven't responded.

7 RSVP Detail Icon

Click the icon to access the *RSVP Detail* page (see RSVP Detail).

RSVP Occurrences

Let's look at how to add an occurrence to the RSVP List. You'll need to have at least one occurrence set up for the group before you can start sending your RSVP emails.

Add Occurrence		
🔇 🔳 🤋		6) ~
Group RSVP Detail Home > Pete's Group > Group RSVP List > Group RSVP Detail		
RSVP Detail Pete's Group		
Name Monday Night Worship Event 2 Date* 09/27/2021 Image: Check-in Schedule Monday at 8:00 PM		
4 Location	5 Hide Additio	nal Fields
Custom Decline Message		
Show Decline Reasons Available Decline Reasons Image: Show Decline Reasons Image: Image: Show Decline Reasons Vacation Vacation Schedule Conflict No Childcare Available Other Other		
Save Cancel		
Crafted by Spark Development Network / License		

1 Name

You can optionally set a unique name for an occurrence. This applies only to the occurrence being viewed. Invitees will see the name you provide on the external website when they *Accept* or *Decline*.

2 Date

Set the date of the occurrence.

3 Check-in Schedule

Choose the check-in schedule associated with the occurrence, if applicable.

4 Location

Select the location of the occurrence.

5 Show/Hide Additional Fields

Click *Show Additional Fields* to reveal the settings for custom messages and decline reasons (listed below).

6 Custom Accept/Decline Messages

You can customize the message invitees see when they respond to your RSVP request. We'll show you what that looks like in the Responding to RSVP Requests section.



Show Decline Reasons

If the Show Decline Reasons box is selected, then invitees can give a reason for declining. You can choose which reasons are available to invitees from the list of Available Decline Reasons.

Decline Reasons The list of Available Decline Reasons can be maintained from the Admin Tools > General Settings > Defined Type list under Group RSVP Decline Reason.

RSVP Email Requests

Now that we have an occurrence set up, we're ready to send out some invitations.

Adding an RSVP request to an e-mail is as simple as clicking and dragging the RSVP tool button (look for the icon) into your email. If you're not sure how to get to this point, check out the Communication Wizard section in the Communicating With Rock guide.

Add RSVP To New Communication

	٩	Name 👻 🧐 🔪
Email Editor		Send Test Preview Save []
Text Image Video Divider HTML Button RSVP One Two Trave Left	RSVP	
□] Rgm	*	~
AROCK	Register Recipients	Show Advanced Settings
Membership 101 This is the class you've heard about during the services the past few weeks. We would love to know if you can attend. Will you be able to make it? Thanksl -Pete Accept Decline		
Previous		Next
	Image Image	RSVP Were Duider With Euton RSVP Ore Wo Three Left Prote Register Recipients Complete Delete Complete Delete Delete

After the RSVP buttons have been added to the body of your email, use the panel on the right to select the group and occurrence.

Add Occurrei	nce to Email	
	RSVP	
	Ambership 101	•
	Membership 101 - Tuesd	ay, October 1, 2019 2 🔹
	Register Recipients 3	Show Advanced Settings
	Complete Delete	

1 Select Group

Choose the group associated with the occurrence. Only group types with RSVP enabled will be in the list of options.

2 Select Occurrence

Pick the occurrence for which you want to send an email. The RSVP responses you receive will be for this occurrence.

3 Register Recipients

Click the <u>Register Recipients</u> button to keep track of RSVP data for all the recipients of your email. If this button isn't used, only people who have responded to your RSVP request will appear in the *RSVP List* or *RSVP Detail* pages.

4 Show Advanced Settings

You can use the advanced settings to customize how the RSVP buttons are shown to invitees.

RSVP Detail

Now that we've sent our email, we need to monitor the responses. We'll do this from the *RSVP Detail* page, which you can get to by clicking an occurrence from the *RSVP List* page.

The detail block at the top of the *RSVP Detail* page shows the occurrence details and a graph of responses. The list block at the bottom of the page shows your invitees and their responses.

RSVP Detail Page Search - $\mathbf{\hat{\mathbf{A}}}$ Group RSVP Detail t > Group RSVP Detail 2 **RSVP Detail ASU Student Group** 0 Name Special Meeting No Response ر کار Date 11/6/2022 the Warehouse Check-in Schedule Weekly: Sundays at 10:30 AM Invitees 9 🛎 🐘 🖽 🗘 Invitees Accept Decline Decline Reason Decline Note Decline ~ Sam Hanks Accept Ty McClintock Accept Decline No Childcare Available V Child has the flu Paul Smith Accept Decline ~ 50 500 5,000 3 RSVP Attendees • ** • • • Cancel Crafted by Spark Development Network / License

Not only can you view responses, but you can also update responses or add decline notes if you need to. This ensures you always have accurate information, especially if the invitee responds (or changes their response) by phone or in person.

If you didn't turn on the *Show Decline Reasons* option for the occurrence, then the *Decline Reason* and *Decline Note* columns won't be shown.

Missing Invitees?

If you used the Register Recipients button when sending your email, then everyone from your email will be on this list. Otherwise, you'll only see people who have responded.

Responding to RSVP Requests

It may be helpful for you to know what individuals will be seeing and doing after they receive your RSVP email.

Clicking either Accept or Decline in the email will bring the invitee to your external site. What happens at that point depends on how you've set up your group, occurrence and email.

Public Group Member Attributes

When adding a member attribute to either a group or group type, you'll notice a *Public* setting. This setting controls whether the member attribute is included as part of the RSVP response process.

Group Member Attributes 1d:11		
Edit attribute for members in groups of	group type Small Group	
	group type small croup	
Name •	Active 🚯	
Need Childcare?		
Abbreviated Name	Public 🚯	
Childcare		
Description		
Do you need childcare during the event?		
Do you need childcare during the event?		
Categories	Field Type Boolean	
	Field Type Boolean	
Categories		
Categories	Boolean	
Categories Key* NeedChildcare Required Show	Boolean True Text () Yes False Text ()	
Categories Key • NeedChildcare	Boolean True Text () Yes False Text ()	
Categories Key* NeedChildcare Required Show	Boolean True Text ① Yes False Text ①	
Categories Key Key Required Show Require a value Y	Boolean True Text Yes True Text False Text No	~
Categories Categories Key Key NeedChildcare Required Require avalue Y Show on Bulk	Boolean True Text ① Yes in Grid ① False Text ① No Control Type ①	~

If the *Public* setting is enabled, then the group member attribute will be shown to RSVP invitees who accept your invitation. This allows you to gather additional information from the invitee beyond knowing that they plan to attend. We'll show you exactly what this looks like in the Accept section below.

Accept

Invitees will be taken to your website after clicking "Accept" in the RSVP email they received. If you've attached any public member attributes to your group, then invitees will be asked to provide additional information (i.e., attribute values) accordingly.

For example, the *RSVP Response* page pictured below has a field labeled "Need Childcare?" with a drop-down menu below it. This prompts the individual to disclose if they need childcare before finalizing their RSVP acceptance. You can see how this particular member attribute was set up in the Public Group Member Attributes section above.

VP Accept With Attribute					
RSVP Response					
Home / RSVP Response					
First Name	Last I	Name			
Paul	Smi	th			
Email Address					
Paul@Smith.org					
Need Childcare? 0					
Accept Decline					
Powered by: Rock RMS				3120 W Cholla St	Phoenix, AZ 8502

After the invitee clicks the Accept button on the page pictured above, they'll be brought to the acceptance confirmation page pictured below.

If you didn't add any public member attributes to your group, then the above page is skipped because there is nothing else the invitee needs to provide. Instead, invitees will be taken directly to the acceptance confirmation page pictured below when they click "Accept" from the RSVP email.

VP Accept Message					
RSVP Response					
Home / RSVP Response					
We have received your response. Thanks, and we'll see you so	on!				
Powered by: Rock RMS				3120 W Cholla St F	Phoenix, AZ 85029

The generic acceptance message pictured above can be customized if desired (see RSVP Occurrences).

Accepts Become Group Members

Rock will always add a person who accepts the RSVP into the group as a group member. This is especially needed when, for example, group member attributes are used. If an individual declines the RSVP invitation, they won't be removed from the group.

Decline

Just like clicking Accept, you control what happens when a person clicks Decline. If the person declines, and if you enabled decline reasons, then they'll be asked to

/P Decline With Reason					
RSVP Response					
Home / RSVP Response					
We're sorry you can't make it. Hope to see you next time!					
Please enter a reason below: *					
Family Emergency					
 Have to Work 					
On Vacation / Out of Town Serving Elsewhere					
Note					
Save					
Powered by: Rock RMS				3120 W Cholla St Phoe	

In the above example a custom decline message is displayed near the top of the block. If you didn't customize your decline message, then the generic message (pictured below) will appear instead.

If you didn't enable decline reasons, then the invitee will be taken directly to the page below from the email.

SVP Decline Message								
	New Here?	Resources	Connect	Give	Blog	Calendar	Watch	Login
RSVP Response								
Home / RSVP Response								
Sorry to hear you won't make it, but hopefully we'll see you aga	in soon!							
Powered by: Rock RMS							3120 W Cholla St Ph	oenix, AZ 85029

Group RSVP Reminders

The *Send Rsvp Reminders* job will send a reminder to people who have accepted an RSVP invitation. Those who have declined or who haven't responded won't receive a reminder.

The job is ready for you to use out of the box, but it must be manually configured and is intended to be run daily. It will use the *RSVP Reminder System Communication* for the content, as configured at either the group or group type level. If you haven't selected a *System Communication* to use, then the job will not send a reminder.

Sending Reminders using SMS

If a person's communication preference is SMS, and if the *System Communication* you use for RSVP reminders is fully configured for SMS, then the reminder will be sent as a text instead of an email.

Group RSVP Reminders Job

cheduled Job Detail	Detail	
Send RSVP Reminders		
Name *	Active	
Send RSVP Reminders		
Description		
This job sends RSVP reminder notifications for	any groups of the specified group type with notifications needing to be sent.	
This job sends RSVP reminder notifications for	any groups of the specified group type with notifications needing to be sent.	
This job sends RSVP reminder notifications for Notification Status	any groups of the specified group type with notifications needing to be sent. Cron Expression ①•	
Notification Status	Cron Expression • • • • • • • • • • • • • • • • • • •	
Notification Status All	Cron Expression ◎ •	
Notification Status All	Cron Expression • • • • • • • • • • • • • • • • • • •	
Notification Status All Notification Emails	Cron Expression • • 0 30 20 1/1 * ? * Cron Description At 08:30 PM	
Notification Status All Notification Emails 0 Job Type •	Cron Expression • • 0 30 20 1/1 * ? * Cron Description At 08:30 PM Job History Count •	
Notification Status All Notification Emails Job Type Send Rsvp Reminders	Cron Expression Cron Expression Cron Description At 08:30 PM Job History Count S00	
Notification Status All Notification Emails Job Type Send Rsvp Reminders Group Type	Cron Expression ① •	
Notification Status All Notification Emails Job Type Send Rsvp Reminders Group Type	Cron Expression ① •	

1 Job Type

For RSVP reminder communications, be sure to select the *Send Rsvp Reminders* job as pictured above. You'll then be prompted to select a group type.

2 Group Type

The *Send Rsvp Reminders* job will attempt to send reminders for all group types if one is not specified here. Otherwise, you can pick a group type if you only want to send reminders for groups of that type. In most cases you'll probably want to configure a single job, without picking a group type, for all of your reminders. You can create multiple jobs if needed but be sure every instance of the job has its own group type specified or you risk sending duplicate communications.

Don't forget that the *Send Rsvp Reminders* job will reference the configured *RSVP Reminder Offset Days* value (either from the group type or for a particular group) to determine when to send reminders for any given occurrence.